

# Professional Ceramic Capacitors - Class I, II and III

### MIL-STD-202F

The professional ceramic disc capacitors were specially developed for applications in severe environmental conditions, high humidity, temperature, gas, vapor and solvents.

The capacitors are flame retardant epoxy coated, meeting UL 94-V0 flammability specifications. The capacitors are 100% screened on following electrical parameters:

Capacitance, loss factor, test voltage. After the 100% test, the capacitors are audited on its electrical and mechanical parameters with following AQL:

Electrical parameters: 0.065% level II Mechanical parameters: 0.65% level II

The capacitors withstand the following reliability essays:

Terminal strength: method 211 - condition A

Resistance to solvents: method 215

Resistance to soldering heat: method 210 - condition B


Solderability: method 208

Thermal shock: method 107 - condition A

Humidity (steady state): method 103 – condition D Life (at elevated ambient temperature): method 108 –  $\,$ 

condition D

Operating temperature and storage: -55... +125° C



### millimeters (inches)

Lead Spacing	Digit 8	
F		
2.5 (0.100)	D	_
5 (0.200)	А	0
6 (0.250)	Е	X
7.5 (0.300)	В	R
10 (0.400)	С	W

### **DIMENSIONS**

### millimeters (inches)

Digit 9 D ± 2 (0.079)		T max.	Available Lead Spacing
A NP0 1pF 2.7 pF	4.0 (0.157)	3.0 (0.118)	A,B,D,E,O,R
A <sub>5.6pF</sub> N1500 8.2 pF	4.0 (0.157)	3.0 (0.118)	A,B,D,E,O,R
A Others	4.0 (0.157)	3.0 (0.118)	A,B,D,E,O,R
В	5.0 (0.197)	3.0 (0.118)	A,B,D,E,O,R,X
С	6.0 (0.236)	3.0 (0.118)	A,B,C,D,E,O,R,X
D	7.0 (0.276)	3.0 (0.118)	A,B,C,D,E,O,R,X
Е	8.0 (0.315)	3.0 (0.118)	A,B,C,D,E,O,R,X
F	9.0 (0.354)	3.0 (0.118)	A,B,C,E,O,R,X
G	10.0 (0.394)	3.0 (0.118)	A,B,C,E,O,R,X
Н	11.0 (0.433)	3.0 (0.118)	A,B,C,E,O,R,W
J	13.0 (0.512)	3.5 (0.138)	B,C,R,W
K	15.0 (0.591)	3.5 (0.138)	B,C,R,W
M	19.0 (0.748)	4.0 (0.157)	B,C

(E), (X), (W): upon request





# **General Specifications - Class III Professional**

### **DIELECTRIC - CLASS III**


A thin dielectric layer is grown on a disc of conductive ceramic. Very large capacitances can be obtained due to reduced thickness of this barrier layer and its inherently high dielectric constant. Due its small dimensions, they are a less expensive replacement of multilayer ceramic or polyester capacitors.

### **DIMENSIONS**

### millimeters (inches)

Digit 9 of P.N. (ø)	D ± 2 (0.079)	T max.	Available Lead Spacing
А	4.0 (0.157)	3.0 (0.118)	A,B,D,E,O,R
В	5.0 (0.197)	3.0 (0.118)	A,B,D,E,O,R,X
С	6.0 (0.236)	3.0 (0.118)	A,B,C,D,E,O,R,X
D	7.0 (0.276)	3.0 (0.118)	A,B,C,D,E,O,R,X
Е	8.0 (0.315)	3.0 (0.118)	A,B,C,D,E,O,R,X
F	9.0 (0.354)	3.0 (0.118)	A,B,C,E,O,R,X
G	10.0 (0.394)	3.0 (0.118)	A,B,C,E,O,R,X
Н	11.0 (0.433)	3.0 (0.118)	A,B,C,E,O,R,W
J	13.0 (0.512)	3.5 (0.138)	B,C,R,W
K	15.0 (0.591)	4.0 (0.157)	B,C,R,W

(E), (X), (W): upon request



### millimeters (inches)

Lead Spacing	Digit 8	of P.N.
F		*
2.5 (0.100)	D	_
5 (0.200)	А	0
6 (0.250)	E	X
7.5 (0.300)	В	R
10 (0.400)	С	W

### PERFORMANCE CHARACTERISTICS CLASS III

Measured at	1.0 kHz / 0.1 Vrms / 25°C		
Dissipation Factor	$C_R \le 22 \text{ nF} \rightarrow Y5V, Y5U \le 7.5\%$ $C_R > 22 \text{ nF} \rightarrow Y5V, Y5P \le 5.0\%$		
Capacitance Tolerance	Y5P $\rightarrow$ ±20% / -20 +50% Y5U $\rightarrow$ ±20% / -20 +80% Y5V $\rightarrow$ ±20% / -20 +80%		
Climatic Category	55 / 085 / 56		
Insulation	Y5P ≥12 MΩ		
Resistance @ V <sub>R</sub>	Y5U	4.7 nF100 nF $\rightarrow$ $\geq$ 10 M $_{\Omega}$ 200 nF $\rightarrow$ $\geq$ 1 M $_{\Omega}$	
	Y5V ≥ 100 M <sub>Ω</sub>		
Dielectric Strength NOTE: Charging	Between leads	Vt = 1.25 V <sub>R</sub>	
current limited to 50 mA	Body insulation	$V_{R} = 25V Vt = 100V (DC)$ $V_{R} = 50V Vt = 150V (DC)$	
Operating Temperature Range (°C)		-55 +125 Epoxy Coated	

Note: Damp Heat Steady State: 90... 95% R.H. 40°C / 21 days. No voltage to be applied.



# Disc Ceramic Capacitors Dimension Table Barrier Layer Capacitors - Class III Professional



### **EPOXY COATED - CAPACITANCE VS. DISC DIAMETER**

### millimeters (inches)

Class III	Δ C/C (max.) ±12%	Range -30 +85°C	Δ C/C (max.) +30 -65%	Range -30 +85°C	Δ C/C (max.) +22 -85%	Range -30 +85°C
Temp. Coefficient	Y5P		Y5U		Y5V	
Digits 1,2,3 of P.N.	6WF	6WH	6YF	6YH	6ZH	
Rated Voltage (V <sub>P</sub> )	25	50	25	50	50	
C <sub>R</sub> (pF)						
4,700	4.0 (0.157)	4.0 (0.157)	4.0 (0.157)	4.0 (0.157)		
10,000	6.0 (0.236)	6.0 (0.236)	4.0 (0.137)	4.0 (0.137)		
22,000	7.0 (0.276)	8.0 (0.315)	5.0 (0.197)	6.0 (0.236)	4.0 (0.157)	
33,000	8.0 (0.315)	9.0 (0.354)	6.0 (0.236)	7.0 (0.276)		
47,000	10.0 (0.204)	11.0 (0.433)				
50,000	10.0 (0.394)	_	7.0 (0.276)	8.0 (0.315)	5.0 (0.19	17)
68,000	11.0 (0.433)	13.0 (0.512)			5.0 (0.19	(1)
100,000	13.0 (0.512)	15.0 (0.591)			7.0 (0.27	(6)
200,000	_	_	13.0 (0.512)	_		

Y5U, Y5V - Preferences

Diameter (φ) = 9th Part Number Digit






### **Ordering Code**

### **HOW TO ORDER** 5 0 Q 222 **General Purpose Professional Switch Mode** Rated Voltage (dc) Capacitance 222 = 2.2 nF Safety D = 16V 5A = NP0/I6A = NPO / IF = 25V\*5B = P100 / I \*6B = P100 / I H = 50V\*5C = N150 / I \*6C = N150 / IK = 100V\*5D = N220 / I \*5E = N330 / I \*6D = N220 / IN = SAFETY Capacitance = TPC code Capacitance = TPC code \*6E = N330 / I O = SAFETY \*5F = N470 / I100pF = 101 1 pF = 1R0\*6F = N470 / I 5G = N750 / IQ = 500V1.2pF = 1R2120pF = 1216G = N750 / IR = 1000V1.5pF = 1R5 1.8pF = 1R8 150pF = 151 180pF = 181 5H = N1500 / I\*6H = N1500 / I S = 2000V\*5I = N2200 / I \*6I = N2200 / I T = 3000V\*5J = N4700 / I2.2pF = 2R2220pF = 2216J = N4700 / IU = 4000V5K = SL2.7pF = 2R7270pF = 27161 = SAFETY 5M = Y5E / II V = SAFETY3.9pF = 3R9330pF = 33162 = SAFETY W = 5000V4.7pF = 4R7390pF = 391 5N = Y5F / II65 = SAFETY 50 = Y5P / II \*X = 6000V5.6pF = 5R6470pF = 471\*5P = Y5R / II 67 = Y5U / SM\*Y = 7500V6.8pF = 6R8560pF = 56168 = Y5V / SM8.2pF = 8R2\*5Q = Y5T / II 680pF = 681 6L = Y5P / SM5S = Y5U / II 10pF = 100820pF = 8216M = X5E / II5T = Y5V / II12pF = 120 15pF = 150 1nF = 102 1.2nF = 122 6N = X5F / II5U = Z5V / II60 = X5P / II\*5V = Z4V / III18pF = 180 1.8nF = 182\*6P = X5R / II 5W = Y5P / III22pF = 2202.2nF = 2225Y = Y5U / III \*6Q = X5T / II27pF = 2702.7nF = 2726S = X5U / II5Z = Y5V / III33pF = 3303.3nF = 3326T = X5V / II3.9nF = 39239pF = 3906U = Z5V / II47pF = 4704.7nF = 472\*6V = Z4V / III 6W = Y5P / III 56pF = 5605.6nF = 56268pF = 6806.8nF = 6826Y = Y5U / III 82pF = 8208.2nF = 8226Z = Y5V / III10nF = 10315nF = 15322nF = 22333nF = 333\*Upon Request 47nF = 473100nF = 104200nF = 204







Z = -20 + 80%

P = 0+100%

\*Wi

Ε

T
Capacitor Diameter ± 2 (0.079)
A = 4 (0.157)
B = 5 (0.197)
C = 6 (0.236)
D = 7 (0.276)
E = 8 (0.315)
F = 9 (0.354)
G = 10 (0.394)
H = 11 (0.433)
J = 13 (0.512)
K = 15 (0.591)
$M^* = 19 (0.748)$
ire 0.8 (0.031) recommended

Packaging

### **Cardboard Strips**


A = 0000

**Bulk** 


 $E = 5 (0.197) \pm 1 (0.039)$  free wire length  $C = 10 (0.394) \pm 1 (0.039)$  free wire length  $D = 25 (0.984) \pm 1 (0.039)$  free wire length

### **Taping**









Lead Forming		$\bigcap$	$\bigcap$	
mm	inches			
2.5 ±0.5	.1 ± .025	D	-	-
5 +0.6 5 -0.2	.2 ± .025	А	0	N
6 <sup>+0.6</sup> <sub>-0.2</sub>	.25 ± .025	E	Х	-
7.5 +1 -0.5	.3 ± .05	В	R	Q
10 <sup>+0.5</sup> <sub>-1.0</sub>	.4 ± .05	С	W	-
12.5 <sup>+1</sup> -0.5	.5 ± .05	Р	_	_

### Finishing

Diam  $\leq$ 9 (0.354) and F = 5.00 (0.197)



Coating does not surpass the bend

For every other:



### Low Voltage

General Q = Waxed phenolic (General Purpose) A = Phenolic

S = Epoxy (Professional) cap. diameter ≤ 8 (0.315)

D = Epoxy (Professional) cap. diameter > 8 (0.315)

### **High Voltage**



= Measured from the center of leads

0.1

0.6 C = Epoxy wire diameter  $(0.024)^{\pm} (0.004)$ 8.0 I = Epoxy wire diameter  $(0.031)^{\pm} (0.004)$ 

0.6 L = Phenolic wire diameter  $(0.024) \pm (0.004)$ 


Please note that not all code combinations are either possible or available.

# 

# Marking

DIG. 2			
0			
TC / Class			
General Purpose	Professional		
A = NP0 / I	A = NP0 / I		
*B = P100 / I	B = P100 / I		
*C = N150 / I	C = N150 / I		
*D = N220 / I	D = N220 / I		
*E = N330 / I	E = N330 / I		
*F = N470 / I	F = N470 / I		
G = N750 / I	G = N750 / I		
H = N1500 / I	H = N1500 / I		
*I = N2200 / I	I = N2200 / I		
*J = N4700 / I	J = N4700 / I		
K = SL	7 = Y5U / SM		
M = Y5E / II	8 = Y5V / SM		
N = Y5F / II	L = Y5P / SM		
O = Y5P / II	M = X5E / II		
P = Y5R / II	N = X5F / II		
Q = Y5T / II	O = X5P / II		
S = Y5U / II	P = X5R / II		
T = Y5V / II	Q = X5T / II		
U = Z5V / II	S = X5U / II		
V = Z4V / III	T = X5V / II		
*W = Y5P / II	U = Z5V / II		
*X = Y5R / II	V = Z4V / III		
Y = Y5U / II	W = Y5P / III		
Z = Y5V / II	X = Y5R / III		
	Y = Y5U / III		
	Z = Y5V / III		

Logo: Only in diam. ≥ 6mm



DIG. 3	DIG	. 7
Q	M	
Rated Voltage	Tolera	nce
D = 16V	$C = \pm 0.2$	25pF

F = 25V H = 50V K = 100V Q = 500V R = 1000V S = 2000V T = 3000V

U = 4000VW = 5000V

X = 6000V

Y = 7500V


	= ±0.25pF
D	$= \pm 0.5 pF$
J	= ±5%
Κ	$= \pm 10\%$
M	$= \pm 20\%$
S	= -20 +50%
Ζ	= -20 +80%
Р	= 0 +100%

Capacitance	EIA
1pF = 109	100pF = 101
1.2pF = 129	120pF = 121
1.5pF = 159	150pF = 151
1.8pF = 189	180pF = 181
2.2pF = 229	220pF = 221
2.7pF = 279	270pF = 271
3.9pF = 399	390pF = 391
4.7pF = 479	470pF = 471
5.6pF = 569	560pF = 561
6.8pF = 689	680pF = 681
8.2pF = 829	820pF = 821
10pF = 100	1nF = 102
12pF = 120	1.2nF = 122
15pF = 150	1.8nF = 182
18pF = 180	2.2nF = 222
22pF = 220	2.7nF = 272
27pF = 270	3.9nF = 392
39pF = 390	4.7nF = 472
47pF = 470	5.6nF = 562
56pF = 560	6.8nF = 682
68pF = 680	8.2nF = 822
82pF = 820	10nF = 103
	15nF = 153
	22nF = 223
	33nF = 333
	47nF = 473
	100nF = 104
	200nF = 204

\*Upon Request

TC – Temperature coefficient.

DIG – for better understanding, check pages 3 and 4.










### **IDENTIFICATION AND TRACEABILITY**

On all TPC ceramic capacitors packages, you will find a bar code label with the following information:



### TAPED PARTS QUANTITY TABLE

### millimeters (inches)

Rated Voltage	Diameter	Quantities		
(Vr)	D	Ammopack	Reel	
Vr <= 500V	D ≦ 7 (0.276)	2000	2500	
	7 < D ≦ 11 (0.433)	2000	2000	
500V <vr<=2kv< th=""><th>D ≤ 11 (0.433)</th><th>1500</th><th>2000</th></vr<=2kv<>	D ≤ 11 (0.433)	1500	2000	
2KV <vr=5kv< th=""><th>D ≦ 11 (0.433)</th><th>1000</th><th>1500</th></vr=5kv<>	D ≦ 11 (0.433)	1000	1500	

### CARDBOARD STRIPS QUANTITY TABLE

### millimeters (inches)

Rated Voltage	Diameter	Lead S	Space
(Vr)	D	< = 5 (0.197)	> 5 (0.197)
Vr <= 500V	D ≤ 8 (0.315)	2500	1500
	8 (0.315) ≦ D≦ 11 (0.433)	1500	-
	8 (0.315) ≦ D≦ 13 (0.512)	-	1000
	11 (0.433) ≦ D≦ 15 (0.591)	1000	-
	13 (0.512) ≦ D≦ 19 (0.748)	-	500
	D ≤ 19 (0.748)	500	-
500V <vr<=2kv< td=""><td>D ≤ 9 (0.354)</td><td>1500</td><td>1000</td></vr<=2kv<>	D ≤ 9 (0.354)	1500	1000
	9 (0.354) ≤ D ≤ 11 (0.433)	-	1000
	9 (0.354) ≤ D ≤ 13 (0.512)	1000	-
	11 (0.433) ≦ D ≦ 19 (0.748)	-	500
	13 (0.512) ≤ D ≤ 19 (0.748)	500	-
2KV <vr<=5kv< td=""><td>D ≤ 9 (0.354)</td><td>1500</td><td>-</td></vr<=5kv<>	D ≤ 9 (0.354)	1500	-
Safety 65N 62O	D ≤ 11 (0.433)	-	1000
	D ≤ 13 (0.512)	500	500
Safety	D ≤ 6 (0.236)	1500	1500
61V	$7 (0.275) \le D \le 9 (0.354)$	1000	1000
	9 (0.354) ≦ D	500	500

Quantities for other package alternative, upon request.





# **Tape and Reel Specifications**

There are two types of taped disc ceramic capacitors: Straight or crimped leads.

Both types can be shipped on reels or ammopack.

The standard packaging quantities are shown bellow:

# Fig. 2 Fig. 3 Fig. 2 Fig. 3 Tax Carimbo Marking 1,5 max.

### millimeters (inches)

Straight leads Crimped leads

Maximum pull force during insertion and lead cut

	F <sub>1</sub>	$F_2$
$4 (0.157) \le D < 6 (0.236)$	12N	20N
D ≥ 6 (0.236)	20N	25N

Digit 11	Available Tapings	Digit 9
L M	Sizes $4 (0.157) \le D \le 11 (0.433)$	A H
J H	Sizos 4 (0.224) < D < 11 (0.422)	C II
ΚΙ	Sizes $6 (0.236) \le D \le 11 (0.433)$	C H

### TPC Code Digit 11

Packaging	Avisert	Panasert	
Reel	H L L L FIGURE 1 FIGURE 2 FIGURE 3	FIGURE 1 FIGURE 2 FIGURE 3	
Ammopack	FIGURE 1 FIGURE 2 FIGURE 3	FIGURE 1 FIGURE 2 FIGURE 3	

Figure 2: Inside Crimp 100V... 1000V Figure 3: Outside Crimp 1000V




# 

# **Tape and Reel Specifications**

### millimeters (inches)

		Straight Leads		Crimped	
		Figure 1		Figure 2 & 3	
Description of Symbols		A (Avisert)	P (Panasert)	Avisert & Panasert	
Crimp angle	∝	_	_	20°45°	
Crimp length	С	_	_	1.7 min.	
Lead diameter	d		$0.60 \pm 0.1$		
Disc diameter	D		11 max. 4.0 ± 0.2		
Lead hole diameter	Do				
Disc thickness	Т	See Catalog			
Lead spacing	spacing F 5.0 +0.6 -0.2		5.0 +0.6		
Component alignment, front-rear	Δh		0 ± 1		
Height of component from tape center	Н	19.5 ± 0.5	16.5 ± 0.5 - 0	_	
Height from tape center to crimp	Но	_	_	16 + 0.5 - 0	
Component height	H1	32.25 max.	>23.5 <32.25	32.25 max.	
Distance from component leads to tape bottom	$\ell_1$		12 max.		
Tape width	W	18 +1 -0.5			
Bonding tape width	$W_3$		5.5 min. 9.0 ± 0.5		
Feed hole position	W <sub>1</sub>				
Pitch between discs	Р	12.7 ± 1			
Feed hole pitch	Ро	12.7 ± 0.3			
Hole center to lead	P1	$3.85 \pm 0.7$ $6.35 \pm 1$ $0.7 \pm 0.2$ $1.5 \text{ max.}$			
Feed hole center to component center	P2				
Tape + bonding tape thickness	t				
Total tape thickness. including lead	t <sub>2</sub>				

### **PACKAGING**



### **SHIPPING CONTAINER**

