
Revision: 26-Oct-2018



FEATURES

- 0.25 W at 70 °C
- For through hole version see T53Y series
- Wide ohmic range (10 Ω to 1 M Ω)
- Small size for optimum packaging density
- Tests according to CECC 41000 or IEC 60393-1
- Material categorization: for definitions of compliance please see <u>www.vishay.com/doc?99912</u>





www.vishay.com

ISHA

The TS53 trimming potentiometer has been designed for surface mount applications and offers volumetric efficiency (5 mm x 5 mm x 2.7 mm) with high performance and stability.

The TS53 design is suitable for both manual or automatic operation, and can withstand wave, and reflow soldering techniques.

Ø 2.5, width 0.5 Deep: 0.55 Max. deep (center): 0.7

TS53

Vishay Sfernice

Document Number: 51008

www.vishay.com

Vishay Sfernice

TS53

| Resistive element | Cermet | | |
|--|---|--|--|
| Electrical travel | 220° ± 15° | | |
| Resistance range | 10 Ω to 1 MΩ | | |
| Standard series | 1 - 2 - 5 | | |
| Tolerance standard | ± 20 % | | |
| Circuit diagram | $ \begin{array}{c} a \\ (1) \\ b \\ (2) \end{array} \begin{array}{c} c \\ (3) \\ (3) \\ (3) \end{array} $ | | |
| linear | 0.25 W at + 70 °C | | |
| Power rating | $\begin{array}{c} 0.25 \\ 0.20 \\ 0.15 \\ 0.010 \\ 0.05 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\$ | | |
| Temperature coefficient | See Standard Resistance Element Data table | | |
| Limiting element voltage (linear law) | 200 V | | |
| Contact resistance variation (typical) | 1 % or 3 Ω | | |
| End resistance (typical) | 0.1 % or 3 Ω | | |
| Dielectric strength (RMS) | 1000 V | | |
| Insulation resistance | 1 GΩ | | |

| MECHANICAL SPECIFICATIONS | | | |
|-----------------------------|--------------|--|--|
| Mechanical travel | 270 ° ± 10° | | |
| Operating torque (max. Ncm) | 1.5 | | |
| End stop torque (max. Ncm) | 3.5 | | |
| Unit weight (max. g) | 0.15 | | |
| Terminals | Pure Sn (e3) | | |

| ENVIRONMENTAL SPECIFICATIONS | | |
|------------------------------|-----------------------|--|
| Temperature range | -55 °C to +125 °C | |
| Climatic category | 55/125/56 | |
| Sealing | Sealed container IP67 | |
| MSL level | 4 | |


SOLDERING RECOMMENDATIONS

Recommended reflow profile 2, see Application Note <u>www.vishay.com/doc?52029</u> Caution

Reflow soldering must be done within 72 h while stored under a max. temperature of 30 °C, 60 % RH after opening the dry pack envelope.

2

Document Number: 51008





RECOMMENDED METHOD OF STORAGE

Dry box storage is recommended as soon as the hermetic bag has been opened to prevent moisture absorption. The following conditions should be observed, if dry boxes are not available:

• Storage temperature 10 °C to 30 °C

• Storage humidity \leq 60 % RH max.

After more than 72 h under these conditions, moisture content will be too high for reflow soldering.

In case of moisture absorption, the devices will recover to the former condition by drying under the following condition:

192 h at 40 °C + 5 °C/- 0 °C and < 5 % RH (dry air/nitrogen) or

96 h at 60 °C + 5 °C and < 5 % RH for all device containers (not suitable for reel) or

24 h at 125 °C + 5 °C (not suitable for reel)

| PERFORMANCES | | | | | |
|---|--|--|---|--|--|
| | TYPICAL VALUES AND DRIFTS | | | | |
| CONDITIONS | ∆ R_T/R_T (%) | ∆ R ₁₋₂ / R ₁₋₂ (%) | OTHER | | |
| 1000 h at rated power 90'/30' - ambient temp. 70 °C | ±2% | ± 3 % | Contact resistance variation: $\Delta R < 1 \% Rn$ | | |
| Phase A dry heat 125 °C Phase B damp heat Phase C cold -55 °C Phase D damp heat 5 cycles | ±2% | ± 3 % | | | |
| Temperature 40 °C - RH 93 % 56 days | ±2% | ± 3 % | Dielectric strength: 1000 V _{RMS} Insulation resistance: > 10^4 M Ω | | |
| -55 °C to +125 °C - 5 cycles | ±1% | | $\Delta V_{1-2}/V_{1-3} \le \pm 2 \%$ | | |
| 100 cycles - rated power | ± (3 % + 5 Ω) | | | | |
| 50 g - 11 ms 3 successive shocks in 3 directions | ±1% | | $\Delta V_{1-2}/V_{1-3} \leq \pm 1 \%$ | | |
| 10 Hz to 55 Hz 0.75 mm or 10 <i>g</i> - 6 h | ±1% | | $\Delta V_{1-2}/V_{1-3} \leq \pm 1 \%$ | | |
| | 90'/30' - ambient temp. 70 °CPhase A dry heat 125 °CPhase B damp heatPhase C cold -55 °CPhase D damp heat 5 cyclesTemperature 40 °C - RH 93 % 56 days-55 °C to +125 °C - 5 cycles100 cycles - rated power $50 g - 11 ms$ 3 successive shocks in 3 directions10 Hz to 55 Hz | $\Delta R_T/R_T$ (%)1000 h at rated power 90'/30' - ambient temp. 70 °C $\pm 2 \%$ Phase A dry heat 125 °C Phase B damp heat Phase C cold -55 °C Phase D damp heat 5 cycles $\pm 2 \%$ Temperature 40 °C - RH 93 % 56 days $\pm 2 \%$ -55 °C to +125 °C - 5 cycles $\pm 1 \%$ 100 cycles - rated power $\pm (3 \% + 5 \Omega)$ 3 successive shocks in 3 directions $\pm 1 \%$ 10 Hz to 55 Hz $\pm 1 \%$ | CONDITIONS $\Delta R_T/R_T$ (%) $\Delta R_{1-2}/R_{1-2}$ (%)1000 h at rated power 90'/30' - ambient temp. 70 °C ± 2 % ± 3 %Phase A dry heat 125 °C Phase B damp heat Phase C cold -55 °C | | |

Note

• Nothing stated herein shall be construed as a guarantee of quality or durability.

STANDARD RESISTANCE ELEMENT DATA

| STANDARD | | LINEAR LAW | | | |
|----------------------|------------------------|------------|-----|----------------------------|--|
| RESISTANCE VALUES | MAX. POWER AT 70 °C | | | TCR - 55 °C + 125 °C | |
| Ω | W | V | mA | ppm/°C | |
| 10 | 0.25 | 1.58 | 158 | | |
| 20 | 0.25 | 2.24 | 112 | | |
| 50 | 0.25 | 3.54 | 71 | | |
| 100 | 0.25 | 5.00 | 50 | | |
| 200 | 0.25 | 7.07 | 35 | | |
| 500 | 0.25 | 11.2 | 22 | | |
| 1K | 0.25 | 15.8 | 16 | | |
| 2K | 0.25 | 22.4 | 11 | ± 100 | |
| 5K | 0.25 | 35.4 | 7 | ± 100 | |
| 10K | 0.25 | 50.0 | 5 | | |
| 20K | 0.25 | 70.7 | 3.5 | | |
| 50K | 0.25 | 112 | 2.2 | | |
| 100K | 0.25 | 158 | 1.6 | | |
| 200K | 0.20 | 200 | 1.0 | | |
| 500K | 0.08 | 200 | 0.4 | | |
| 1M | 0.04 | 200 | 0.2 | | |

Document Number: 51008



TS53

Vishay Sfernice

MARKING

Vishay trademark, ohmic value, manufacturing date

The ohmic value is indicated by a 3 figure code, the first two are significant figures, the third one is the multiplier.


Example: $100 = 10 \Omega$


 $101 = 100 \Omega$


102 = 1000 Ω

 $503 = 50\ 000\ \Omega$

PACKAGING








Cover tape panel strength specifications EIA 481 A and CEI 60286-3.

DRYPACK

Devices are packed in moisture barrier bags to prevent the products from moisture absorption during transportation and storage. Each bag contains a desiccant.



| DESCRIPTION (for information only) | | | | | | |
|------------------------------------|-------|-------|-----------|---------|-----------|----------------|
| TS53 | YL | 500K | 20 % | | TR | e3 |
| MODEL | STYLE | VALUE | TOLERANCE | SPECIAL | PACKAGING | LEAD (Pb)-FREE |

| RELATED DOCUMENTS | | | | |
|---|--------------------------|--|--|--|
| APPLICATION NOTES | | | | |
| Potentiometers and Trimmers | www.vishay.com/doc?51001 | | | |
| Guidelines for Vishay Sfernice Resistive and Inductive Components | www.vishay.com/doc?52029 | | | |

Revision: 26-Oct-2018

Document Number: 51008

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishay.com/doc?91000



Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Vishay:

TS53YJ200-20%-TR
TS53YL 20 20%TR
TS53YJ 100 20%TR
TS53YJ 10K 20%TR
TS53YJ 1K 20%RB2
TS53YJ

1K 20%TR
TS53YJ 20K 20%TR
TS53YL 100K 20%TR
TS53YL 10K 20%TR
TS53YL 1K 20%TR
TS53YL 200K

20%TR
TS53YL 2K 20%TR
TS53YL 50K 20%TR
TS53YL 100K 10%TR
TS53YL 1K 20%TR
TS53YL 200K

20%TR
TS53YL 2K 20%TR
TS53YL 50K 20%TR
TS5YJ 100K 10%TR
TS53YJ 1M 20%TR
TS53YJ 502MR10

TS53YL502MR10
TS53YL 203MR10
TS53YL102MR10
TS53YJ 100K 10%TR
TS53YJ 102MR10
TS53YJ 103MR10

TS53YJ104MR10
TS53YJ 105MR10
TS53YJ 201MR10
TS53YJ 202MR10
TS53YJ 500MR10

TS53YJ501MR10
TS53YJ 503MR10
TS53YJ 504MR10
TS53YL 101MR10
TS53YL 104MR10

TS53YL105MR10
TS53YL 200MR10
TS53YL 201MR10
TS53YL 202MR10
TS53YL 204MR10

TS53YL105MR10
TS53YL 200MR10
TS53YL 201MR10
TS53YL 202MR10
TS53YL 204MR10

TS53YL 500MR10
TS53YL 201MR10
TS53YL 202MR10
TS53YL 204MR10
TS53YL 204MR10

TS53YL 500MR10
TS53YL 503MR10
TS53YL 504MR10
TS53YL 204MR10
TS53YL 204MR10

TS53YL 500MR10</t