







LOC	DIST	REVISONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
GP	0	O		RELEASED PER OS11-0035-04	09FEB04	JB DS
		O1		REVISED PER ECO-09-021826	12JAN10	KK AEG

D

C

B

A



- 1 MATERIAL
HOUSING: GLASS FILLED HIGH TEMPERATURE NYLON, COLOR: BLACK.
EXTRACTORS: GLASS FILLED HIGH TEMPERATURE NYLON, COLOR: NATURAL (OFF-WHITE).
CONTACT: PHOS. BRONZE, C51100, TEMPER H06.
- 2 FINISH
CONTACT:
NICKEL PLATE ALL OVER 0.00127mm - 0.0019mm [0.00050 IN -0.00075 IN] THICK.
PER AMP SPEC 112-25-2.



GOLD PLATE IN INTERFACE AREA 0.00038mm [0.00015 IN] THICK.
PER AMP SPEC 112-162-5.

LEAD-FREE MATTE TIN PLATE IN SOLDER TAIL AREA 0.00381mm - 0.00635mm [0.00150 IN -0.00250 IN] THICK PER AMP SPEC 112-65-1.
- 3 CONTACT FINISH: GOLD PLATE IN INTERFACE AREA 0.00076mm [0.00030 IN] THICK
PER AMP SPEC 112-162-5. NICKEL UNDERPLATE WILL BE THE SAME AS IN NOTE 2.
- 4 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING
PER D.RENAUD/D.SINISI



DETAIL-C	DETAIL-C	NON-BUFFERED DRAM, 2.5 VOLT, PRE-PLATED CONTACTS	390484-3
DETAIL-C	DETAIL-A	NON-BUFFERED DRAM, 3.3 VOLT, PRE-PLATED CONTACTS	4-390484-2
DETAIL-C	DETAIL-A	NON-BUFFERED DRAM, 3.3 VOLT, PRE-PLATED CONTACTS	390484-1
FUNCTION KEY #1	VOLTAGE KEY #2	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J.BURWELL 09FEB04	Tyco Electronics Corporation Harrisburg, Pa 17105-3608
CIRK D.SHIRLING 09FEB04		APVD	
DIMENSIONS: mm [INCHES]		NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	
0 PLC ± -		APPLICATION SPEC	
1 PLC ± 0.13 [.005]		SIZE	
2 PLC ± -		CAGE CODE	
3 PLC ± -		DRAWING NO	
4 PLC ± -		RESTRICTED TO	
ANGLES		WEIGHT	
FINISH		A1 00779 C=390484	
MATERIAL 1		CUSTOMER DRAWING	
2		SCALE 1:1 SHEET 1 OF 2 REV 01	


LOC	DIST	REVISIONS					
GP	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—



DETAIL A
SCALE 8:1



DETAIL B
SCALE 8:1



DETAIL C
SCALE 8:1

"KEY POSITIONS"

RECOMMENDED MODULE LAYOUT
SEE JEDEC SPEC. MO-161 FOR COMPLETE MODULE DETAILS,
1.27 ±0.10 [0.050 ±0.004] THICK ACROSS PADS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J.BURWELL	09FEB04	 Tyco Electronics	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
		CHK D.SHIRLING	09FEB04			
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED: APVD		NAME		
				SOCKET ASSEMBLY, DIMM2P LOW INSERTION FORCE, 100 POSN LEAD-FREE		
				PRODUCT SPEC		
		APPLICATION SPEC		SIZE		
		WEIGHT		CAGE CODE		
				DRAWING NO		
				RESTRICTED TO		
MATERIAL		FINISH		A1 00779		
		CUSTOMER DRAWING		C=390484		
				SCALE 1:1		
				SHEET 2 OF 2		
				REV 0		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[390484-3](#)