

Specification Control Drawing

a) Part as supplied.

202K1**-100







in millimetres (in inches,for reference) DIMENSIONS

	j	н		J	Ρ	R	S	Т	U& V	JO	нW	JW	Х	Y
Part No.	Min	Max	Min	Max	±10%	±10%	±10%	±10%	±10%	±10%	±20%	±20%	±20%	±20%
	a	b	a	b	b	b	b	b	b	b	b	b	b	b
) 202K121	24 {0,94}	10.4 (0.41)	14 {0.55}	5.6 {0.22}	38 {1.50}	21 {0.83}	3.0 {0.12}	1.0 {0.04}	12 {0.47}	8.5 (0.33)	1.6 (0.06)	0.9 {0.04}	24 {0,94} (2)	13 {0.51
) 202K132	30	14,2	15	5.9	55	32	3.0	1.0	12	11.5	1.8	1.0	24	18
	{1.18}	{0,56}	{0.59}	{0.23}	{2.17}	{1,26}	{0.12}	{0.04}	{0.47}	{0.45}	{0.07}	{0.04}	{0.94}	10.71
) 202K142	31	18.0	18	7.1	67	35	3.0	1.0	20	17.0	1.8	1.0	32	25
	{1,22}	(0.71}	{0.71}	{0.28}	{2.64}	{1.38}	{0.12}	{0.04}	{0.79}	{0.67}	{0.07}	{0.04}	{1.26}	{0.98
) 202K153	36	22.4	21	8.4	80	42	3.0	1.0	20	19.5	2.0	1.0	32	30
	{1,42}	(0.88)	{0.83}	{0.33}	(3.15)	{1.65}	{0.12}	{0.04}	{0.79}	(0.77)	(0.08)	{0.04}	{1.26}	{1.18
202K163	43	28.2	25	9.9	99	61	3.0	1.7	20	21.0	2.2	1.0	52	30
	{1.69}	(1.11)	{0.98}	{0.39}	(3,90)	{2,40}	{0.12}	{0.07}	{0.79}	{0.83}	(0.09)	{0.04}	{2.05}	11.18
202K174	52	35.1	39	15.7	130	72	3.0	1.7	20	39.0	3.2	1.5	52	50
	{2,05}	(1.38)	{1,54}	{0.62}	{5.12}	{2,83}	{0.12}	{0.07}	{0.79}	{1.54}	{0.13}	{0.06}	{2.05}	{1.97
202K185	66	44.5	42	16.8	170	90	3.0	2.0	20	51.5	3.8	2.0	52	70
	{2,60}	(1.75)	{1.65}	{0.66}	(6,69)	{3.54}	{0.12}	{0.08}	{0.79}	(2.03)	(0.15)	{0.08}	{2.05}	{2.76

Drawn A.LILLEY. Checked

Date February 2007 Conforms to ISO Recommendations 3rd Angle Projection Not to Scale

Issue 5

	TE Conne	Specifica ^{ctivity} Control [tion Drawing	Part Number 202K1**-100 Issue 5				
Iss.	Date	E.C.R. No.	Detail	s of Change				
2 3 4	December 1985 May 1990 February 2007	4502 **** CR06-HM-012		was on 2 seperate drawings dimensions added				

(Ordering Information)



COMPATIBILITY CHART)

Material Dash Number	Material Description	SPEC Number	Coating Slash Number
-100	Zero Halogen	RT-1323, RK-6717	/86, /180

NOTES

- () Supplied with 2 lips only, Dimension V does not apply.
- Potting Port X @ 90° to Potting Port Y on 202K121.
- ③ Potting Ports are optional, when specified by suffix -00 they will be located as shown.
- (4) As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.
- (5) If eyelet clip (000W212) is required with part then add CS-1858 to description (i.e. 202K132-100-0-CS-1858).

England	TE Connectivity 300, Constitution Drive, Menlo Park, CA 94025 USA Telephone (650) 361–3860 Fax: (650) 361–5579
Cage Code K1010	Cage Code 06090

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

202K121-100-0 202K185-4-0 202K121-25/225-0-CS6939 202K142-100/184-CS-1858-0 202K153-25-00/86-0 202K121-25/225-0-CS8387 202K153-100-01-0 202K174-3-02/86-0 202K174-25/86-CS-2097-0 202K185-100-01/180-0 202K185-25-01/86-0 202K142-25/42-0 202K153-3/180-0 202K121-25/225-CS-2113-0 202K121-100-01/180-0 202K142-25-CS-1821-0 202K185-25/86-CS-2097-0 202K121-25-01-CS-1858-0 202K163-100/184-CS-1858-0 202K174-25-01/86-0 202K132-25-00/225-0 202K142-25-CS-2101-0 202K132-25-CS-1858-0 202K174-100-01/180-0 202K121-3-CS-1858-0 202K132-3-01/86-0 202K163-4/86-0 202K111-25-G14/225-0 202K132-3-CS-2068-0 202K185-25-02/225-CS6939 202K121-25-CS-1821-0 202K163-25-02/225-CS-1858 202K121-25-CS-1858-0 202K132-25-G03/86-0 202K132-25/225-CS-2065-0 202K153-25-CS-1821-0 202K163-25-G42/225-0 202K142-100-01/180-0 202K121-25/225-CS-2065-0 202K153-25-00-0 202K142-100-01-0 202K142-25-01/42-0 202K174-25/225-CS-1858-0 202K142-12-00-0 202K153-25-01/42-0 202K153-25/42-0 202K153-25-01/225-CS-1858 202K174-25/42-0 202K121-100-01/86-0 202K163-25-G03/225-0 202K132-25-01-0-CS8712 202K132-12-00-0 202K132-25-00-0 202K142-25/225-0-CS6939 202K132-25-01-CS-1821-0 202K142-3-G04/180-0 202K132-25-CS-1821-0 202K121-25-01/42-0 202K174-4/86-0 202K132-100/184-CS-1858-0 202K142-3-00-0 202K142-25-00-0 202K153-3-01/42-0 202K153-4-0 202K163-12-00-0 202K163-3-01-0 202K163-25/42-0 202K153-3-00-0 202K132-100-01/180-0 202K153-25-G03/225-0 202K163-25/225-0-CS8387 202K174-4/42-0 202K153-25-00/225-0 202K142-25-00/225-0 202K132-25-G14/225-0 202K185-25-02-0 202K163-25-01/225-CS-1858 202K111-3-0 202K185-25-02/225-CS-1858 202K121-12-00-0 202K153-4/86-0 202K174-3-02-0 202K132-25-01/225-CS-1858 202K111-25-G14-0 202K121-25-00-0 202K142-4-0 202K142-3-01/42-0 202K142-25-01/225-CS-1858 202K121-8-30-0 202K163-25-00-0 202K111-100-G14-0 202K121-3-01/86-0 202K163-3-02-0 202K174-25-00/225-0 202K142-25-CS-1858-0 202K163-100-01/180-0 202K153-25-0-CS8730 202K121-25-01/225-CS-1858 202K153-8-0 202K163-25/225-0-CS6939