LOC	DIST
AJ	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B3	REVISED PER ECO-11-005030	11MAR11	RK	HMR
	C	ECO-12-018113	27DEC2012	TD	MY





1. ZINC PER QQ-Z-363.
2. BERYLLIUM COPPER PER QQ-C-530.
3. PTFE PER MIL-P-19468.
4. NICKEL PLATE PER QQ-N-290, 3.81µm [.000150] MINIMUM THICK.
5. TIN PLATE PER ASTM-B-545, 3.04µm [.000120] MINIMUM THICK OVER NICKEL PLATE PER MIL-C-26074, 7.62µm [.000300] MINIMUM THICK.
6. GOLD PLATE PER MIL-G-45204, 1.27µm [.000050] MINIMUM THICK.
7. INTERFACE PER MIL-C-39012.
8. POLYMETHYLPENTENE, GENERAL PURPOSE



PCB CONFIGURATION

OBSOLETE	~~3.33 [.131]~~	~~4~~	~~3~~	~~5413631-5~~
	3.33 [.131]	4	8	5413631-3
	4.34 [.171]	5	3	5413631-2
	4.34 [.171]	4	8	5413631-1
	A	FINISH: SHELL	MATERIAL: DIELECTRIC, FRONT	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± 0.08 [.003]
3 PLC ± -
4 PLC ± -
ANGLES ± -

MATERIAL: SEE NOTES 1-3

FINISH: SEE NOTES 4-6

DWN B.MCMASTER 03JAN05
CHK J.LIPPERT 03JAN05
APVD J.LIPPERT 03JAN05
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

TE Connectivity

NAME: JACK, RIGHT ANGLE, PCB, 50 OHM, SERIES BNC

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-5413631	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 1 | REV C

5413631

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

5413631-1