

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -




ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1 OF 3			

DIRECTION OFF TOP OF REEL


1.75





LOW HALOGEN

DETAIL A
(SCALE 4-1)

DETAIL B



WINDING THE COVER TAPE
AROUND THE OUTER
PERIPHERY IN A TURN.




DETAIL B

POLYIMIDE COVER

WITH POLYIMIDE COVER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

- 0 PLC ±0.3
- 1 PLC ±0.3
- 2 PLC ±0.25
- 3 PLC ±0.2
- 4 PLC ±0.2
- ANGLES ±3°

MATERIAL

FINISH

DWN FLORENCE TAN 14SEP04

CHK

ERIC TNG

APVD

SE IFONG

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING


TE

TE Connectivity

NAME
REC ASSY'Y 9H TYPE
(0.5 BOSS L) FOR FH 0.8mm B-T-B CONN
ON TAPING

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-5179180	-

SCALE 2:1 SHEET 2 OF 3 REV D1



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[7-5179180-5](#)