



THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 2000	Tyco Electronics AMP GmbH	ALL RIGHTS RESERVED.




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	OWN	APVD
FT	0	01		REVISED PER ECO-12-007711	26APR2012	KH	MS



1 MATERIALS AND FINISH
HOUSING: HIGH TEMPERATURE POLYAMIDE, UL 94V-0 RATED,
COLOR: BLACK.
TERMINAL: COPPER ALLOY, TIN PLATED.

2. SUITABLE FOR 1, 6-2, 4mm PC BOARD THICKNESS.
3. END-TO-END STACKABLE WITHOUT LOSS OF CENTERLINE SPACING.
4. RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC., FILE N° E60677.
5. IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY WITH IEC 998-1/998-2-1.
6. UL RATING: 300V, 15A.

1776143-3 AS SHOWN



RECOMMENDED PC BOARD LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN S. WELDON CHK C. RICHARD APVD C. RICHARD	28JUN2005 28JUN2005 28JUN2005 108-20166 APPLICATION SPEC 114-20079 WEIGHT -	20.32 15.24 10.16 A	4 3 2 NO OF POSN	1776143-4 1776143-3 1776143-2 PART NUMBER
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:				
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES	±.2 ±.25 ±.25 ±.25 ±.25 ±.2				

TE Connectivity

TERMINAL BLOCK HEADER ASSEMBLY
180 DEGREE, OPEN ENDS, STACKING
W/ INTERLOCK, 5.08mm PITCH

SIZE CAGE CODE DRAWING NO RESTRICTED TO
A200779 C=1776143 -

CUSTOMER DRAWING

SCALE 5:1 SHEET 1 OF 1 REV 01

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1776143-4](#)