

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DY

-

P

LTR


DESCRIPTION

DATE


DWN

APVD


SEE SHEET 1



RECOMMENDED FFC/FPC



RECOMMENDED PCB LAYOUT (THK= 1.6±0.1)
(FOR ODD POSITION CONNECTORS)
NON-ACCUMULATIVE TOLERANCE



RECOMMENDED PCB LAYOUT (THK= 1.6±0.1)
(FOR EVEN POSITION CONNECTORS)
NON-ACCUMULATIVE TOLERANCE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 15JUN04

CHK WYLEE

LP TAN 22NOV2011

APVD SEI FONG 22NOV2011

PRODUCT SPEC

108-51058

APPLICATION SPEC

-


WEIGHT

-

Customer Drawing

DIMENSIONS:

mm



MATERIAL



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.30
1 PLC ±0.30
2 PLC ±0.30
3 PLC ±
4 PLC ±
ANGLES ±3°

FINISH



TE Connectivity

NAME

ASSY, 1.00mm FFC CONN
DIP, V

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-84984

SCALE 5:1

SHEET 2 OF 2

REV E3

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-84984-9](#)