





VIEW Y-Y



- 1 PART NUMBER AND DATE CODE STAMPED IN THIS AREA ON EITHER SIDE.
- 2 CONTACT: COPPER ALLOY
HOUSING: GLASS FILLED POLYESTER 94 VO,
COLOR-BLACK
CAM ROD: STAINLESS STEEL
BOARD LOCK: GLASS FILLED POLYESTER 94 VO,
COLOR-YELLOW
- 3 CONTACT: .000050 MIN NICKEL ALL OVER,
.000030 GOLD SELECTIVE PLATED IN CONTACT
AREA TIN PLATED POST
- 4 CAM ROD AND BOARD LOCK SHIPPED WITH EACH
CONNECTOR. ROTATE IN DIRECTION OF ARROW TO OPEN.
- 5 ASSEMBLY DOES NOT INCLUDE CAM ROD OR BOARD LOCK.
- 6 NUT DRIVER STYLE CAM ROD USED WITH
PART NUMBER 3-531020-4 ONLY.
- 7 CONTACT: .000050 MIN NICKEL ALL OVER,
.000030 GOLD SELECTIVE PLATED IN CONTACT
AREA, MATTE TIN PLATED POST
- 8 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING
PER D.RENAUD/D.SINISI



| | | | | | | | | | |
|--|--|-------------------|--|------|--|---|--------------------|------------------------|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN L.WAREHAM | | 5-88 | |  TE Connectivity | | | |
| DIMENSIONS: INCHES  | | CHK D.GORENC | | 5-88 | | | | | |
| | | APVD D.GORENC | | 5-88 | | NAME ROTARY ZIF CONNECTOR .100 x.200, SOLDER POST OPEN ONE END — | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± — 1 PLC ± — 2 PLC ± — 3 PLC ± .010 4 PLC ± — ANGLES ± — | | PRODUCT SPEC — | | — | | | | | |
| APPLICATION SPEC — | | — | | — | | | | | |
| MATERIAL — | | FINISH — | | — | | | | | |
| | | WEIGHT — | | — | | — | | | |
| CUSTOMER DRAWING | | | | | | SIZE A2 | CAGE CODE 00779 | DRAWING NO C-531020 | RESTRICTED TO — |
| | | | | | | SCALE 3:1 | SHEET 1 OF 2 | REV AH | |

1471-9 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[7-531020-0](#)