



MATED WITH: -	LOC A	DIST -	REVISIONS					
			P	LTR	DESCRIPTION	DATE	DWN	APVD
PROJECT NR.: 87-9187			K11	REVISED PER ECR-12-002298		06FEB2012	Mah	Abele

828921-3	1.9 ± 0.15	OBSOLETE
828921-2	1.5 ± 0.15	OBSOLETE
828921-1	1.5 ± 0.15	
PN	Maß A	



Bemerkungen
NOTES

- Einzelheiten der Ausfuehrung bleiben dem Hersteller ueberlassen
DETAILS OF DESIGN ARE LEFT TO MANUFACTURER
- Passend fuer Drahtgroessenbereich > 1 - 2.5mm²
SUITABLE FOR WIRE SIZE RANGE:
- Passend fuer Isolationsdurchmesser:
SUITABLE FOR INSULATION DIAMETER: 2.1 - 3.0
- Bestueckungshilfe fuer Einzelleiterabdichtung siehe: TE CONNECTIVITY: 965702
INSERTER FOR SINGLE WIRE SEAL SEE :
- Keine Luftloecher zulaessig
NO AIR BUBBLES PERMITTED

1 : 1



nur für Handzangen-
verarbeitung / oelfrei
FOR HAND TOOL PROCESS ONLY
OILFREE

THIS DRAWING IS UNPUBLISHED. ALL RIGHTS RESERVED. © COPYRIGHT - By -

DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: p. ISO 22929 p. DIN 16901 - 160 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -	DWN P. Gaupp 17 APR 97	MATERIAL -	FINISH -
	CHK D. Kümpel 21 APR 97	TE Connectivity	
APVD -	PRODUCT SPEC 108-18263-1		
APPLICATION SPEC 114-18031	SIZE A4	CAGE CODE 00779	DRAWING NO C-828921
WEIGHT -	RESTRICTED TO -		
CUSTOMER DRAWING		SCALE 5:1	SHEET 1 OF 1
		REV K11	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[828921-1](#)