

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Panel mounting flange for screw locking, for mounting contact insert modules, for a panel thickness of 1 - 5 mm

The illustration shows the mounting flange with panel mounting frame VC-AR1/2M

Product Features

- Compact design
- Universal connection
- Proven COMBICON technology
- Can be keyed to prevent incorrect connection



Key Commercial Data

Packing unit	1 pc
GTIN	4 017918 127183
Weight per Piece (excluding packing)	5.58 g
Custom tariff number	85369010
Country of origin	Poland

Technical data

General

Note	2 for every connector

Ambient conditions

Ambient temperature (operation)	-40 °C 125 °C
Ambient temperature (assembly)	-40 °C 70 °C

Material data



Technical data

Material data

Flammability rating according to UL 94	V0
Standards and Regulations	
Flammability rating according to UL 94	V0

Classifications

eCl@ss

	,
eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27371205
eCl@ss 5.1	27371205
eCl@ss 6.0	27371205
eCl@ss 7.0	27371205
eCl@ss 8.0	27440210
eCl@ss 9.0	27440210

ETIM

ETIM 2.0	EC000437
ETIM 3.0	EC000437
ETIM 4.0	EC000437
ETIM 5.0	EC002310

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals

Approvals


EAC / EAC / EAC



Approvals	
Ex Approvals	
Approvals submitted	
Approval details	
EAC	
EAC	
EAC	

Drawings





Installation, panel mounting flange

A = Panel mounting base

B = Solder-in contact insert


C = Mounting flange

D = Mounting panel e = 1...5 mm

E = Dimensions with EMC shield adapter mounted



Dimensional drawing



Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1852862