
Product data sheet Characteristics

ZCKD23

limit switch head ZCKD - steel roller lever plunger with protective boot



Main	
Range of product	OsiSense XC
Series name	Special format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Plunger head
Product compatibility	XCKL XCKM
Associated body	ZCKL1H7 ZCKL5 ZCKL5H7 ZCKL6 ZCKL6H7 ZCKL7 ZCKL7 ZCKL7H7 ZCKL8 ZCKL8H7 ZCKLB31 ZCKLD31H7 ZCKLD35 ZCKLD35H7 ZCKLD35 ZCKLD39H7 ZCKLD39 ZCKLD39H7 ZCKM14P2 ZCKM1H7 ZCKM5 ZCKM5H7 ZCKM5H29 ZCKM5H7 ZCKM6 ZCKM6H7 ZCKM7 ZCKM8 ZCKM8H29 ZCKM8H29 ZCKM8H7 ZCKM8 ZCKM8H29 ZCKM8H7 ZCKM8 ZCKM8H29 ZCKMB11 ZCKMB31 ZCKMD31 ZCKMD31 ZCKMD31H7 ZCKMD35 ZCKMD35H7 ZCKMD37 ZCKMD37 ZCKMD37 ZCKMD37 ZCKMD37 ZCKMD37 ZCKMD39 ZCKMD39H7
Movement of operating head	ZCKMD39H7 Linear Rotary
Type of operator	Metal spring return roller lever plunger
Type of approach	1 direction lateral approach
- · · ·	APRI

Positive opening

With

Complementary

on pomonary		
Switch actuation	By 30° cam	
Environment		
LIMIOIIIIEIIL		
Ambient air temperature for operation	-2570 °C	
Ambient air temperature for storage	-4070 °C	
Environmental characteristic	Standard environment	
RoHS EUR conformity date	4Q2009	
RoHS EUR status	Will be compliant	



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric: ZCKD23