

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION


**Part Number:** 0640051900  
**Status:** Active  
**Overview:** Application Tooling  
**Description:** Crimp Head for the AT-200 Pneumatic Hand Tool

**Documents:**  
[RoHS Certificate of Compliance \(PDF\)](#)

| General                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Family                 | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Series                         | 207129                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Comments                       | Type: AT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Function                       | Crimp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Geographic Area                | Global                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Level of Automation            | Manual                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| More Detailed Tech Information | <a href="mailto:toolingsupport@molex.com">toolingsupport@molex.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Overview                       | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product Name                   | Air Tool                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Tool Type                      | Pneumatic Hand Tool                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| UPC                            | 822348373239                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Warranty Disclaimer            | CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified. |

| Material Info      |         |
|--------------------|---------|
| Engineering Number | AT-5766 |

| Reference - Drawing Numbers   |                                                                                                                                                                                                                                                                                               |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application Tooling Documents | ATS-640051900-001, TM-192790001, TM-192790001SP, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP, TM-640160065TH, TM-640160065TW, TM-640160065VN |



|                                                                   |                   |
|-------------------------------------------------------------------|-------------------|
| <b>EU ELV</b><br>Not Relevant                                     |                   |
| <b>EU RoHS</b><br>Compliant                                       | <b>China RoHS</b> |
| <b>REACH SVHC</b><br>Not Contained Per - ED/30/2017 (7 July 2017) |                   |
| <b>Halogen-Free Status</b><br>Not Relevant                        |                   |
| For more information, please visit <a href="#">Contact US</a>     |                   |
| China ROHS                                                        | Not Relevant      |
| ELV                                                               | Not Relevant      |
| RoHS Phthalates                                                   | Not Contained     |

**Search Parts in this Series**  
207129 Series

**Use With**  
Molex AT-200 HandHeld Pneumatic Tool  
[192790001](#)

| Application Tooling Description                                                                                            | FAQ Product #           |
|----------------------------------------------------------------------------------------------------------------------------|-------------------------|
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel | <a href="#">2061101</a> |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag  | <a href="#">2061103</a> |
| 1.57mm Diameter, Standard .062" Pin                                                                                        | <a href="#">2061104</a> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | and Socket Crimp<br>Terminal, Series<br>4529, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2061118</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>Tin (Sn) Plated Brass<br>Contact, Without<br>Locking Tabs,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <a href="#">2061131</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2061132</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2061141</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated<br>Brass Contact,<br>24-30 AWG, Without<br>Locking Tabs, Reel<br>Packaged<br>1.57mm Diameter, <a href="#">2061143</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel Packaged with<br>Interleaf Paper<br>1.57mm Diameter, <a href="#">2062101</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2062103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | (Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2062131</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin                                                                       |
|  | (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2062132</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin                                                                      |
|  | (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2065100</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold                                                                          |
|  | (Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2065101</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold                                                                         |
|  | (Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2065102</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold                                                                         |
|  | (Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2065103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold                                                                          |
|  | (Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2065104</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female,<br>with 1.27µm Gold<br>Max. Insulation<br>Diameter, Loose in<br>Bag Packaged |
|  | 1.57mm Diameter, <u>2065105</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with                                                                                                                            |

|  |                                                                                                                                                                                                    |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | 1.27µm Gold Max.<br>Insulation Diameter,<br>Reel                                                                                                                                                   |  |
|  | 1.57mm Diameter, <a href="#">2065108</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                 |  |
|  | 1.57mm Diameter, <a href="#">2065109</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                  |  |
|  | 1.57mm Diameter, <a href="#">2065130</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |  |
|  | 1.57mm Diameter, <a href="#">2065135</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |  |
|  | 1.57mm Diameter, <a href="#">2065138</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |  |
|  | 1.57mm Diameter, <a href="#">2065139</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |  |
|  | 1.57mm Diameter, <a href="#">2065147</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel |  |

|  |                                                                                                                                                                        |                |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag                      | <u>2065148</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Reel                                 | <u>2066100</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel Packaged        | <u>2066101</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged         | <u>2066102</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Bag                                  | <u>2066103</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective 1.27µm Select Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged | <u>2066104</u> |
|  | 062 Male Term Chain Brs 50Au 18-24                                                                                                                                     | <u>2066105</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead                              | <u>2066118</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Plated Crimp Area,<br>18-24 AWG, Reel<br>1.57mm Diameter, <u>2066119</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Bag<br>1.57mm Diameter, <u>2066122</u><br>Standard .062"<br>Pin and Socket<br>PC Tail Terminal,<br>Series 1778, Male,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, Bag<br>.062 Male Term PC <u>2066125</u><br>Tail 30 au<br>1.57mm Diameter, <u>2066130</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Gold (Au) Plated<br>Brass Contact, 24-30<br>AWG, Reel<br>1.57mm Diameter, <u>2066135</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Gold (Au) Plated<br>Brass Contact, 24-30<br>AWG, Bag<br>1.57mm Diameter, <u>2066138</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2066139</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2066143</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin (Sn) |  |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Plated Crimp Area,<br>24-30 AWG, Reel<br>1.57mm Diameter, <a href="#">2066144</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin (Sn)<br>Plated Crimp Area,<br>24-30 AWG, Bag<br>1.57mm Diameter, <a href="#">2067103</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1779, Female,<br>with 2.54µm Tin<br>(Sn) Plated Brass<br>Contact, Bag<br>Packaged<br>1.57mm Diameter, <a href="#">2067104</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1779, Female,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, Bag<br>Packaged<br>1.57mm Diameter, <a href="#">2068103</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1778, Male, with Tin<br>(Sn) Plated Brass<br>Contact, Bag<br>062 Male Term Tin <a href="#">2068104</a><br>PCTail Chn<br>Vertical Solder <a href="#">2072101</a><br>Relief (VSR) Direct-<br>Solder Crimp<br>Terminal, Series<br>4706, Male, Tin<br>Terminal Progression<br>MLX Female Crimp <a href="#">2081001</a><br>Terminal 42024,<br>14-20 AWG, Reel,<br>Brass, Tin (Sn)<br>Plating<br>MLX Crimp Terminal <a href="#">2081002</a><br>42024, 14-20 AWG,<br>Bag Tin (Sn)<br>MLX Female Crimp <a href="#">2081003</a><br>Terminal 42024,<br>14-20 AWG, Reel,<br>Phosphor Bronze,<br>Tin (Sn) Plating<br>MLX Crimp Terminal <a href="#">2081004</a><br>42024, 14-20 AWG,<br>Bag Tin (Sn)<br>Claspcon Crimp <a href="#">2081101</a><br>Terminal Socket, Tin<br>(Sn) Plated Brass |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Contact, 16-24 AWG,  
Reel  
Claspcon Crimp 2081102  
Terminal Socket, Tin  
(Sn) Plated Brass  
Contact, 16-24 AWG,  
Bag  
Claspcon Crimp 2081103  
Terminal Socket, Tin  
(Sn) Plated Brass  
Contact, 24-30 AWG,  
Reel  
Claspcon Crimp 2081104  
Terminal Socket, Tin  
(Sn) Plated Brass  
Contact, 24-30 AWG,  
Bag  
Disk Drive Power 2081201  
Connection System,  
Female Crimp  
Terminal, Reel,  
Phosphor Bronze,  
AWG 14-20  
.084" UNPLATED 2081211  
TERMINAL 8980V01  
.084" PC TAIL TERM2081212  
- 999 8980R11  
.084" PC TAIL TERM2081214  
- 999 8980R13  
2.096MM DIA 2081266  
TERMINAL  
2.096MM DIA 2081268  
TERMINAL  
2.13mm DIA PC 2081309  
TAIL TERM PhBr  
2.54SnLF  
2.096MM DIA 2081363  
TERMINAL PhBr  
2.54SnLF  
2.096MM DIA 2081365  
TERMINAL PhBr  
2.54SnLF  
MLX Male Crimp 2082003  
Terminal 42023,  
14-20 AWG, Reel,  
Brass, Tin (Sn)  
Plating  
MLX Crimp Terminal 2082004  
42023, 14-20 AWG,  
Bag Tin (Sn)  
MLX Male Crimp 2082005  
Terminal 42023,  
14-20 AWG, Reel,  
Phosphor Bronze,  
Tin (Sn) Plating  
MLX Crimp Terminal 2082006  
42023, 14-20 AWG,  
Bag Tin (Sn)  
MLX Crimp Terminal 2082008  
42023, 14-20 AWG,  
Bag Selective Gold  
(Au)  
42023-2A0, Ter Male 2082011  
2.13 Chn Unplate



|  |                                                                                                                                                                                 |                |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | Claspcn Crimp<br>Terminal Socket, Tin<br>(Sn) Plated Brass<br>Contact, 16-24 AWG,<br>Reel                                                                                       | <u>2085101</u> |
|  | 2.36mm Diameter,<br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel                    | <u>2091102</u> |
|  | 2.36mm Diameter,<br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Bag                     | <u>2091104</u> |
|  | 093FemaleTerm<br>Chain/IntLeaf Brs<br>Tin18-22                                                                                                                                  | <u>2091115</u> |
|  | 2.36mm Diameter,<br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel                    | <u>2091117</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Crimp Terminal,<br>Dimpled Female,<br>18-22 AWG, Bag                                                                                       | <u>2091118</u> |
|  | 2.36mm Diameter,<br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag                     | <u>2091119</u> |
|  | 2.36mm Diameter,<br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>2273, Female, with<br>Tin (Sn) Plated<br>Contact, Low<br>Engagement Force,<br>18-22 AWG, Reel | <u>2091122</u> |
|  | 2.36mm Diameter,<br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>2273, Female, with<br>Tin (Sn) Plated<br>Contact, Low<br>Engagement Force,<br>18-22 AWG, Bag  | <u>2091123</u> |
|  | 2.36mm Diameter,<br>Standard .093" Pin                                                                                                                                          | <u>2091134</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Tin (Sn) Plated<br>Contact, Bag<br>Crimp Terminal <u>2091153</u><br>41483, 14-18 AWG,<br>Reel<br>2.36mm Diameter, <u>2091155</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>41483, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-18 AWG<br>with Large Insulation<br>Diameter, Chain<br>2.36mm Diameter, <u>2091205</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2091206</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2091615</u><br>Standard .093"<br>Pin and Socket<br>Crimp Terminal,<br>Series 42477,<br>Female, with Tin<br>(Sn) Plated Contact,<br>High Current/Low<br>Engagement Force,<br>14-18 AWG, Reel<br>2.36mm Diameter <u>2091651</u><br>Socket, Without<br>Insulation Crimp for<br>16-20 AWG Wire<br>2.36mm Diameter, <u>2092101</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2092103</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Bag |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                          |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Vertical Solder Relief <a href="#">2092105</a><br>(VSR) Direct-Solder<br>Crimp Terminal,<br>Series 4706, Male,<br>Tin (Sn) Plated Brass<br>Contact, 16-18 AWG,<br>11.20mm Terminal<br>Progression        |
|  | 2.36mm Diameter, <a href="#">2092116</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel                       |
|  | 2.36mm Diameter, <a href="#">2092117</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, without<br>Dents, 18-22 AWG,<br>Reel     |
|  | 2.36mm Diameter, <a href="#">2092118</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag                        |
|  | 093 MaleTermChain/ <a href="#">2092127</a><br>IntLeaf Brs Tin18-22                                                                                                                                       |
|  | 2.36mm Diameter, <a href="#">2092133</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1376, Male, with Tin/<br>Lead (Sn/Pb) Plated<br>Contact, With Detent,<br>Bag Packaged        |
|  | 2.36mm Diameter, <a href="#">2092134</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1376, Male, with Tin<br>(Sn) Plated Contact,<br>Without Detent, Bag<br>Packaged              |
|  | 2.36mm Diameter, <a href="#">2092166</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4549, Male, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel Packaged |
|  | 2.36mm Diameter, <a href="#">2092167</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4549, Male, with                                                                               |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag Packaged<br>2.36mm Diameter, <u>2092170</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-18 AWG,<br>Large Insulation<br>Crimp, Reel<br>2.36mm Diameter, <u>2092171</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-18 AWG,<br>Large Insulation<br>Crimp, Bag<br>2.36mm Diameter, <u>2092611</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>42478, Male, with Tin<br>(Sn) Plated Contact,<br>High Current/Low<br>Engagement Force,<br>14-18 AWG, Reel<br>2.36mm Diameter, <u>2095100</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Reel<br>2.36mm Diameter, <u>2095101</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Chain<br>2.36mm Diameter, <u>2095102</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2095106</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                    |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 2.36mm Diameter, <a href="#">2095111</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag  |
|  | 2.36mm Diameter, <a href="#">2095130</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Reel |
|  | 2.36mm Diameter, <a href="#">2095132</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Gold (Au) Plated<br>Contact, Bag                                 |
|  | 2.36mm Diameter, <a href="#">2095133</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag  |
|  | 2.36mm Diameter, <a href="#">2095142</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag               |
|  | 2.36mm Diameter, <a href="#">2095143</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel              |
|  | 2.36mm Diameter, <a href="#">2095169</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel |
|  | 2.36mm Diameter, <a href="#">2095170</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated                                                   |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2096100</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Reel<br>2.36mm Diameter, <u>2096101</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2096102</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2096106</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <u>2096110</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2096122</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <u>2096123</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <u>2096125</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

1380, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Reel

2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2096126

1380, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Bag

2.36mm Diameter, 2096132  
Standard .093"  
Pin and Socket

PC Tail Terminal,  
Series 1376, Male,  
with Gold (Au)  
Plated Contact,  
Without Detent, Bag  
Packaged

2.36mm Diameter, 2098103  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,

Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 18-22  
AWG, Reel

2.36mm Diameter, 2098104  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal.

Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 18-22  
AWG, Bag

2.36mm Diameter, 2098108  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal.

Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG, Reel

2.36mm Diameter, 2098109  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal.

Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG. Bag

Mini-Fit Jr. 3044052  
Receptacle Housing,  
Single Row, 5  
Circuits. UL 94V-2.

1.57mm Diameter 3061011  
Standard .062"  
Pin and Socket

Receptacle Housing,  
1 Circuits, Natural

|  |                                                                                                                                                                                  |                |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural                                            | <u>3061022</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061023</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, with<br>Standard Mounting<br>Ears                                                      | <u>3061031</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061032</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural                                            | <u>3061038</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, with<br>Standard Mounting<br>Ears                                                      | <u>3061041</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061042</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>Dual Row, without<br>Mounting Ears, PA<br>Polyamide Nylon 6/6,<br>UL 94V-2, 4 Circuits,<br>Natural | <u>3061044</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears,<br>Natural                                                   | <u>3061062</u> |



|  |                                                                                                                                       |                |
|--|---------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>9 Circuits, without<br>Mounting Ears,<br>Natural        | <u>3061092</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, with<br>Standard Mounting<br>Ears, Natural | <u>3061121</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, without<br>Mounting Ears,<br>Natural       | <u>3061122</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 1 Circuits,<br>Natural                                           | <u>3062011</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural                 | <u>3062023</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Plug Housing, 2<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural       | <u>3062024</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural        | <u>3062031</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>without Mounting<br>Ears, Natural                 | <u>3062032</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Plug Housing, 3<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural       | <u>3062033</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>with Standard<br>Mounting Ears                    | <u>3062041</u> |

|  |                                                                                                                                                                         |                |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>without Mounting<br>Ears, Natural                                                   | <u>3062042</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Natural | <u>3062044</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Natural                                                   | <u>3062061</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 9 Circuits,<br>without Mounting<br>Ears, Natural                                                   | <u>3062092</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Plug Housing, 12<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural                                        | <u>3062121</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>without Mounting<br>Ears, Natural                                                  | <u>3062122</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, Black                                               | <u>3066023</u> |
|  | 1.57mm Diameter<br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears, Black                                               | <u>3066062</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, Black, 2<br>Circuits, without<br>Mounting Ears, Black                                              | <u>3067023</u> |
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Black   | <u>3067044</u> |

|  |                                                                                                                                                                  |                |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Black                                              | <u>3067061</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>1 Circuit, Friction<br>Lock, Natural                                               | <u>3091011</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, with<br>Ramps, Natural                       | <u>3091022</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural                | <u>3091027</u> |
|  | 2.36mm Diameter<br>Standard Receptacle<br>Housing, 3 Circuit,<br>Natural                                                                                         | <u>3091030</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091031</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091032</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Free-Hanging,<br>without Passive Lock<br>Ramps, Natural | <u>3091033</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                 | <u>3091041</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                 | <u>3091042</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket                                                                                                              | <u>3091049</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Receptacle Housing,<br>4 Circuits, Dual Row,<br>without Mounting<br>Ears, Natural<br>2.36mm Diameter <u>3091061</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural<br>2.36mm Diameter <u>3091062</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural<br>2.36mm Diameter <u>3091063</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>without Panel Mount<br>Ears, without Friction<br>Lock Ramp<br>2.36mm Diameter <u>3091064</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural<br>2.36mm Diameter <u>3091081</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter <u>3091091</u><br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural<br>2.36mm Diameter <u>3091092</u><br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, with Panel<br>Mount Ears, without<br>Passive Lock Ramp<br>2.36mm Diameter <u>3091093</u><br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, without<br>Panel Mount Ears,<br>without Passive Lock<br>Ramp<br>2.36mm Diameter <u>3091094</u><br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                             |                |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Panel Mountable,<br>without Passive<br>Locking Ramps  | <u>3091121</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                               | <u>3091125</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                               | <u>3091126</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-Bent<br>Mounting Ears,<br>without Lock Ramps | <u>3091151</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, without Lock<br>Ramps       | <u>3091152</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-bent<br>Mounting Ears, with<br>Lock Ramps    | <u>3091153</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, with Lock<br>Ramps          | <u>3091157</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing<br>without Mounting<br>Ears, Positive Lock,<br>2 Circuits                         | <u>3091161</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 1 Circuit,<br>Friction Lock, Natural                                                   | <u>3092011</u> |

|  |                                                                                                                                    |                |
|--|------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural     | <u>3092021</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural              | <u>3092022</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Natural                            | <u>3092031</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Natural                            | <u>3092032</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Single Row                                     | <u>3092041</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Single Row                                     | <u>3092042</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>Dual Row, without<br>Mounting Ears,<br>Natural | <u>3092049</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>Dual Row                                       | <u>3092061</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>Dual Row                                       | <u>3092062</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housings, 9 Circuits,<br>3 Rows                                        | <u>3092092</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>3 Rows                                        | <u>3092121</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>3 Rows                                        | <u>3092122</u> |

|  |                                                                                                                                                                          |                |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, without<br>Mounting Ears, with<br>Pull Tabs, without<br>Lock Windows        | <u>3092151</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, with Pre-<br>Bent Mounting Ears,<br>without Pull Tabs,<br>with Lock Windows | <u>3092159</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing without<br>Mounting Ears,<br>Positive Lock, 2<br>Circuits                                            | <u>3092161</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Black                          | <u>3096021</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Black                                                      | <u>3097022</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Red                                                        | <u>3097024</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Black                                                                    | <u>3097032</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                                  | <u>3121022</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 2 Circuits,<br>Natural (Translucent)                                                 | <u>3121026</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, without Panel                                                                        | <u>3121036</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3121046</u><br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 4 Circuits,<br>Natural (Translucent)<br>3.18mm Diameter, <u>3122022</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears<br>3.18mm Diameter, <u>3122025</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122026</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122035</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3122036</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3122045</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122046</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent) |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|



|                                                                                                                                                    |                |
|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Flat Blade Crimp Terminal, Series 1508, Female, With Tin (Sn) Plated Brass Contact, 14-18 AWG (or 18 AWG Double Crimp), Reel Packaged              | <u>5060117</u> |
| Flat Blade Crimp Terminal, Series 2176, Female, With Tin (Sn) Plated Brass Contact, With Detent, 14-22 AWG (or 18 AWG Double Crimp), Reel Packaged | <u>5060301</u> |
| Crimp Terminal 2482, 10-16 AWG, Reel                                                                                                               | <u>5121004</u> |
| Crimp Terminal 2482, 10-16 AWG, Bag                                                                                                                | <u>5121005</u> |
| Crimp Terminal 2482, 10-16 AWG, Reel                                                                                                               | <u>5121006</u> |
| Crimp Terminal 2482, 10-16 AWG, Reel                                                                                                               | <u>5121008</u> |
| Crimp Terminal 6482, 14-18 AWG, Reel                                                                                                               | <u>5121104</u> |
| Flat Blade Appliance Motor Switch Crimp Housing, 10 Circuits                                                                                       | <u>6021103</u> |
| Flat Blade Appliance Water Valve Crimp Housing, 3 Circuit, Natural                                                                                 | <u>6022030</u> |
| Flat Blade Appliance Defrost Timer Crimp Housing, 4 Circuit, 4 Circuits                                                                            | <u>6023042</u> |
| Flat Blade Appliance Motor Switch Crimp Housing, 10 Circuit, 10 Circuits                                                                           | <u>6023103</u> |
| Flat Blade Appliance Dryer Motor Crimp Housing, 10 Circuit                                                                                         | <u>6023104</u> |
| KK Crimp Terminal, Series 1799, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Chain on Reel                                               | <u>8300109</u> |
| KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Brass Tin (Sn)                                                                                        | <u>8500008</u> |
| KK 156 TERMINAL CRIMP 18-24 AWG TIN                                                                                                                | <u>8500015</u> |
| KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Brass Tin (Sn)                                                                                         | <u>8500023</u> |

|                      |                |
|----------------------|----------------|
| KK 156 TERM          | <u>8500024</u> |
| CRP 18-20 AWG        |                |
| TRIFURCON TIN        |                |
| KK 254 Cat Ear       | <u>8500030</u> |
| Crimp Terminal       |                |
| 4809, 22-30 AWG,     |                |
| Hot Tin Dip, 2.20mm  |                |
| Insulation Crimp,    |                |
| Reel                 |                |
| KK 254 Cat Ear       | <u>8500031</u> |
| Crimp Terminal       |                |
| 4809, 22-30 AWG,     |                |
| Hot Tin Dip, Reel    |                |
| KK 254 Cat Ear       | <u>8500032</u> |
| Crimp Terminal       |                |
| 4809, 22-30 AWG,     |                |
| Hot Tin Dip, Bag     |                |
| KK 396 Crimp         | <u>8500105</u> |
| Terminal 2478, 18-24 |                |
| AWG, Reel, Brass     |                |
| Tin (Sn)             |                |
| KK 396 Crimp         | <u>8500106</u> |
| Terminal 2478, 18-24 |                |
| AWG, Bag, Brass Tin  |                |
| (Sn)                 |                |
| KK 396 Crimp         | <u>8500107</u> |
| Terminal 2578, 22-26 |                |
| AWG, Reel, Brass,    |                |
| 2.540µm Tin (Sn)     |                |
| KK 396 Crimp         | <u>8500108</u> |
| Terminal 2578, 22-26 |                |
| AWG, Bag, Brass,     |                |
| 2.540µm Tin (Sn)     |                |
| KK Crimp Terminal,   | <u>8500109</u> |
| Series 2477,         |                |
| Humpback, with Tin   |                |
| (Sn) Plated Brass    |                |
| Contact, 18-24 AWG,  |                |
| Reel                 |                |
| KK Crimp Terminal,   | <u>8500110</u> |
| Series 2477,         |                |
| Humpback, with Tin   |                |
| (Sn) Plated Brass    |                |
| Contact, 18-24 AWG,  |                |
| Loose                |                |
| KK 396 Crimp         | <u>8500111</u> |
| Terminal 2578, 22-26 |                |
| AWG, Reel, Brass,    |                |
| 7.6µm Tin (Sn)       |                |
| KK 156 TERMINAL      | <u>8500112</u> |
| CRIMP 22-26 AWG      |                |
| TIN                  |                |
| KK 254 Crimp         | <u>8500113</u> |
| Terminal, 22-30      |                |
| AWG, Hot Tin (Sn)    |                |
| Dip Plating          |                |
| KK 254 Crimp         | <u>8500114</u> |
| Terminal, 22-30      |                |
| AWG, Bag, Hot Tin    |                |
| (Sn) Dip Plating     |                |
| 3.96mm Pitch KK      | <u>8500115</u> |
| Crimp Terminal       |                |
| 2878, 18-20 AWG,     |                |
| Reel, Brass, Tin     |                |
| (Sn), Bifurcated     |                |

|                                                                                                 |                |
|-------------------------------------------------------------------------------------------------|----------------|
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Bag, Brass, Tin (Sn),<br>Bifurcated    | <u>8500116</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Reel, Brass,<br>3.8µm Tin (Sn)                     | <u>8500119</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>3.8µm Tin (Sn)                      | <u>8500120</u> |
| KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,<br>2.540µm Tin (Sn)      | <u>8500133</u> |
| KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>2.540µm Tin(Sn)        | <u>8500134</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Hot Tin Dip,<br>Reel                               | <u>8500135</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Tin, Bag                                           | <u>8500136</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating | <u>8500159</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating  | <u>8500160</u> |
| KK Trifurcon Crimp<br>Terminal 7258, 22-26<br>AWG, Reel, Brass<br>Tin (Sn)                      | <u>8500183</u> |
| KK Trifurcon Crimp<br>Terminal 7258, 22-26<br>AWG, Bag, Brass Tin<br>(Sn)                       | <u>8500185</u> |
| KK Trifurcon Crimp<br>Terminal 6838, 18-20<br>AWG, Reel, Brass<br>Tin (Sn)                      | <u>8500187</u> |
| KK Trifurcon Crimp<br>Terminal 6838, 18-20<br>AWG, Bag, Brass Tin<br>(Sn)                       | <u>8500189</u> |
| KK 156 TERM<br>CRP 18-20 AWG<br>TRIFURCON TIN                                                   | <u>8500251</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>3.87µm Tin (Sn)       | <u>8500281</u> |

|                      |                |
|----------------------|----------------|
| KK 156 TERM          | <u>8500283</u> |
| CRP 22-26 AWG        |                |
| TRIFURCON TIN        |                |
| KK 100 Crp Term      | <u>8510101</u> |
| Std 22-30 Awg Unplt  |                |
| KK 254 Crimp         | <u>8510108</u> |
| Terminal, 22-30      |                |
| AWG, Reel, Tin (Sn), |                |
| Nickel (Ni) Under    |                |
| Plating              |                |
| KK 156 TERMINAL      | <u>8510109</u> |
| CRIMP 1820 AWG       |                |
| KK 396 Crimp         | <u>8520071</u> |
| Terminal 2478,       |                |
| 18-24 AWG, Reel,     |                |
| Phosphor Bronze,     |                |
| Tin (Sn)             |                |
| KK 396 Crimp         | <u>8520072</u> |
| Terminal 2478,       |                |
| 18-24 AWG, Bag,      |                |
| Phosphor Bronze,     |                |
| Tin (Sn)             |                |
| KK 254 Crimp         | <u>8520101</u> |
| Terminal 6459,       |                |
| 22-30 AWG, Reel,     |                |
| Phosphor Bronze Tin  |                |
| (Sn)                 |                |
| KK Trifurcon Crimp   | <u>8520112</u> |
| Terminal 6838,       |                |
| 18-20 AWG, Reel,     |                |
| Phosphor Bronze      |                |
| Tin(Sn)              |                |
| KK Trifurcon Crimp   | <u>8520113</u> |
| Terminal 6838,       |                |
| 18-20 AWG, Bag,      |                |
| Phosphor Bronze Tin  |                |
| (Sn)                 |                |
| KK .100 CRIMP        | <u>8520118</u> |
| TERMINAL 100MI       |                |
| MATTE TIN            |                |
| KK 254 Crimp         | <u>8520123</u> |
| Terminal 6459,       |                |
| 22-30 AWG, Bag,      |                |
| Phosphor Bronze Tin  |                |
| (Sn)                 |                |
| KK Trifurcon Crimp   | <u>8520124</u> |
| Terminal 7258,       |                |
| 22-26 AWG, Reel,     |                |
| Phosphor Bronze      |                |
| Tin(Sn)              |                |
| KK Trifurcon Crimp   | <u>8520125</u> |
| Terminal 7258,       |                |
| 22-26 AWG, Bag,      |                |
| Phosphor Bronze Tin  |                |
| (Sn)                 |                |
| 3.96mm Pitch KK      | <u>8520126</u> |
| Crimp Terminal       |                |
| 2878, 18-20 AWG,     |                |
| Reel, Phosphor       |                |
| Bronze, Tin (Sn),    |                |
| Bifurcated           |                |
| 3.96mm Pitch KK      | <u>8520127</u> |
| Crimp Terminal       |                |
| 2878, 18-20 AWG,     |                |
| Bag, Phosphor        |                |

|                                                                                       |                |
|---------------------------------------------------------------------------------------|----------------|
| Bronze, Tin (Sn),<br>Bifurcated                                                       |                |
| KK 396 Crimp                                                                          | <u>8520131</u> |
| Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze Tin<br>(Sn)                     |                |
| KK 396 Crimp                                                                          | <u>8520132</u> |
| Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                      |                |
| KK 396 Crimp                                                                          | <u>8520811</u> |
| Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>5.0µm Tin (Sn)              |                |
| KK 396 Crimp                                                                          | <u>8520812</u> |
| Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>5.0µm Tin (Sn)               |                |
| KK 156 TERMINAL                                                                       | <u>8530811</u> |
| CRIMP 18-24 AWG                                                                       |                |
| KK CRIMP TERM                                                                         | <u>8530812</u> |
| UNPLT LSE                                                                             |                |
| PB2478999L                                                                            |                |
| KK 156 TERMINAL                                                                       | <u>8530814</u> |
| CRIMP 1820 AWG                                                                        |                |
| KK 156 TERM                                                                           | <u>8531101</u> |
| CRP 18-20 AWG                                                                         |                |
| TRIFURCON                                                                             |                |
| KK 254 Crimp                                                                          | <u>8550101</u> |
| Terminal, 22-30<br>AWG, Reel,<br>Selective Gold (Au),<br>Nickel (Ni) Under<br>Plating |                |
| KK 254 Crimp                                                                          | <u>8550102</u> |
| Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating     |                |
| KK 396 Crimp                                                                          | <u>8550103</u> |
| Terminal 2478, 18-24<br>AWG, Reel, Brass,<br>0.38µm Selective<br>Gold (Au)            |                |
| KK 396 Crimp                                                                          | <u>8550104</u> |
| Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>0.38µm Selective<br>Gold (Au)             |                |
| KK 396 Crimp                                                                          | <u>8550105</u> |
| Terminal 2578, 22-26<br>AWG, Reel, Brass,<br>0.38µm Selective<br>Gold (Au)            |                |
| KK 396 Crimp                                                                          | <u>8550106</u> |
| Terminal 2578, 22-26<br>AWG, Bag, Brass,<br>0.38µm Selective<br>Gold(Au)              |                |
| KK 254 Crimp                                                                          | <u>8550110</u> |
| Terminal 4809, 22-30                                                                  |                |

|                                                                                            |                |
|--------------------------------------------------------------------------------------------|----------------|
| AWG, Selective Gold (Au), Reel                                                             |                |
| KK 254 Crimp                                                                               | <u>8550111</u> |
| Terminal 4809, 22-30                                                                       |                |
| AWG, Selective Gold (Au), Bag                                                              |                |
| KK 254 Cat Ear                                                                             | <u>8550112</u> |
| Crimp Terminal 4809, 22-30 AWG, Selective Gold, Reel                                       |                |
| KK 396 Crimp                                                                               | <u>8550123</u> |
| Terminal 2578, 22-26                                                                       |                |
| AWG, Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash                                  |                |
| KK High Pressure                                                                           | <u>8550124</u> |
| Crimp Terminal 7879, 22-30 AWG, Reel Selective Gold (Au)                                   |                |
| KK High Pressure                                                                           | <u>8550129</u> |
| Crimp Terminal 7879, 22-30 AWG, Bag Selective Gold (Au)                                    |                |
| KK 254 Crimp                                                                               | <u>8550130</u> |
| Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating                  |                |
| KK 254 Crimp                                                                               | <u>8550131</u> |
| Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating                   |                |
| KK 396 Crimp                                                                               | <u>8550133</u> |
| Terminal 2478, 18-24 AWG, Reel, Brass, 0.76µm Gold (Au)                                    |                |
| KK 396 Crimp                                                                               | <u>8550134</u> |
| Terminal 2478, 18-24 AWG, Bag, Brass, 0.76µm Gold (Au)                                     |                |
| KK 396 Crimp                                                                               | <u>8550137</u> |
| Terminal 2578, 22-26 AWG, Left Payoff Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash |                |
| KK 156 TERMINAL CRIMP 1820 AWG GOLD                                                        | <u>8550138</u> |
| KK 396 Crimp                                                                               | <u>8560105</u> |
| Terminal 2478, 18-24 AWG, Reel, Brass, 0.51µm Selective Gold (Au)                          |                |
| KK 396 Crimp                                                                               | <u>8560106</u> |
| Terminal 2478, 18-24 AWG, Bag, Brass, 0.51µm Selective Gold (Au)                           |                |
| KK 396 Crimp                                                                               | <u>8560107</u> |
| Terminal 2578, 22-26                                                                       |                |

AWG, Reel, Brass,  
0.51µm Select Gold  
(Au) over Gold Flash  
KK 396 Crimp 8560108  
Terminal 2578, 22-26  
AWG, Bag, Brass,  
0.51µm Select Gold  
(Au) over Gold Flash  
KK 254 Crimp 8560109  
Terminal, 22-30  
AWG, Reel, Gold  
(Au), Nickel (Ni)  
Under Plating  
KK 254 Crimp 8560110  
Terminal, 22-30  
AWG, Bag, Gold  
(Au), Nickel (Ni)  
Under Plating  
KK Crimp Terminal, 8560113  
Series 2477,  
Humpback, with  
Overall Gold (Au)  
Plated Brass  
Contact, 18-24 AWG,  
Reel  
KK Crimp Terminal, 8560114  
Series 2477,  
Humpback, with  
Overall Gold (Au)  
Plated Brass  
Contact, 18-24 AWG,  
Loose  
KK 254 Crimp 8560115  
Terminal 4809, 22-30  
AWG, Selective Gold  
(Au), Bag  
KK 254 Crimp 8560120  
Terminal 4809, 22-30  
AWG, Selective Gold  
(Au), Reel  
KK Trifurcon Crimp 8560123  
Terminal 7258,  
22-26 AWG, Reel,  
Phosphor Bronze  
Gold (Au)  
KK Trifurcon Crimp 8560124  
Terminal 7258,  
22-26 AWG, Bag,  
Phosphor Bronze  
Gold(Au)  
KK 156 TERMINAL 8580103  
CRIMP 18-24 AWG  
GOLD  
KK 156 TERMINAL 8580104  
CRIMP 18-24 AWG  
GOLD  
KK 156 TERM 8580105  
CRP 18-20 AWG  
TRIFURCON GOLD  
KK 156 TERM 8580106  
CRP 18-20 AWG  
TRIFURCON GOLD  
KK Trifurcon Crimp 8580110  
Terminal 6438,  
18-20 AWG, Reel,

|  |                      |                |
|--|----------------------|----------------|
|  | Phosphor Bronze      |                |
|  | Selective Gold (Au)  |                |
|  | KK Trifurcon Crimp   | <u>8580111</u> |
|  | Terminal 6438,       |                |
|  | 18-20 AWG, Bag,      |                |
|  | Phosphor Bronze      |                |
|  | Selective Gold (Au)  |                |
|  | KK 396 Crimp         | <u>8580114</u> |
|  | Terminal 2478,       |                |
|  | 18-24 AWG, Reel,     |                |
|  | Phosphor Bronze,     |                |
|  | 0.76µm Gold (Au)     |                |
|  | KK 396 Crimp         | <u>8580115</u> |
|  | Terminal 2478,       |                |
|  | 18-24 AWG, Bag,      |                |
|  | Phosphor Bronze,     |                |
|  | 0.76µm Gold (Au)     |                |
|  | KK 156 TERM          | <u>8580118</u> |
|  | CRP 18-20 AWG        |                |
|  | TRIFURCON GOLD       |                |
|  | KK 396 Crimp         | <u>8580121</u> |
|  | Terminal 2478,       |                |
|  | 18-24 AWG, Reel,     |                |
|  | Phosphor Bronze,     |                |
|  | 0.51µm Selective     |                |
|  | Gold (Au)            |                |
|  | KK 396 Crimp         | <u>8580122</u> |
|  | Terminal 2478,       |                |
|  | 18-24 AWG, Bag,      |                |
|  | Phosphor Bronze,     |                |
|  | 0.51µm Selective     |                |
|  | Gold (Au)            |                |
|  | KK 396 Crimp         | <u>8580125</u> |
|  | Terminal 2578,       |                |
|  | 22-26 AWG, Reel,     |                |
|  | Phosphor Bronze,     |                |
|  | 0.51µm Selective     |                |
|  | Gold (Au)            |                |
|  | KK 396 Crimp         | <u>8580126</u> |
|  | Terminal 2578,       |                |
|  | 22-26 AWG, Bag,      |                |
|  | Phosphor Bronze,     |                |
|  | 0.51µm Selective     |                |
|  | Gold (Au)            |                |
|  | 3.96mm Pitch KK      | <u>8580127</u> |
|  | Crimp Terminal       |                |
|  | 2878, 18-20 AWG,     |                |
|  | Reel, Phosphor       |                |
|  | Bronze, 0.51µm       |                |
|  | Selective Gold (Au), |                |
|  | Bifurcated           |                |
|  | 3.96mm Pitch KK      | <u>8580128</u> |
|  | Crimp Terminal       |                |
|  | 2878, 18-20 AWG,     |                |
|  | Bag, Phosphor        |                |
|  | Bronze, 0.51µm       |                |
|  | Selective Gold (Au), |                |
|  | Bifurcated           |                |
|  | KK 396 Crimp         | <u>8580135</u> |
|  | Terminal 8818,       |                |
|  | 18-22 AWG, Reel,     |                |
|  | Phosphor Bronze      |                |
|  | Selective Gold (Au)  |                |
|  | KK 396 Crimp         | <u>8580136</u> |
|  | Terminal 8818,       |                |



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 18-22 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)<br>KK Trifurcon Crimp<br>Terminal 6438,<br>18-20 AWG, Reel,<br>Phosphor Bronze<br>Gold (Au)<br>KK Trifurcon Crimp<br>Terminal 6438,<br>18-20 AWG, Bag,<br>Phosphor Bronze<br>Gold(Au)<br>KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,<br>3.810µm Tin (Sn)<br>KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>3.810µm Tin (Sn)<br>KK 254 Crimp<br>Terminal 8088, 22-30<br>AWG, Gold/Nickel,<br>Reel<br>KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,<br>0.76µm Select Gold<br>(Au) over Gold Flash<br>KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)<br>KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)<br>KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)<br>KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)<br>3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Reel, Phosphor<br>Bronze, 0.38µm<br>Selective Gold (Au),<br>Bifurcated | <br><br><br>8580187<br><br><br><br><br>8580189<br><br><br><br><br>8600003<br><br><br><br><br>8600004<br><br><br><br><br>8650105<br><br><br><br><br>8650110<br><br><br><br><br>8650114<br><br><br><br><br>8650115<br><br><br><br><br>8650116<br><br><br><br><br>8650117<br><br><br><br><br>8650118 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                |                |
|--------------------------------------------------------------------------------------------------------------------------------|----------------|
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Bag, Phosphor<br>Bronze, 0.38µm<br>Selective Gold (Au),<br>Bifurcated | <u>8650119</u> |
| KK Trifurcon Crimp<br>Terminal 7258,<br>22-26 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                             | <u>8650121</u> |
| KK Trifurcon Crimp<br>Terminal 7258,<br>22-26 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                              | <u>8650122</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                   | <u>8650128</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                    | <u>8650129</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650801</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>41572, Reel Tin (Sn)                                                                       | <u>8650804</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>41572, Bag Tin (Sn)                                                                        | <u>8650805</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650811</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650812</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Reel,<br>Phosphor Bronze<br>Gold (Au)                                             | <u>8650813</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze<br>Gold (Au)                                              | <u>8650814</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                   | <u>8650815</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                    | <u>8650816</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650817</u> |

|                      |                |
|----------------------|----------------|
| 4.80mm Pitch Crimp   | <u>8700001</u> |
| Terminal, Female,    |                |
| Reel                 |                |
| 4.80mm Pitch Crimp   | <u>8700002</u> |
| Terminal, Male, Reel |                |
| 3.96 and 5.08mm      | <u>8700012</u> |
| Pitch KK Cat Ear     |                |
| Crimp Terminal,      |                |
| Female, 18-24 AWG,   |                |
| Reel                 |                |
| KK Cat Ear Crimp     | <u>8700048</u> |
| Terminal 5159,       |                |
| 22-28 AWG, Reel,     |                |
| Phosphor Bronze,     |                |
| Tin (Sn) Plating     |                |
| KK Cat Ear Crimp     | <u>8700049</u> |
| Terminal 5159,       |                |
| 22-28 AWG, Bag,      |                |
| Phosphor Bronze,     |                |
| Tin (Sn) Plating     |                |
| SPOX Crimp           | <u>8700056</u> |
| Terminal 5103, 22-28 |                |
| AWG, Reel, Brass     |                |
| (CuZn), Chain Type   |                |
| SPOX Crimp           | <u>8700058</u> |
| Terminal 5103,       |                |
| 22-28 AWG, Reel,     |                |
| Phosphor Bronze      |                |
| (CuSn), Chain Type   |                |
| KK Cat Ear Crimp     | <u>8700064</u> |
| Terminal 5159, 22-28 |                |
| AWG, Reel, Brass,    |                |
| Tin (Sn) over Copper |                |
| Plating              |                |
| KK Cat Ear Crimp     | <u>8700069</u> |
| Terminal 5159, 22-28 |                |
| AWG, Bag, Brass,     |                |
| Tin (Sn) over Copper |                |
| Plating              |                |
| 2.50mm Pitch         | <u>8700102</u> |
| Mini-Latch Crimp     |                |
| Terminal, Male,      |                |
| Brass, Reel          |                |
| 2.50mm Pitch         | <u>8700103</u> |
| Mini-Latch Crimp     |                |
| Terminal, Male,      |                |
| Brass, Bag           |                |
| Board-in Crimp       | <u>8700106</u> |
| Terminal , Series    |                |
| 5298, Male, with Tin |                |
| Insulation Diameter, |                |
| Reel Packaged        |                |
| .062DIA CRIMP        | <u>8701011</u> |
| REC.                 |                |
| .062DIA CRIMP PIN    | <u>8701013</u> |
| SPOX Crimp           | <u>8701030</u> |
| Terminal, 18-24      |                |
| AWG, Brass, Bag      |                |
| SPOX Crimp           | <u>8701031</u> |
| Terminal, 18-24      |                |
| AWG, Brass, Reel     |                |
| 2.50mm Pitch, Mini-  | <u>8701039</u> |
| SPOX Female Crimp    |                |
| Terminal, 22-28      |                |
| AWG, Reel            |                |

|                                                                                                                                           |                |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 2.50mm Pitch<br>Mini-SPOX Crimp<br>Terminal, 22-28<br>AWG, Bag                                                                            | <u>8701040</u> |
| 2.5 Low Profile<br>Crimp Rec Chain W/<br>Plt                                                                                              | <u>8701047</u> |
| 3.96mm Pitch KK<br>Crimp Housing, Edge<br>Card Connector,<br>Single-Sided,<br>Polarized, Positive<br>Lock, with Probe<br>Hole, 3 Circuits | <u>9011036</u> |
| .156 IDT ASSEMBLY<br>724103L                                                                                                              | <u>9072031</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 2 Circuits                                      | <u>9481024</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 3 Circuits                                      | <u>9481034</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 4 Circuits                                      | <u>9481044</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 5 Circuits                                      | <u>9481054</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 6 Circuits                                      | <u>9481064</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 7 Circuits                                      | <u>9481074</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 8 Circuits                                      | <u>9481084</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 9 Circuits                                      | <u>9481094</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 10 Circuits                                     | <u>9481104</u> |
| KK 396 PC Board<br>Connector, Top<br>Entry, Polyester                                                                                     | <u>9481105</u> |

Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board     9481114  
Connector, Right  
Angle, Polyester  
Connector, 5.00µm  
Tin (Sn), 11 Circuits  
KK 396 PC Board     9481124  
Connector, Right  
Angle, Polyester  
Connector, 5.00µm  
Tin (Sn), 12 Circuits  
KK 396 PC Board     9481134  
Connector, Right  
Angle, Polyester  
Connector, 5.00µm  
Tin (Sn), 13 Circuits  
KK 396 PC Board     9481144  
Connector, Right  
Angle, Polyester  
Connector, 5.00µm  
Tin (Sn), 14 Circuits  
KK 396 PC Board     9481154  
Connector, Right  
Angle, Polyester  
Connector, 5.00µm  
Tin (Sn), 15 Circuits  
KK 396 PC Board     9483024  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board     9483025  
Connector, Right  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board     9483026  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board     9483034  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 3 Circuits  
KK 396 PC Board     9483035  
Connector, Right  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 3 Circuits  
KK 396 PC Board     9483036  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 3 Circuits  
KK 396 PC Board     9483044  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 4 Circuits  
KK 396 PC Board     9483045  
Connector, Right-  
Angle, Polyester

Connector, Gold (Au)  
Selective, 4 Circuits  
KK 396 PC Board    9483046  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 4 Circuits  
KK 396 PC Board    9483054  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 5 Circuits  
KK 396 PC Board    9483055  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 5 Circuits  
KK 396 PC Board    9483056  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 5 Circuits  
KK 396 PC Board    9483064  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 6 Circuits  
KK 396 PC Board    9483065  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 6 Circuits  
KK 396 PC Board    9483066  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 6 Circuits  
KK 396 PC Board    9483074  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 7 Circuits  
KK 396 PC Board    9483075  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 7 Circuits  
KK 396 PC Board    9483076  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 7 Circuits  
KK 396 PC Board    9483084  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 8 Circuits  
KK 396 PC Board    9483085  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 8 Circuits  
KK 396 PC Board    9483086  
Connector, Top  
Entry, Polyester

|                        |                |
|------------------------|----------------|
| Connector, Gold (Au)   |                |
| Selective, 8 Circuits  |                |
| KK 396 PC Board        | <u>9483094</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 9 Circuits  |                |
| KK 396 PC Board        | <u>9483095</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 9 Circuits  |                |
| KK 396 PC Board        | <u>9483096</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 9 Circuits  |                |
| KK 396 PC Board        | <u>9483104</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9483105</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9483106</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9483114</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 11 Circuits |                |
| KK 396 PC Board        | <u>9483115</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 11 Circuits |                |
| KK 396 PC Board        | <u>9483116</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 11 Circuits |                |
| KK 396 PC Board        | <u>9483124</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 12 Circuits |                |
| KK 396 PC Board        | <u>9483125</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 12 Circuits |                |
| KK 396 PC Board        | <u>9483126</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 12 Circuits |                |
| KK 396 PC Board        | <u>9483134</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |

Connector, Gold (Au)  
Selective, 13 Circuits  
KK 396 PC Board     9483135  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 13 Circuits  
KK 396 PC Board     9483136  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 13 Circuits  
KK 396 PC Board     9483144  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 14 Circuits  
KK 396 PC Board     9483145  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 14 Circuits  
KK 396 PC Board     9483146  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 14 Circuits  
KK 396 PC Board     9483154  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 15 Circuits  
KK 396 PC Board     9483155  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 15 Circuits  
KK 396 PC Board     9483156  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 15 Circuits  
KK 396 PC Board     9484028  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 2 Circuits  
KK 396 PC Board     9484029  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 2 Circuits  
KK 396 PC Board     9484038  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 3 Circuits  
KK 396 PC Board     9484039  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 3 Circuits  
KK 396 PC Board     9484048  
Connector, Top  
Entry, Polyester



|  |                                                               |                |
|--|---------------------------------------------------------------|----------------|
|  | Connector, 5.00µm<br>Tin (Sn), 4 Circuits<br>KK 396 PC Board  | <u>9484049</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 4 Circuits<br>KK 396 PC Board  | <u>9484058</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 5 Circuits<br>KK 396 PC Board  | <u>9484059</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 5 Circuits<br>KK 396 PC Board  | <u>9484068</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 6 Circuits<br>KK 396 PC Board  | <u>9484069</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 6 Circuits<br>KK 396 PC Board  | <u>9484078</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 7 Circuits<br>KK 396 PC Board  | <u>9484079</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 7 Circuits<br>KK 396 PC Board  | <u>9484088</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 8 Circuits<br>KK 396 PC Board  | <u>9484089</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 8 Circuits<br>KK 396 PC Board  | <u>9484098</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 9 Circuits<br>KK 396 PC Board  | <u>9484099</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 9 Circuits<br>KK 396 PC Board  | <u>9484108</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 10 Circuits<br>KK 396 PC Board | <u>9484109</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |

|  |                                                                                                        |                |
|--|--------------------------------------------------------------------------------------------------------|----------------|
|  | Connector, 5.00µm<br>Tin (Sn), 10 Circuits<br>KK 396 PC Board                                          | <u>9484118</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 11 Circuits<br>KK 396 PC Board    | <u>9484119</u> |
|  | Connector, Bottom<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 11 Circuits<br>KK 396 PC Board | <u>9484128</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 12 Circuits<br>KK 396 PC Board    | <u>9484129</u> |
|  | Connector, Bottom<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 12 Circuits<br>KK 396 PC Board | <u>9484138</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 13 Circuits<br>KK 396 PC Board    | <u>9484139</u> |
|  | Connector, Bottom<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 13 Circuits<br>KK 396 PC Board | <u>9484148</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 14 Circuits<br>KK 396 PC Board    | <u>9484149</u> |
|  | Connector, Bottom<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 14 Circuits<br>KK 396 PC Board | <u>9484158</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 15 Circuits<br>KK 396 PC Board    | <u>9484159</u> |
|  | Connector, Bottom<br>Entry, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 15 Circuits<br>KK 156 PC Board | <u>9485088</u> |
|  | Connector, Top<br>Entry, Polyester<br>Connector, Tin (Sn),<br>8 Circuits<br>3.96mm Pitch SPOX          | <u>9501021</u> |
|  | Crimp Housing,<br>Female, with Friction<br>Ramp, 2 Circuits,<br>Natural<br>3.96mm Pitch SPOX           | <u>9501023</u> |
|  | Crimp Housing,<br>Female, with Friction                                                                |                |

Ramp and Void, 2  
Circuits, Natural  
3.96mm Pitch SPOX [9501031](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 3 Circuits,  
Natural  
3.96mm Pitch SPOX [9501033](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 3  
Circuits, Natural  
3.96mm Pitch SPOX [9501041](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 4 Circuits,  
Natural  
3.96mm Pitch SPOX [9501043](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 4  
Circuits, Natural  
3.96mm Pitch SPOX [9501051](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 5 Circuits,  
Natural  
3.96mm Pitch SPOX [9501053](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 5  
Circuits, Natural  
3.96mm Pitch SPOX [9501061](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 6 Circuits,  
Natural  
3.96mm Pitch SPOX [9501063](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 6  
Circuits, Natural  
3.96mm Pitch SPOX [9501071](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 7 Circuits,  
Natural  
3.96mm Pitch SPOX [9501073](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 7  
Circuits, Natural  
3.96mm Pitch SPOX [9501081](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 8 Circuits,  
Natural  
3.96mm Pitch SPOX [9501083](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 8  
Circuits, Natural  
3.96mm Pitch SPOX [9501091](#)  
Crimp Housing,  
Female, with Friction

|                                                                                                                                                           |                                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| Ramp, 9 Circuits,<br>Natural<br>3.96mm Pitch SPOX                                                                                                         | <a href="#"><u>9501101</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp, 10 Circuits,<br>Natural<br>3.96mm Pitch SPOX                                                             | <a href="#"><u>9501103</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 10<br>Circuits, Natural<br>3.96mm Pitch SPOX                                                    | <a href="#"><u>9501111</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp, 11 Circuits,<br>Natural<br>3.96mm Pitch SPOX                                                             | <a href="#"><u>9501113</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 11<br>Circuits, Natural<br>3.96mm Pitch SPOX                                                    | <a href="#"><u>9501121</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp, 12 Circuits,<br>Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Natural | <a href="#"><u>9503021</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Natural                                                                             | <a href="#"><u>9503031</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Natural                                                                             | <a href="#"><u>9503041</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 5<br>Circuits, Natural                                                                             | <a href="#"><u>9503051</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 6<br>Circuits, Natural                                                                             | <a href="#"><u>9503061</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 7<br>Circuits, Natural                                                                             | <a href="#"><u>9503071</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 8<br>Circuits, Natural                                                                             | <a href="#"><u>9503081</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Natural                                                                             | <a href="#"><u>9503091</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Natural                                                                            | <a href="#"><u>9503101</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,                                                                                                                      | <a href="#"><u>9503111</u></a> |

|                   |                |
|-------------------|----------------|
| Friction Ramp, 11 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503121</u> |
| Terminal Housing, |                |
| Friction Ramp, 12 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503131</u> |
| Terminal Housing, |                |
| Friction Ramp, 13 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503141</u> |
| Terminal Housing, |                |
| Friction Ramp, 14 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503151</u> |
| Terminal Housing, |                |
| Friction Ramp, 15 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503161</u> |
| Terminal Housing, |                |
| Friction Ramp, 16 |                |
| Circuits, Natural |                |

This document was generated on 03/05/2020

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**