


coding style table

	style A: for connectors 6-pole
	style B: for connectors from 10 to 14-pole
	style C: for connectors from 16 to 64-pole

further information see: DS 09182100600

	All rights reserved Department EC PD - DE	Created by STORCK	Inspected by LEHNERT	Standardisation HOFFMANN	Date 2016-04-05	State Final Release	Ref. Sub.
	HARTING Electronics GmbH D-32339 Espelkamp	Title SEK 18 female conn with open end cover strain relief			Doc-Key / ECM-Nr. 100662934/UGD/007/A 50000099698		Rev. A
		Type TB	Number 09185XXX813		Page 1/2		

1	2		3	4	5	6	7	8						
A	performance level			insulator colour	remark	quantity	dimensions							
	PL3	PL2	S4				A max.	B	C	D				
	no. of contacts	part number	part number				part number							
B	06	09 18 506 7813	09 18 506 6813	09 18 506 5813	grey	-		12,2	2 x 2,54 (=5,08)	2	8,02			
	10	09 18 510 7813	09 18 510 6813	09 18 510 5813			17,3	4 x 2,54 (=10,16)	3,8	13,1				
	14	09 18 514 7813	09 18 514 6813	09 18 514 5813			22,4	6 x 2,54 (=15,24)	3,8	18,18				
	16	09 18 516 7813	09 18 516 6813	09 18 516 5813			24,9	7 x 2,54 (=17,78)	3,8	20,72				
	20	09 18 520 7813	09 18 520 6813	09 18 520 5813			30	9 x 2,54 (=22,86)	3,8	25,8				
	26	09 18 526 7813	09 18 526 6813	09 18 526 5813			37,6	12 x 2,54 (=30,48)	3,8	33,42				
	30	09 18 530 7813	09 18 530 6813	09 18 530 5813			42,7	14 x 2,54 (=35,56)	3,8	38,56				
	34	09 18 534 7813	09 18 534 6813	09 18 534 5813			47,8	16 x 2,54 (=40,64)	3,8	43,58				
	40	09 18 540 7813	09 18 540 6813	09 18 540 5813			55,4	19 x 2,54 (=48,26)	3,8	51,2				
	50	09 18 550 7813	09 18 550 6813	09 18 550 5813			68,1	24 x 2,54 (=60,96)	3,8	63,9				
	60	09 18 560 7813	09 18 560 6813	09 18 560 5813			80,8	29 x 2,54 (=73,66)	3,8	76,6				
	64	09 18 564 7813	09 18 564 6813	09 18 564 5813			85,9	31 x 2,54 (=78,74)	3,8	81,68				
	C	06	09 18 506 7813 001	09 18 506 6813 001			09 18 506 5813 001	black	-		12,2	2 x 2,54 (=5,08)	2	8,02
		10	09 18 510 7813 001	09 18 510 6813 001			09 18 510 5813 001			17,3	4 x 2,54 (=10,16)	3,8	13,1	
14		09 18 514 7813 001	09 18 514 6813 001	09 18 514 5813 001	22,4	6 x 2,54 (=15,24)	3,8			18,18				
16		09 18 516 7813 001	09 18 516 6813 001	09 18 516 5813 001	24,9	7 x 2,54 (=17,78)	3,8			20,72				
20		09 18 520 7813 001	09 18 520 6813 001	09 18 520 5813 001	30	9 x 2,54 (=22,86)	3,8			25,8				
26		09 18 526 7813 001	09 18 526 6813 001	09 18 526 5813 001	37,6	12 x 2,54 (=30,48)	3,8			33,42				
30		09 18 530 7813 001	09 18 530 6813 001	09 18 530 5813 001	42,7	14 x 2,54 (=35,56)	3,8			38,56				
34		09 18 534 7813 001	09 18 534 6813 001	09 18 534 5813 001	47,8	16 x 2,54 (=40,64)	3,8			43,58				
40		09 18 540 7813 001	09 18 540 6813 001	09 18 540 5813 001	55,4	19 x 2,54 (=48,26)	3,8			51,2				
50		09 18 550 7813 001	09 18 550 6813 001	09 18 550 5813 001	68,1	24 x 2,54 (=60,96)	3,8			63,9				
60		09 18 560 7813 001	09 18 560 6813 001	09 18 560 5813 001	80,8	29 x 2,54 (=73,66)	3,8			76,6				
64		09 18 564 7813 001	09 18 564 6813 001	09 18 564 5813 001	85,9	31 x 2,54 (=78,74)	3,8			81,68				
D		06	09 18 506 7813 58U	09 18 506 6813 58U	09 18 506 5813 58U	grey	bulk packaging			3000 pieces	12,2	2 x 2,54 (=5,08)	2	8,02
		10	09 18 510 7813 58U	09 18 510 6813 58U	09 18 510 5813 58U					3000 pieces	17,3	4 x 2,54 (=10,16)	3,8	13,1
	14	09 18 514 7813 58U	09 18 514 6813 58U	09 18 514 5813 58U	2500 pieces			22,4	6 x 2,54 (=15,24)	3,8	18,18			
	16	09 18 516 7813 58U	09 18 516 6813 58U	09 18 516 5813 58U	2500 pieces			24,9	7 x 2,54 (=17,78)	3,8	20,72			
	20	09 18 520 7813 58U	09 18 520 6813 58U	09 18 520 5813 58U	2000 pieces			30	9 x 2,54 (=22,86)	3,8	25,8			
	26	09 18 526 7813 58U	09 18 526 6813 58U	09 18 526 5813 58U	1500 pieces			37,6	12 x 2,54 (=30,48)	3,8	33,42			
	30	09 18 530 7813 58U	09 18 530 6813 58U	09 18 530 5813 58U	2000 pieces			42,7	14 x 2,54 (=35,56)	3,8	38,56			
	34	09 18 534 7813 58U	09 18 534 6813 58U	09 18 534 5813 58U	1000 pieces			47,8	16 x 2,54 (=40,64)	3,8	43,58			
	40	09 18 540 7813 58U	09 18 540 6813 58U	09 18 540 5813 58U	1000 pieces			55,4	19 x 2,54 (=48,26)	3,8	51,2			
	E	06	09 18 506 7813 58U	09 18 506 6813 58U	09 18 506 5813 58U			grey	bulk packaging	3000 pieces	12,2	2 x 2,54 (=5,08)	2	8,02
10		09 18 510 7813 58U	09 18 510 6813 58U	09 18 510 5813 58U	3000 pieces	17,3	4 x 2,54 (=10,16)			3,8	13,1			
14		09 18 514 7813 58U	09 18 514 6813 58U	09 18 514 5813 58U	2500 pieces	22,4	6 x 2,54 (=15,24)			3,8	18,18			
16		09 18 516 7813 58U	09 18 516 6813 58U	09 18 516 5813 58U	2500 pieces	24,9	7 x 2,54 (=17,78)			3,8	20,72			
20		09 18 520 7813 58U	09 18 520 6813 58U	09 18 520 5813 58U	2000 pieces	30	9 x 2,54 (=22,86)			3,8	25,8			
26		09 18 526 7813 58U	09 18 526 6813 58U	09 18 526 5813 58U	1500 pieces	37,6	12 x 2,54 (=30,48)			3,8	33,42			
30		09 18 530 7813 58U	09 18 530 6813 58U	09 18 530 5813 58U	2000 pieces	42,7	14 x 2,54 (=35,56)			3,8	38,56			
34		09 18 534 7813 58U	09 18 534 6813 58U	09 18 534 5813 58U	1000 pieces	47,8	16 x 2,54 (=40,64)			3,8	43,58			
40		09 18 540 7813 58U	09 18 540 6813 58U	09 18 540 5813 58U	1000 pieces	55,4	19 x 2,54 (=48,26)			3,8	51,2			
F						 All rights reserved Department EC PD - DE HARTING Electronics GmbH D-32339 Espelkamp	Scale 1:1 Free size tol.			Ref. Sub.	Created by STORCK Inspected by LEHNERT Standardisation HOFFMANN Date 2016-04-05 State Final Release	Title SEK 18 female conn with open end cover strain relief Type TB Number 09185XXX813	Doc-Key / ECM-Nr. 100662934/UGD/007/A 50000099698 Rev. A Page 2/2	
	1	2	3	4	5	6	7	8						

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

[09185166813](#) [09185266813](#) [09185507813](#) [09185607813](#) [09185105813](#) [09185207813](#) [09185346813](#)
[09185506813](#) [09185146813](#) [09185265813](#) [09185505813](#) [09185205813](#)