






4805 (3/11)



LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION			DATE	DWN	APVD
-	-	SEE SHEET 1			-	-	-




2*5 POSITIONS




2*4 POSITIONS




2*3 POSITIONS





KEYING FOR 2*5 POS.




KEYING FOR 2*4 POS.



KEYING FOR 2*3 POS.




2*6 POSITIONS



KEYING FOR 2*6 POS.

2*6	LEVEL 1	KEY A	1-1971774-6
		KEY B	2-1971774-6
		KEY C	3-1971774-6
		KEY D	4-1971774-6
2*5	LEVEL 2	KEY A	5-1971774-6
		KEY B	6-1971774-6
		KEY C	7-1971774-6
		KEY D	8-1971774-6
2*4	LEVEL 1	KEY A	1-1971774-5
		KEY B	2-1971774-5
		KEY C	3-1971774-5
		KEY D	4-1971774-5
2*3	LEVEL 2	KEY A	5-1971774-5
		KEY B	6-1971774-5
		KEY C	7-1971774-5
		KEY D	8-1971774-5
POS.	MATERIAL	KEY	P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	TOMMY WU		09JUL2012		 TE Connectivity	
				CHK	HAPYE WU		09JUL2012			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	YUZHONG MAO		09JUL2012		NAME	
mm		0 PLC ±0.35		PRODUCT SPEC		108-106118		CAP HOUSING, FREE HANGING, DOUBLE ROW POWER TRIPLE LOCK		
		2 PLC ±0.25		APPLICATION SPEC		114-106118				
		1 PLC ±0.25		WEIGHT		-		SIZE		
MATERIAL		FINISH		Customer Drawing		A1		CAGE CODE		
		-						DRAWING NO		
								A100779C=1971774		
								SCALE		
								SHEET		
								2 OF 2		
								REV C		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1971774-3](#)