




10.00

11.10

11.80

13.00

16.54

9

3-1734260-9

8.75

9.85

10.55

11.75

15.29

8

3-1734260-8

7.50

8.60

9.30

10.50

14.04

7

3-1734260-7

6.25

7.35

8.05

9.25

12.79

6

3-1734260-6

5.00

6.10

6.80

8.00

11.54

5

3-1734260-5

3.75

4.85

5.55

6.75

10.29

4

3-1734260-4

2.50

3.60

4.30

5.50

9.04

3

3-1734260-3

1.25

2.35

3.05

4.25

7.79

2

3-1734260-2

17.50

18.60

19.30

20.50

24.04

15

1-1734260-5

16.25

17.35

18.05

19.25

22.79

14

1-1734260-4

15.00

16.10

16.80

18.00

21.54

13

1-1734260-3

13.75

14.85

15.55

16.75

20.29

12

1-1734260-2

12.50

13.60

14.30

15.50

19.04

11

1-1734260-1

11.25

12.35

13.05

14.25

17.79

10

1-1734260-0

10.00

11.10

11.80

13.00

16.54

9

1734260-9

8.75

9.85

10.55

11.75

15.29

8

1734260-8

7.50

8.60

9.30

10.50

14.04

7

1734260-7

6.25

7.35

8.05

9.25

12.79

6

1734260-6

5.00

6.10

6.80

8.00

11.54

5

1734260-5

3.75

4.85

5.55

6.75

10.29

4

1734260-4

2.50

3.60

4.30

5.50

9.04

3

1734260-3

1.25

2.35

3.05

4.25

7.79

2

1734260-2

PLATING

E

D

C

B

A

NO. OF CONTACTS

PART NUMBER

0.762um MIN. GOLD

3.81um MIN. MATTE-TIN

TE

TE Connectivity

WIRE TO BOARD MALE HEADER,  
1.25MM PITCH, SMT STRAIGHT TYPE.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734260

SCALE

SHEET

1 OF 2

REV

A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

A. WU

29APR2005

CHK

S. HOU

29APR2005

APVD

W.J. KE

29APR2005

PRODUCT SPEC

108-57499

APPLICATION SPEC

WEIGHT

SEE TABLE

CUSTOMER DRAWING

DIMENSIONS:

MM

0 PLC ± -

1 PLC ± -

2 PLC ± 0.2

3 PLC ± -

4 PLC ± -

ANGLES ± -

MATERIAL

SEE NOTE

TOLERANCES UNLESS OTHERWISE SPECIFIED:

± -

± -

± 0.2

± -

± -

± -

FINISH

SEE NOTE

AMP 1470-19 REV 31MAR2000

D

C

B



A

D

C

B

A



NOTE:  
1. CARTON DIMENSIONS: 340 X 340 X 250

|           |          |       |            |
|-----------|----------|-------|------------|
| 1000/REEL | 4000     | 44.0  | 15         |
|           |          |       | 14         |
|           |          |       | 13         |
|           | 6000     | 32.0  | 12         |
|           |          |       | 11         |
|           |          |       | 10         |
|           |          |       | 9          |
|           |          |       | 8          |
|           | 7000     | 24.0  | 7          |
|           |          |       | 6          |
|           |          |       | 5          |
|           |          |       | 4          |
|           | 10000    | 16.0  | 3          |
|           |          |       | 2          |
| PACKING   | QUANTITY | DIM W | NO. OF PIN |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
MM

MATERIAL  
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -  
1 PLC ± -  
2 PLC ± -  
3 PLC ± -  
4 PLC ± -  
ANGLES ± -

FINISH  
-

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME

WIRE TO BOARD MALE HEADER,  
1.25MM PITCH, SMT STRAIGHT TYPE.

SIZE  
A3

CAGE CODE  
00779

DRAWING NO  
C=1734260

RESTRICTED TO  
-

SCALE  
-

SHEET  
2 OF 2

REV  
A

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-1734260-5](#)