






LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
DF	D0		F	UPDATE PER 0H2Y-0164-04	12 MAY 04	CAS


SIZE	A DIM	(B DIM)	C DIM ±.0050	(L DIM)
09	.050	(.229)	.3085	(.100)
15	.0875	(.304)	.3835	(.175)
25	.150	(.429)	.5085	(.300)
37	.225	(.579)	.6585	(.450)
51	.3125	(.754)	.8335	(.625)
65	.400	(.929)	1.0085	(.800)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RYAN	16 JAN 98	tyco Electronics		Tyco Electronics Corporation Harrisburg, PA 17105	
DIMENSIONS: INCHES		CHK S. KAIN	20 DEC 99			NAME	
		APVD M. STORRY	20 APR 01	PRODUCT SPEC		PLUG ASSEMBLY, HORIZONTAL SURFACE MOUNT, TWO ROW DUALLOBE, PLASTIC OR METAL	
		APPLICATION SPEC		—		RESTRICTED TO	
MATERIAL SEE NOTES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		WEIGHT		—	
		0 PLC ± — 1 PLC ± — 2 PLC ± .010 3 PLC ± .005 4 PLC ± — ANGLES ± 1 FINISH		—		—	
		SEE NOTES		CUSTOMER DRAWING		—	
				SCALE 8:1		SHEET 1 OF 2	
						REV F	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
DF	D0		F	UPDATE PER 0H2Y-0164-04	12 MAY 04	CAS	MKS



TYPICAL FOOT PLACEMENT
ON SOLDER PAD



SIZE 15 SHOWN FOR REFERENCE

TYPICAL PCB LAYOUT

6. POSITIONAL TOLERANCES FOR BASIC DIMENSIONED FEATURES ARE RELATIVE TO FIDUCIALS OR SOME SIMILAR DATUM REFERENCE DEFINED BY THE PCB DESIGNER.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RYAN	16 JAN 98	tyco Electronics Tyco Electronics Corporation Harrisburg, PA 17105			
		CHK S. KAIN	10 DEC 99				
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M. STORRY	20 APR 01	NAME PLUG ASSEMBLY, HORIZONTAL SURFACE MOUNT, TWO ROW DUALLOBE, PLASTIC OR METAL			
	0 PLC ± -	PRODUCT SPEC	—	SIZE CAGE CODE DRAWING NO RESTRICTED TO			
	1 PLC ± -	APPLICATION SPEC	—				
	2 PLC ± -	—	—				
	3 PLC ± -	—	—				
	4 PLC ± -	—	—				
MATERIAL —	FINISH —	WEIGHT —	A2	00779	C=1589490	—	
CUSTOMER DRAWING				SCALE 8:1	SHEET 2 OF 2	REV F	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[STL025B2N](#)