












PRODUCT NUMBER	SEE SHEET 2
----------------	-------------



spec ref	*	dr	Peng-Bing Fu	2012/04/25	projection	MM	size	A3	scale
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2012/11/14	product family	PwrBlade+	rel level	Released	3:2
ASME Y14.5		chr	Shao-Qi Kuang	2012/11/15					ELX-DG-013143-1
		appr	Pei-Ming Zheng	2012/11/15					
surface		linear	0.X	±0.5	RA STB HEADER	4ACP	dwg no	10106262-4000001	rev
ASME Y14.5		0.XX	±0.25						
		0.XXX	±0.10						
ASME Y14.5		angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 3	

PRODUCT NO.	ROWS	HIGH POWER					
		E1	P1	P2	P3	P4	E2
10106262-4000001LF	D C B A						



Copyright FCI.

CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)

dr	Peng-Bing Fu	2012/04/25	projection 	MM	size	scale
eng	Peng-Bing Fu	2012/11/14			A3	3:2
chr	Shao-Qi Kuang	2012/11/15			ecn no	ELX-DG-013143-1
appr	Pei-Ming Zheng	2012/11/15	product family	PwrBlade+	rel level	Released
 RA STB HEADER		4ACP		dwg no	10106262-4000001	rev B
www.fci.com		cat. no.	Product - Customer Drw			sheet 2 of 3

A

## NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7)  $1.15 \pm 0.025$ MM DRILLED HOLE PLATED WITH  $0.00762$ MM MIN Sn  
OVER  $0.0254$ - $0.0762$ MM Cu PLATING TO ACHIEVE A  $1.02 \pm 0.07$ MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.  
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.  
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) A  $\triangle$  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS  
BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

A

B

B

C


C

**FCI**

Copyright FCI

D

D

dr	Peng-Bing Fu	2012/04/25	projection 	MM	size A3	scale 3:2
eng	Peng-Bing Fu	2012/11/14				
chr	Shao-Qi Kuang	2012/11/15				
appr	Pei-Ming Zheng	2012/11/15				
			product family 4ACP RA STB HEADER	PwrBlade+	rel level <b>Released</b>	dwg no 10106262-4000001 rev <b>B</b>
<b>FCI</b>	cat. no.	Product - Customer Drw	sheet 3 of 3			
www.fci.com						

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10106262-4000001LF](#)