






KEYING OPTIONS
SCALE 2:1

OPTION "H"




A technical line drawing showing the rear of the device. It features a large terminal block with multiple screw terminals for wiring. There are also some smaller connectors and a label area at the bottom right.

OPTION "K"



OPTION "M"



SCALE 1:1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IF IT IS SUBMITTED TO ANY OTHER ORGANIZATION, THE ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DATE 14NOV2006 BY A HOLT CHK W WELLINSKY 4NOV2006 APP W WELLINSKY 4NOV2006		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±.0 1 PLC ±.03 2 PLC ±.010 3 PLC ±.01 4 PLC ±.01 ANGLES ±3°		40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
		APPLICATION SPEC		SIZE	
MATERIAL SEE CHART 2		FINISH		CAGE CODE DRAWING NO	
-		-		A 1 00779 C=1924170	
WEIGHT		SEE NOTE 5		RESTRICTED TO	
-		-		-	
CUSTOMER DRAWING				SCALE 3:1 SHEET 1 OF 5 REV F	

[illegible][illegible]

THIS IS A SAMPLE OF A DRAWING FOR ILLUSTRATION PURPOSES. NO WARRANTIES OR REPRESENTATIONS ARE MADE BY THE COMPANY FOR THE ACCURACY OF THE INFORMATION CONTAINED HEREIN. THE COMPANY ASSUMES NO LIABILITY FOR ANY LOSS OR DAMAGE OF ANY KIND, INCLUDING BUT NOT LIMITED TO, DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR ANY LOSS OF PROFITS, REVENUE, OR BUSINESS, ARISING OUT OF OR IN CONNECTION WITH THE USE OF THIS DRAWING.		DWG. 14NOV2006 A HOLT		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC $\pm$.01 2 PLC $\pm$.02 2 PLC $\pm$.03 3 PLC $\pm$.04 3 PLC $\pm$.05 3 PLC $\pm$.06 3 PLC $\pm$.07 3 PLC $\pm$.08 3 PLC $\pm$.09 3 PLC $\pm$.10 3 PLC $\pm$.12 3 PLC $\pm$.15 3 PLC $\pm$.20 3 PLC $\pm$.25 3 PLC $\pm$.30 3 PLC $\pm$.35 3 PLC $\pm$.40 3 PLC $\pm$.45 3 PLC $\pm$.50 3 PLC $\pm$.55 3 PLC $\pm$.60 3 PLC $\pm$.65 3 PLC $\pm$.70 3 PLC $\pm$.75 3 PLC $\pm$.80 3 PLC $\pm$.85 3 PLC $\pm$.90 3 PLC $\pm$.95 3 PLC $\pm$ 1.00 3 PLC $\pm$ 1.05 3 PLC $\pm$ 1.10 3 PLC $\pm$ 1.15 3 PLC $\pm$ 1.20 3 PLC $\pm$ 1.25 3 PLC $\pm$ 1.30 3 PLC $\pm$ 1.35 3 PLC $\pm$ 1.40 3 PLC $\pm$ 1.45 3 PLC $\pm$ 1.50 3 PLC $\pm$ 1.55 3 PLC $\pm$ 1.60 3 PLC $\pm$ 1.65 3 PLC $\pm$ 1.70 3 PLC $\pm$ 1.75 3 PLC $\pm$ 1.80 3 PLC $\pm$ 1.85 3 PLC $\pm$ 1.90 3 PLC $\pm$ 1.95 3 PLC $\pm$ 2.00 3 PLC $\pm$ 2.05 3 PLC $\pm$ 2.10 3 PLC $\pm$ 2.15 3 PLC $\pm$ 2.20 3 PLC $\pm$ 2.25 3 PLC $\pm$ 2.30 3 PLC $\pm$ 2.35 3 PLC $\pm$ 2.40 3 PLC $\pm$ 2.45 3 PLC $\pm$ 2.50 3 PLC $\pm$ 2.55 3 PLC $\pm$ 2.60 3 PLC $\pm$ 2.65 3 PLC $\pm$ 2.70 3 PLC $\pm$ 2.75 3 PLC $\pm$ 2.80 3 PLC $\pm$ 2.85 3 PLC $\pm$ 2.90 3 PLC $\pm$ 2.95 3 PLC $\pm$ 3.00 3 PLC $\pm$ 3.05 3 PLC $\pm$ 3.10 3 PLC $\pm$ 3.15 3 PLC $\pm$ 3.20 3 PLC $\pm$ 3.25 3 PLC $\pm$ 3.30 3 PLC $\pm$ 3.35 3 PLC $\pm$ 3.40 3 PLC $\pm$ 3.45 3 PLC $\pm$ 3.50 3 PLC $\pm$ 3.55 3 PLC $\pm$ 3.60 3 PLC $\pm$ 3.65 3 PLC $\pm$ 3.70 3 PLC $\pm$ 3.75 3 PLC $\pm$ 3.80 3 PLC $\pm$ 3.85 3 PLC $\pm$ 3.90 3 PLC $\pm$ 3.95 3 PLC $\pm$ 4.00 3 PLC $\pm$ 4.05 3 PLC $\pm$ 4.10 3 PLC $\pm$ 4.15 3 PLC $\pm$ 4.20 3 PLC $\pm$ 4.25 3 PLC $\pm$ 4.30 3 PLC $\pm$ 4.35 3 PLC $\pm$ 4.40 3 PLC $\pm$ 4.45 3 PLC $\pm$ 4.50 3 PLC $\pm$ 4.55 3 PLC $\pm$ 4.60 3 PLC $\pm$ 4.65 3 PLC $\pm$ 4.70 3 PLC $\pm$ 4.75 3 PLC $\pm$ 4.80 3 PLC $\pm$ 4.85 3 PLC $\pm$ 4.90 3 PLC $\pm$ 4.95 3 PLC $\pm$ 5.00 3 PLC $\pm$ 5.05 3 PLC $\pm$ 5.10 3 PLC $\pm$ 5.15 3 PLC $\pm$ 5.20 3 PLC $\pm$ 5.25 3 PLC $\pm$ 5.30 3 PLC $\pm$ 5.35 3 PLC $\pm$ 5.40 3 PLC $\pm$ 5.45 3 PLC $\pm$ 5.50 3 PLC $\pm$ 5.55 3 PLC $\pm$ 5.60 3 PLC $\pm$ 5.65 3 PLC $\pm$ 5.70 3 PLC $\pm$ 5.75 3 PLC $\pm$ 5.80 3 PLC $\pm$ 5.85 3 PLC $\pm$ 5.90 3 PLC $\pm$ 5.95 3 PLC $\pm$ 6.00 3 PLC $\pm$ 6.05 3 PLC $\pm$ 6.10 3 PLC $\pm$ 6.15 3 PLC $\pm$ 6.20 3 PLC $\pm$ 6.25 3 PLC $\pm$ 6.30 3 PLC $\pm$ 6.35 3 PLC $\pm$ 6.40 3 PLC $\pm$ 6.45 3 PLC $\pm$ 6.50 3 PLC $\pm$ 6.55 3 PLC $\pm$ 6.60 3 PLC $\pm$ 6.65 3 PLC $\pm$ 6.70 3 PLC $\pm$ 6.75 3 PLC $\pm$ 6.80 3 PLC $\pm$ 6.85 3 PLC $\pm$ 6.90 3 PLC $\pm$ 6.95 3 PLC $\pm$ 7.00 3 PLC $\pm$ 7.05 3 PLC $\pm$ 7.10 3 PLC $\pm$ 7.15 3 PLC $\pm$ 7.20 3 PLC $\pm$ 7.25 3 PLC $\pm$ 7.30 3 PLC $\pm$ 7.35 3 PLC $\pm$ 7.40 3 PLC $\pm$ 7.45 3 PLC $\pm$ 7.50 3 PLC $\pm$ 7.55 3 PLC $\pm$ 7.60 3 PLC $\pm$ 7.65 3 PLC $\pm$ 7.70 3 PLC $\pm$ 7.75 3 PLC $\pm$ 7.80 3 PLC $\pm$ 7.85 3 PLC $\pm$ 7.90 3 PLC $\pm$ 7.95 3 PLC $\pm$ 8.00 3 PLC $\pm$ 8.05 3 PLC $\pm$ 8.10 3 PLC $\pm$ 8.15 3 PLC $\pm$ 8.20 3 PLC $\pm$ 8.25 3 PLC $\pm$ 8.30 3 PLC $\pm$ 8.35 3 PLC $\pm$ 8.40 3 PLC $\pm$ 8.45 3 PLC $\pm$ 8.50 3 PLC $\pm$ 8.55 3 PLC $\pm$ 8.60 3 PLC $\pm$ 8.65 3 PLC $\pm$ 8.70 3 PLC $\pm$ 8.75 3 PLC $\pm$ 8.80 3 PLC $\pm$ 8.85 3 PLC $\pm$ 8.90 3 PLC $\pm$ 8.95 3 PLC $\pm$ 9.00 3 PLC $\pm$ 9.05 3 PLC $\pm$ 9.10 3 PLC $\pm$ 9.15 3 PLC $\pm$ 9.20 3 PLC $\pm$ 9.25 3 PLC $\pm$ 9.30 3 PLC $\pm$ 9.35 3 PLC $\pm$ 9.40 3 PLC $\pm$ 9.45 3 PLC $\pm$ 9.50 3 PLC $\pm$ 9.55 3 PLC $\pm$ 9.60 3 PLC $\pm$ 9.65 3 PLC $\pm$ 9.70 3 PLC $\pm$ 9.75 3 PLC			

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12																										0-1924170-1	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14																					35	36						0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16								24							29	30				35	36						0-1924170-7	G
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																						35	36	37	38	39	40	0-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	1-1924170-0	G		
							7	8	9	10	11	12						18																35	36	37	38	39	40	1-1924170-1	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16				21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G	
1	2						7	8	9	10	11	12								21	22													35	36	37	38	39	40	1-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22												35	36	37	38	39	40	1-1924170-4	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924170-5	G	
1	2						7	8	9	10	11	12					17	18			21	22												35	36	37	38	39	40	1-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18									27	28	29	30					35	36	37	38	39	40	1-1924170-8	G	
							7	8	9	10	11	12																													1-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30				35	36	37	38	39	40	2-1924170-0	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				21	22						27	28	29	30								39	40			2-1924170-1	G	
							7	8	9	10	11	12	13	14	15	16																					39	40			2-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			39	40			2-1924170-3	G			
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26							35	36	37	38	39	40	2-1924170-4	G			
1	2						7	8	9	10	11	12					17	18			21	22	23	24									35	36	37	38	39	40	2-1924170-5	G			
							7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	2-1924170-6	G	
							7	8	9	10	11	12	13	14	15	16	17	18							26									35	36	37	38	39	40	2-1924170-7	G		
							7	8	9	10	11	12	13	14	15	16	17	18																			39	40			2-1924170-8	G	
			3	4			7	8	9	10	11	12	13	14	15	16																					39	40			2-1924170-9	G	
											11	12																							37	38	39	40			3-1924170-0	G	
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22					27	28	29	30					35	36	37	38	39	40	3-1924170-1	G	
1	2						7	8	9	10	11	12	13	14	15	16				21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-2	G	
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22												35	36	37	38	39	40	3-1924170-3	G		
1	2						7	8	9	10	11	12								21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-4	G	
1	2						7	8	9	10	11	12	13	14	15	16				21	22													35	36	37	38	39	40	3-1924170-5	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-6	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16				21	22			24						29	30				35	36	37	38	39	40	3-1924170-7	G		
1	2						7	8	9	10	11	12								21	22		24										35	36	37	38	39	40	3-1924170-8	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G	
					5	6	7	8	9	10	11	12	13	14	15	16			19	20							27	28	29	30							37	38	39	40	4-1924170-0	G	
					5	6	7	8	9	10	11	12	13	14	15	16			19	20																37	38	39	40	4-1924170-1	G		

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																										
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																										
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																										
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40			
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30					35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26								35	36	37	37	39	40	6-1924170-7	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24			27	28	29	30					35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24											35	36	37	37	39	40	6-1924170-9	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30							37	38	39	40	7-1924170-0	G	
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30					35	36	37	38	39	40	7-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G	
											11	12											24																		7-1924170-4	G
1	2										11	12	13	14	15	16							24																		7-1924170-5	G
											11	12																				32					37	38	39	40	7-1924170-6	G
											11	12							19	20			24																	7-1924170-7	G	
											11	12							19	20													33	34						7-1924170-8	G	
						7	8	9	10	11	12								19	20			24																	7-1924170-9	G	
						7	8	9	10	11	12								19	20													33	34						8-1924170-0	G	
						7	8	9	10	11	12																				31	32				37	38	39	40	8-1924170-1	G	
								9	10	11	12						17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																					37	38			8-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20																37	38	39	40	8-1924170-4	G	
						7	8	9	10	11	12	13	14	15	16			19	20																		37	38	39	40	8-1924170-5	G
1	2					7	8	9	10	11	12		14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G	
1	2					7	8	9	10			13	14	15	16					21	22		24											35	36	37	38	39	40	8-1924170-7	G	
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32				35	36	37	38			9-1924170-0	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38			9-1924170-1	G
		3	4	5	6					11	12												24												35	36	37	38	39	40	9-1924170-2	G
						7	8	9	10	11	12												24												35	36	37	38			9-1924170-3	G
										11	12												24												35	36	37	38	39	40	9-1924170-4	G
		3	4	5	6					11	12								19	20																		39	40	9-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G	
						7	8	9	10	11	12	13	14	15	16			19	20				24										33	34			37	38	39	40	9-1924170-7	G
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	9-1924170-8	G	
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	9-1924170-9	G	
						7	8	9	10	11	12	13	14	15	16			19	20				24													37	38	39	40	0-1924171-1	G	
										11	12							19	20																					0-1924171-2	G	
		3	4	5	6	7	8	9	10	11	12							19	20				24														39	40	0-1924171-3	G		
						7	8	9	10	11	12																						33	34						0-1924171-4	G	
										11	12																													0-1924171-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	0-1924171-6	G	
						7	8	9	10	11	12												24												35	36					0-1924171-7	G
										11	12	13	14	15	16								24																	0-1924171-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[8-1924170-1](#)