


CONTACT PLATING : gold 0.40 μ over nickel 1 μ .



8630-3099NLF	Power contact (AWG 8)	4.40	5.00	3.90	8.98
8630-3057NLF	Power contact (AWG 12)	2.80	3.65	2.40	3.18
8630-3061NLF	Power contact (AWG 14)	2.10	3.00	1.70	1.91
8630-3065NLF	Power contact (AWG 16)	1.70	2.60	1.50	1.34
PART NUMBER	Designation	$\phi A^{+0.10}_0$	$\phi B^{+0.10}_{-0.10}$	ϕ ame mm	Section mm ²

NOTE:RoHS INFORMATIONS

- The "LF" product meets European union Directives and other country regulations as described in GS-22-008.
- The product is not intended to be exposed to a manufacturing solder process.
- Packaging spec: see GS-14-920.

mat'l. code		ISO 1302	surface	tolerance	ISO 406	ISO 1101	projection	product family
lfr	ecn no	dr	date	tolerances unless otherwise specified	0.X	± 0.1		D-SUB
A	LS06-0022	MPE	2006/06/11	angles	linear	0.XX	± 0.1	POWER CONTACT (taille 8)
B	LS06-0095	LSO	2006/06/23	linear	0.XX	± 0.1	scale	removable contact
C	F-27591	ALA	2017/07/31	0.XX ± 2	0.XX	± 0.1	scale	dwg no
sheet	revision	1		dr	M.PESSON	2006/06/11		sheet 1 of 1
index	sheet	1		engr	M.PESSON	2006/06/11		size
				chr	LEGARRE	2006/06/11		A3
				appd	LEGARRE	2006/06/11		type
								Customer
								Drawing

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[86303061NLF](#) [86303057NLF](#) [86303065NLF](#)