






6. PART NUMBER OF PLUG ASSEMBLY TO BE MATED: SEE TABLE-1

	5-6447223-1 	—	—
	6437288-4 	—	—
OBSOLETE	1437288-4 	3900135-2612	—
	5-6447223-0 	—	本 ☒
OBSOLETE	5-1447223-0 	3900135-2611	本 ☒
	Part No. 型番	Old Part No. 旧型番	REMARK 備考

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN (A.ISHIJIMA)		100CT00		 TE Connectivity	
DIMENSIONS: 単位: 耗 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD		NAME 名称 SUPERSEAL コネクタ (下ロック) キャップハウジング 26極 ASS'Y SUPER SEAL CONNECTOR CAP HOUSING ASS'Y 26P (UNDER LOCK)	
		0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC 製品規格 APPLICATION SPEC 取付適用規格 -		SIZE A2	
MATERIAL 材料 SEE TABLE		FINISH 仕上 -		WEIGHT -		CAGE CODE 00779	
				DRAWING NO 番号 C-5-1447223-0		RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 尺度 2:1		SHEET 1 of 3	
						REV A1	



D

C

B

A

D

C

B

A

注 1。一般公差：±0.3

- △2材質 キャップハウジング：熱可塑性ポリエステル樹脂
 整列板：熱可塑性ポリエステル樹脂
 ピンコンタクト：黄銅/ニッケル下地、金めっき（接点部）
 はんだめっき（基板側）

- △3△当箇所製造日管理番号（ロット番号）を印字する。
- 4。基板取付けねじ
JIS B 1122 十字穴付きタッピンねじ なべ2種 3xL≤6.5+基板厚）
先端溝付き及び溝無し（亜鉛メッキ）
上記以外のねじを使用の場合、別途打ち合わせの事。

- △5材質 キャップハウジング：熱可塑性ポリエステル樹脂
 整列板：熱可塑性ポリエステル樹脂
 ピンコンタクト：黄銅/ニッケル下地、金めっき（接点部）
 すずめっき（基板側）

- 6。嵌合相手型番：4-1437290-0（34極）、3-14373290-7（26極）

NOTE. 1。GENERAL TOLERANCE：±0.3






- △2 MATERIAL
CAP HOUSING：POLYESTER
ARRANGEMENT PLATE：POLYESTER
PIN CONTACT：BRASS GOLD PLATING OVER Ni PLATING (CONTACT PART)
 BRASS TIN LEAD PLATING OVER Ni PLATING (SOLDERING PART)

- △3△MANUFACTURED DATE CONTROL NO.(LOT NO.)
AS FOLLOWING IS INDICATED.

- 4。MOUNTING SCREW
JIS B 1122 CROSS RECESSED PAN HEAD TAPPING SCREW
TYPE 2 3xL (L=6.5xBOARD THICKNESS)

- △5 MATERIAL
CAP HOUSING：POLYESTER
ARRANGEMENT PLATE：POLYESTER
PIN CONTACT：BRASS GOLD PLATING OVER Ni PLATING (CONTACT PART)
 BRASS TIN PLATING OVER Ni PLATING (SOLDERING PART)
- (ZINC PLATING)

- 6。PART NUMBER OF PLUG ASSEMBLY TO BE MATED：4-1437290-0（34Pos.）、3-1437290-7（26Pos.）



6437288-5	△5	—	本 図
OBSOLETE	1437288-5	△2	3900135-6011 本 図
Part No.	型 番	Old Part No.	旧 型 番
			REMARK 備考

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN (A.ISHIJIMA) 100CT00		CHK	
DIMENSIONS: 単位： 桁 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED. 一般公差		APVD	
0 PLC ±		1 PLC ±		PRODUCT SPEC 製品規格	
2 PLC ±		3 PLC ±		APPLICATION SPEC 取付適用規格	
4 PLC ±		ANGLES ±		WEIGHT	
MATERIAL 材料		FINISH 仕上		CUSTOMER DRAWING	
SEE TABLE		—		SCALE 2:1	
				SHEET 3 of 3	
				REV A1	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6437288-5](#)