


Specification Control Drawing


Raychem

a) Part as supplied.

222K152-*-G13



b) Part after unrestricted recovery.



DIMENSIONS in millimetres
(in inches, for reference)

	1117 170	11100)101	7 6 1 61 61 61	· · · · · · · · · · · · · · · · · · ·								
	Н		J		P	R	5	7	U	JO	HW	JW
Part No.	Min a	Ma× b	Min a	Max b	±10% b	±10% b	±10% b	±10% b	±10% b	±10% b	±20% b	±20% b
222K152-G13	36 (1.42)	22.4 (0.88)	36 {1,42)	5.6 (0,22)	46 {1.81}	38 (1.50)	26 (1,02)	3.0 (0.12)	1,0 (0,04)	16 (0,63)	1.8 (0.07)	2.2 (0.09)

This variant has a smaller J diameter Modified dimensions are shown thus:- #

Copyright (!)

The copyright in this drawing is the property of Tyco Electronics UK Ltd. The drawing is issued on the condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Tyco Electronics UK Ltd.


Drawn A.LILLEY. Checked

Date February 2005 Conforms to ISO Recommendations 3rd Angle Projection

Issue 2

R	aychem	Specific Control	ation Drawing	222K152-*-G13 Issue 2
lss.	Date	E.C.R. No.	Detail	ls of Change
2	February 2005	****	Redrawn	

Ordering Information



(COMPATIBILITY CHART)

Material Dash Number	Material Description	SPEC Number	Coating Slash Number		
-3	POLYOLEFIN, SEMI-RIGID	RT-301, RK-6703	142, 786, 7180		
-4	POLYOLEFIN, FLEXIBLE	RT-1304, RK-6704	/42 ,/86		
-6	SILICON	RT-602, RK-6706	N/A		
-25	ELASTOMER, FLUID RESISTANT	RT-1325, RK-6713	/42, /86, /225		
-130	POLYOLEFIN, COMMERCIAL FLEXIBLE	RW-2008	/42		
		-			

NOTES

As supplied dimensions are for uncoated parts, when coating is added entry diameters will reduce by 1.5mm Max.

Tyco electronics UK Ltd.	Tyco electronics Corporation
Faraday Road,	300, Constitution Drive,
Swindon, Wiltshire, SN3 5HH	Menlo Park, CA 94025
England	USA
Telephone: (01793) 528171 Fax: 572516	Telephone (650) 361-3860 Fax: (650) 361-5579
Cage Code K1010	Cage Code 06090

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

<u>TE Connectivity</u>: 222K152-25-G13-0