





REVISIONS					
P	LTR	DESCRIPTION	DATE	OWN	APVD
J1		REVISED PER ECO-11-004820	11MAR11	RK	HMR
K		REVISED PER ECO-17-002214	24MAY2017	RS	MM

- 1 HOUSING: LCP, COLOR-BLACK.
POST: BRASS.
- 2 POST: 0.00254-0.00508 [.000100-.00200] BRIGHT TIN-LEAD OVER
0.00127-0.00254 [.000050-.000100] NICKEL.
- 3 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY THE CUSTOMER.
- 4 TWO POLARIZATION SLOTS ON ASSEMBLIES WITH FOUR OR MORE
POSITIONS.
- 5 0.00254-0.00508 [.000100-.000200] BRIGHT TIN OVER
0.00127-0.00254 [.000050-.000100] NICKEL.
- 6 PRELIMINARY PART - NOT RELEASED FOR PRODUCTION.
- 7 0.00254-0.00508 [.000100-.000200] MATTE TIN OVER
0.00127-0.00254 [.000050-.000100] NICKEL.

SEE TABLE ON
SHEET #3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. HAYMAKER	02DEC99	TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK J. MOSIER	02DEC99		
		APVD J. MOSIER	02DEC99	NAME	
		PRODUCT SPEC		HEADER ASSEMBLY, LATCHING, RIGHT ANGLE SURFACE MOUNT, MTE, AMPMODU	
		APPLICATION SPEC		SIZE	
		—		CAGE CODE	
MATERIAL		WEIGHT		DRAWING NO	
		—		RESTRICTED TO	
		SEE TABLE		A1 00779 147324	
		CUSTOMER DRAWING		SCALE 6:1 SHEET 1 OF 4 REV K	



THIS DRAWING IS A CONTROLLED DOCUMENT.				DWG	B. HAYMAKER	02DEC99			TE Connectivity	
				CHK	J. MOSIER	02DEC99				
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	J. MOSIER	02DEC99	NAME	HEADER ASSEMBLY, LATCHING, RIGHT ANGLE SURFACE MOUNT, MTE, AMPMODU		
mm [INCHES]				PRODUCT SPEC						
		0 PLC ± - 1 PLC ± - 2 PLC ± 0.13 [.005] 3 ANGLES ± - FINISH SEE TABLE		APPLICATION SPEC						
MATERIAL				WEIGHT	-	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
						A1	00779	C-147324	-	
CUSTOMER DRAWING						SCALE		6:1	SHEET	2 OF 4
									REV	K

8		7		6		5		4		3		2		1																	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION								REVISIONS																			
© COPYRIGHT -- By --				ALL RIGHTS RESERVED.								P LTR DESCRIPTION DATE DWN APVD																			
												-- -- -- SEE SHEET 1 -- -- --																			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-147324-0](#)