

## Protective covers - HC-B 16-SD-FQ/FS - 1772599


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



HEAVYCON protective cover, series B16, for supporting base element with double locking latch, with retaining cord, IP54, PA



### Key Commercial Data

|                                      |   |
|--------------------------------------|---|
| Packing unit                         | 1 pc  |
| Minimum order quantity               | 10 pc   |
| GTIN                                 | <br>4 017918 037260 |
| Weight per Piece (excluding packing) | 34.12 g   |
| Custom tariff number                 | 85389099  |
| Country of origin                    | Germany   |

### Technical data

#### Dimensions

|                                   |       |
|-----------------------------------|-------|
| Diameter of retaining cord eyelet | 30 mm |
|-----------------------------------|-------|

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Degree of protection            | IP54              |
| Ambient temperature (operation) | -20 °C ... 100 °C |

#### General

|  |   |
|--|---|
| Type                                   | B16   |
|  | For supporting base element with double locking latch |
| Material                               | PA  |
| Flammability rating according to UL 94 | HB  |
| Seal present                           | no  |
| Assembly instructions                  | Not for HC-B...EMC housings                           |

## Protective covers - HC-B 16-SD-FQ/FS - 1772599

### Technical data

#### General

|            |  |
|------------|--|
| Connection | Plastic protective cover for short-term protection |
|------------|--|

#### Standards and Regulations

|  |    |
|--|----|
| Flammability rating according to UL 94 | HB |
|--|----|

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27140816 |
| eCl@ss 4.1 | 27140816 |
| eCl@ss 5.0 | 27142104 |
| eCl@ss 5.1 | 27142104 |
| eCl@ss 6.0 | 27142104 |
| eCl@ss 7.0 | 27142104 |
| eCl@ss 8.0 | 27440208 |
| eCl@ss 9.0 | 27440208 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000437 |
| ETIM 3.0 | EC000437 |
| ETIM 4.0 | EC000437 |
| ETIM 5.0 | EC002314 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30212113 |
| UNSPSC 7.0901 | 39121712 |
| UNSPSC 11     | 39121712 |
| UNSPSC 12.01  | 39121712 |
| UNSPSC 13.2   | 39121712 |

### Approvals

#### Approvals

---

Approvals

EAC

---

## Protective covers - HC-B 16-SD-FQ/FS - 1772599

### Approvals

Ex Approvals

---

Approvals submitted

---


### Approval details

EAC

---

### Drawings

Dimensional drawing



Protective cover, B16

---

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1772599](#)