


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	A	REV PER ECOS11-0201-04		22JUN2005	GA	SF	

1. MATERIAL:
- HOUSING
- PBT POLYESTER, BLACK, UL 94V-0.
- TERMINALS
- 0.33 THICK PHOSPHOR BRONZE PLATED WITH 1.27µm MINIMUM THICK HARD GOLD IN LOCALIZED AREA AND 2µm MINIMUM THICK MATTE TIN IN ACTION PIN COMPLIANT PIN TERMINAL AREA OVER 1.27µm MINIMUM THICK NICKEL UNDERPLATE.
- SHIELD
- 0.25 THICK COPPER ALLOY PLATED WITH 2.03µm MINIMUM BRIGHT TIN OVER 1.27µm MINIMUM NICKEL.
2. JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
3. ALL DIMENSIONS ARE NOMINAL UNLESS OTHERWISE SPECIFIED.
4. DRILLED HOLE DIA = 1.02±.025.
COPPER THICKNESS = 0.025-0.075.
TIN THICKNESS = 0.008 MIN.
5. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
6. DATE CODE LOCATED ON REAR OF PART APPROXIMATELY AS SHOWN.
7. CONTACTS ARE NOT INTENDED TO BE ALIGNED WITH EACH OTHER.



DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN		22JUN2005		tyco		Tyco Electronics	
mm		0 PLC ±.13		EKM		22JUN2005		Electronics		Harrisburg, PA 17105-3608	
		1 PLC ±.13		J. WESTMAN		22JUN2005		NAME		STACKED MODULAR JACK ASSEMBLY,	
		2 PLC ±.13		S. FLICKINGER		22JUN2005		PRODUCT SPEC		2X6 OFFSET, 8 POSN, RJ45 SHIELDED	
		3 PLC ±.13						108-1854		PANEL GROUND, NO LEDS, CAT 5	
		4 PLC ±.13						APPLICATION SPEC			
		ANGLES ±.1						114-2160			
		FINISH -						WEIGHT -			
MATERIAL -								SIZE		RESTRICTED TO	
								CAGE CODE		DRAWING NO	
								A1		00779	
								C=6368034		REV	
								CUSTOMER DRAWING		SCALE	
								4:1		SHEET	
								1		OF	
								2		REV	
								A			


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AA	22	-	-	SEE SHEET 1	-	-	-

D


C

B


A



RECOMMENDED PANEL CUT-OUT



DETAIL B
THESE PLATED PADS REQUIRED FOR 6368034-2
PRODUCT WITH GROUNDING CLIPS
SCALE 10:1
6 PLACES



DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN G. ATTADIA 22JUN2005		tyco Electronics		Tyco Electronics Harrisburg, PA 17105-3608	
mm		0 PLC ± .13		CHK J. WESTMAN 22JUN2005		NAME		STACKED MODULAR JACK ASSEMBLY, 2X6 OFFSET, 8 POSN, RJ45 SHIELDED PANEL GROUND, NO LEDS, CAT 5	
MATERIAL		1 PLC ± .13		APVD S. FLICKINGER 22JUN2005		PRODUCT SPEC		SIZE	
		2 PLC ± .13				APPLICATION SPEC		CAGE CODE	
		3 PLC ± .13				WEIGHT		DRAWING NO	
		4 PLC ± .13				CUSTOMER DRAWING		A 00779	
		ANGLES FINISH				SCALE		4:1	
						SHEET		2 OF 2	
						REV		A	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6368034-2](#)