






- 1 PART NO & DATE CODE MARKED (WHITE), .062±.015 HIGH CHARS. IN APPROX. AREA SHOWN WHEN HOUSING SIZE PERMITS.
- 2 CAVITY IDENTs. MARKED (WHITE), .046±.015 HIGH CHARS., FIRST & EVERY FIFTH CAVITY, ONE SIDE AS SHOWN.
- 3 TOLERANCE NON-CUMULATIVE.
- 4. USE EXTRACTION TOOL 91052-1 TO REMOVE RECEPTACLE CONTACTS.
- 5 AMP LOGO MOLDED IN TEXTURED AREA AS SHOWN.
- 6 FLASH ALLOWED TO BE .015 IN THIS AREA.
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
FLAME RETARDANT

FINISH
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±	-
1 PLC	±	-
2 PLC	±	0.13[.005]
3 PLC	±	-
4 PLC	±	-
ANGLES	±	-

FINISH
-

DWN
E. BRANDBERG
CHK
S. SHUEY
APVD
D. DUPLER

21-JUN-95
21-JUN-95
21-JUN-95

PRODUCT SPEC
APPLICATION SPEC
WEIGHT
-

TE Connectivity

NAME
HOUSING, MOD IV, SINGLE ROW, .100 CL, CRIMP SNAP-IN

SIZE
A2

CAGE CODE
00779

DRAWING NO
C=87499

RESTRICTED TO
-

CUSTOMER DRAWING

SCALE
4:1

SHEET
2 OF 2

REV
U3

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-87499-2](#)