

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	A	RELEASED		16MAR2006	RG	PD	

1. PART NUMBER CHANGES AND OR DESIGN CHANGES AFFECTING ITEM INTERCHANGEABILITY REQUIRE PRIOR TYCO APPROVAL AND AUTHORIZATION BY REVISION TO THIS DRAWING.
2. MATERIAL:

INSULATORS - THERMOPLASTIC, GLASS REINFORCED, COLOR: BLACK
UL94V-0 FLAMMABILITY RATED.
SOLDER SIGNAL PIN: BRASS ALLOY
POWER CONTACTS - PHOSPHOR BRONZE ALLOY,
COPPER ALLOY
CROWN BANDS - BERYLLIUM COPPER ALLOY
SIGNAL CONTACTS - BRASS ALLOY
3. FINISH:

CONTACTS - GOLD PLATE .000030 INCH MIN. THK., OVER NICKEL
.000040 INCH MIN. THK SOLDER TAILS,
TIN, .000100 INCH MIN. THK.

ITEMS PROVIDED TO THIS SPECIFICATION TO BE PERMANENTLY IDENTIFIED PER THE FOLLOWING IDENTIFIER LABEL

TYCO PART NO.

DATE CODE

YEAR




WEEK

(e.g. 0106)

XXXXXXXX-X

XXXX

MOUNTING FLANGES ACCEPTS M3 OR #4-40 SCREWS (USER SUPPLIED)



ELCON


FLATPAQ

AS SHOWN		6651788-1	
DESCRIPTION		PART NUMBER	
TOP ASSEMBLY CONNECTOR, SOCKET RIGHT ANGLE, SOLDER TAILS		-	
SIZE		CAGE CODE	
A		00779	
DRAWING NO		6651788	
RESTRICTED TO		-	
CUSTOMER DRAWING		SCALE	
3:1		SHEET	
1		OF	
3		REV	
A			

[illegible]

ELCON	FLATPAQ
-------	---------

AMP 4805 REV 31MAR2000



7) SOLDER TERMINATION AREA
SCALE 40:1
RECOMMENDED PRINTED CIRCUIT SOLDER HOLE
FINISHED HOLE: $\varnothing 1.02$ [.040] $\pm .008$ [.0003]
DRILLED HOLE: $\varnothing 1.15$ [.0453] $\pm .013$ [.0005]
COPPER PLATE: .025 [.0010] MIN.
TIN PLATE: .0005 [.000020] MIN. (PER SURFACE)

[illegible]

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6651788-1](#)