




LOC		DIST		REVISIONS						
AF		50		P	LTR	DESCRIPTION		DATE	DWN	APVD
					A1	REVISED PER ECR-12-011840		06JUL12	KH	KR




- 1 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON 11.18±0.08 [.440±.003] CENTERS
- 2 SLOTS ACCEPTS 0.16 – 0.18mm [#34-#33] AWG COPPER MAGNET WIRE. TWO WIRES OF THE SAME SIZE MAX PER SLOT.
- 3 SLOT ACCEPTS A SINGLE 0.6mm [#22.5]AWG SOLID BARE COPPER WIRE
- 4 IDENTIFICATION NUMBER 3-22. 3 FOR THE MAGNET WIRE SLOT SIZE AND 22 FOR THE LEADWIRE SLOT SIZE
- 5 POINT OF MEASUREMENT, LOCATED APPROXIMATELY AS SHOWN



INSERTION SPECIFICATION

1742941-1
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JR. RUTH 30NOV11	 TE Connectivity							
		CHK K. RANDOLPH 30NOV11								
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± -	APVD K. RANDOLPH 30NOV11	NAME	TERMINAL, POSTED, DUAL IDC, MAG-MATE Slim Line -						
		PRODUCT SPEC 108-1484								
MATERIAL 4M PRE-MILLED BRASS	FINISH 0.002032[.000080] MIN TIN PLATE	APPLICATION SPEC -	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO				
		WEIGHT -	A1	00779	C1742941		-			
		CUSTOMER DRAWING			SCALE	10:1	SHEET	1 OF 1	REV	A1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1742941-1](#)