

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20



© COPYRIGHT 20

BY -



ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	C7	PART STATUS UPDATED	11JAN2018	RK	PS




282925-3 AS SHOWN



- 1 MATERIALS AND FINISH
HOUSING: PA 6-6, UL 94-V0, COLOR GREEN.
CLAMP: BRASS, NICKEL PLATED.
TERMINAL: BRASS, TIN PLATED.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.
2 SUITABLE FOR 1,6-2,4mm PC BOARD THICKNESS.
3 END-TO-END STACKABLE W/INTERLOCK WITHOUT LOSS OF CENTERLINE SPACING.
4 WIRE SIZE RANGE: 12 - 30 AWG
5 RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC. FILE NO E60677.
6 IMQ CERTIFICATE WITH SURVEILLANCE IMQ IN CONFORMITY WITH IEC 998-1/998-2-1.
- 7 NOT CUMULATIVE TOLERANCE.
- 8 P/N 1-282925-0 IS A KIT PACKAGE COMPRISED OF THE FOLLOWING:(3) OF 25 POS. GLUED ASSEMBLIES AND (4) OF 22 POS. GLUED ASSEMBLIES. EACH GLUED ASSEMBLY IS PACKAGED SEPERATLY IN A UNIT BOX.
- 9 INK MARKING, BLACK COLOR.
NUMERICAL SEQUENCE: FROM LEFT TO RIGHT FOR EACH GLUED ASSEMBLY.
- 10 INK MARKING, BLACK COLOR. SEE DETAIL FOR MARKING.
- 11 PARTS TO BE SHIPPED WITH CAGES IN THE CLOSED POSITION WITH SCREW TORQUE TO 3 IN-lbs MIN.
- 12 PRELIMINARY PART NUMBER
- 13 SECTIONS GLUED USING CYANOLIT 241F OR TE ENGINEERING APPROVED EQUIVALENT.


12	10	SEE DETAIL F	60.96	12	2-282925-3
12	10	SEE DETAIL E	76.20	15	2-282925-2
13	11	SEE DETAIL D	106.68	21	2-282925-1
13	11	SEE DETAIL C	76.20	15	1-282925-5
13	10	SEE DETAIL B	60.96	12	1-282925-2
8	9		828.04	163	1-282925-0
OBSOLETE			15.24	3	282925-3
			10.16	2	282925-2
DIM.A			NO OF POS.		PART NUMBER

RECOMMENDED PC BOARD LAYOUT




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. ZANOLINI 09NOV2001	TE Connectivity		
DIMENSIONS: mm		CHK D. BIEVENOUR 09NOV2001			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. BIEVENOUR 09NOV2001	NAME TERMINAL BLOCK, PCB MOUNT 3RD LEVEL STACKING W/INTERLOCK, 5.08mm PITCH		
0 PLC ±.3 1 PLC ±.3 2 PLC ±.25 3 PLC ±. 4 PLC ±. ANGLES ±2		PRODUCT SPEC 108-20166	SIZE A300779		
MATERIAL		APPLICATION SPEC 114-20079	CAGE CODE C-282925		
FINISH		WEIGHT -	DRAWING NO C-282925		
CUSTOMER DRAWING		SCALE 2:1	SHEET 1 OF 3		REV C7


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




DETAIL D
SCALE 2:1




DETAIL B
SCALE 2:1




DETAIL C
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. ZANOLINI CHK D. BIEVENOUR APVD D. BIEVENOUR 09NOV2001 09NOV2001 09NOV2001		TE Connectivity			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME TERMINAL BLOCK, PCB MOUNT 3RD LEVEL STACKING W/INTERLOCK, 5.08mm PITCH			
		0 PLC ±. 1 PLC ±.3 2 PLC ±.25 3 PLC ±. 4 PLC ±. ANGLES ±2		PRODUCT SPEC 108-20166		RESTRICTED TO	
MATERIAL 		FINISH 		APPLICATION SPEC 114-20079		SIZE A3	
				WEIGHT -		CAGE CODE 00779	
CUSTOMER DRAWING				DRAWING NO C-282925		REV C7	
				SCALE 2:1		SHEET 2 OF 3	


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



DETAIL E
SCALE 2:1



DETAIL F
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. ZANOLINI 09NOV2001		 TE Connectivity									
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK D. BIEVENOUR 09NOV2001		NAME TERMINAL BLOCK, PCB MOUNT 3RD LEVEL STACKING W/INTERLOCK, 5.08mm PITCH							
		0 PLC ±° 1 PLC ±.3 2 PLC ±.25 3 PLC ±° 4 PLC ±° ANGLES ±2		APVD D. BIEVENOUR 09NOV2001									
				PRODUCT SPEC 108-20166									
MATERIAL		FINISH		APPLICATION SPEC 114-20079		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO	
				WEIGHT -		A300779		C-282925		-			
				CUSTOMER DRAWING						SCALE 2:1		SHEET 3 OF 3	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-282925-5](#)