



PROPERTY OF DEUTSCH E.C.D

THIS DRAWING CONTAINS PROPRIETARY INFORMATION THAT SHALL NOT BE DISCLOSED, DUPLICATED, NOR USED IN WHOLE OR IN PART FOR ANY PURPOSE OTHER THAN TO EVALUATE THIS DRAWING.

N/C 46081-10-6P*

REVISIONS

REV	DESCRIPTIONS	DATE	APPROVED
N/C	NEW RELEASE PER E.O.H2324	7/30/98	[Signature]



SECTION A-A

CLOCKING POSITIONS:

PART NO.	*	POS.	A°
46081-10-6PN	--	--	0
46081-10-6PW	W	W	90

FILE:46081-10-6PX-ENV

- DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.
- INSERT ARRANGEMENT PER MIL-STD-1669.
- LEAK RATE: $1E-8$ cc/sec He @ 1 atm.
- INSULATION RESISTANCE: >5000 MEGOHM @ 500 VDC
DIELECTRIC WITHSTANDING VOLTAGE: NO BREAKDOWN @ 1500 VAC
- MATERIAL:
SHELL - COLD ROLLED STEEL
PANEL NUT - COLD ROLLED STEEL
INSULATOR - GLASS INSERT
CONTACT - 52 HIGH NICKEL-IRON ALLOY
INTERFACIAL SEAL - FLUOROSILICONE RUBBER
O-RING - FLUOROSILICONE RUBBER
POTTING - STYCAST 2651
- FINISH:
SHELL - TIN OVER NICKEL PLATE
CONTACT - GOLD OVER NICKEL PLATE
- INSERT ARRANGEMENT WILL ROTATE CLOCKWISE A° FROM MASTER KEYWAY WHEN POSITION IS OTHER THAN NORMAL.
- PLUG MATER: MS3116H10-6S*

NOTE(S):

	SIGNATURE & DATE
DR	F. BAUTISTA 7-22-98
CHK	[Signature] 7/30/98
PE	[Signature] 7/30/98
APPD	[Signature] 7/30/98
SCALE: 3:1	

RECEPTACLE, CONNECTOR
JAM NUT MOUNTING
BAYONET COUPLING
HERMETIC MIL-C-26482 TYPE
10-6 ARRANGMENT
6 SIZE 20 CONTACTS
ENVELOPE

CP	MATL CODE 73
DEUTSCH HERMETIC PRODUCTS OPERATION 680 Airport Road Oceanside, CA 92054	
B	46081-10-6P*
DWG SIZE	CAGE CODE 11139 SHEET 1 OF 1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[46081-10-6PN](#)