

DRAWING NR. 619078

DO NOT SCALE THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE



DRAWING VALID FROM

13/03

DRAWING PROTECTED BY • COPYRIGHT 1998

AMP COMPANY, ALL RIGHTS RESERVED

REV.	CHANGE	DATUM	NAME
02	Note "This product has not completed validation testing"	21.11.00	Gendre O.
03	NEW DASHES -3 AND 5--3 FOR A NEW FERRULE	25.07.01	Gendre O.
04	TOLERANCE CHANGE ON $\phi 3.7$	19.12.01	Gendre O.
05	EW00 0031 02	14.02.02	Gendre O.
A	alternative shape of crimp end	28.03.03	Mattheuws
A1	REVISED PER ECO-09-026444	17DEC09	KK



-	-	-	-	-
ITEM NO.	PIECES	DESCRIPTION	MATERIAL	PLATING
		DRAWN BY K. DONNET	CHEKED BY A. BOTTA	

tyco Electronics		DSM AN AMP COMPANY ST MAURICE, SWITZERLAND	
DESCRIPTION COAXICON® SERIES MOBILE PHONE PROTECTED FRONT CONTACT CABLE PLUG LONG VERSION COAXICON® SERIE TELEPHONE MOBILE PRISE FRONTALE PROTEGEE POUR CABLE LONGUE VERSION		C	
DIMENSIONS WITH ANY TOLERANCE ± 0.2 $\pm 5^\circ$	FORMAT A3	DRAWING NR. 619078	
SCALE 8:1	SHEET 1 OF 2	REV. A1	

DRAWING NR. 619078

DO NOT SCALE THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE

DRAWING VALID FROM

13/03

DRAWING PROTECTED BY © COPYRIGHT1998

AMP COMPANY, ALL RIGHTS RESERVED

REV.

CHANGE

SEE SHEET ONE OF A1

DATUM

NAME

ARRETES NON COTEES PAS A L'ECHELLE

LES DONNEES TECHNIQUES PEUVENT ETRE CHANGEES

DESSIN VALABLE DEPUIS LE

PLATING : 0.1-0.2µm Au
OVER MIDDLE 4.0µm NiPPLAQUAGE : Au 0.1-0.2µm
SUR MOYEN 4.0µm NiP

Ni-PL., 2.0µm MIN.-4.0µm MAX. THK.

Plaquage Ni 2.0µm MIN.-4.0µm MAX. d'épaisseur



CABLE : RG 174

Cable : RG 174



1 CONNECTOR PACKED IN PLASTIC BAG

1 CONNECTEUR EMBALLE DANS UN SACHET PLASTIQUE

5x100 PARTS PACKED IN PLASTIC BAGS, EACH
SEPARATELY, ALL PACKED IN A CARD BOX5x100 PIECES EMBALLEES SEPARERMENT DANS UN SACHET
PLASTIQUE, TOUS EMBALLES DANS UNE BOITE EN CARTONHAND CRIMPING TOOL FOR POS 6
PN 734537-2 (HEX3.25)OUTIL DE SERTISSAGE A MAIN POUR POS 6
PN 734537-2 (HEX3.25)

HAND CRIMP TOOL FOR POS. 7

AMP-PN 354940-1 WITH AMP-PN 58425-2.

OUTIL DE SERTISSAGE A MAIN POUR POS. 7
AMP-PN 354940-1 AVEC AMP-PN 58425-2.

HAND CRIMP TOOL FOR POS. 8

TYCO PN 354940-1 (HEX. 3.84)

OUTIL DE SERTISSAGE A MAIN POUR POS. 8
TYCO PN 354940-1 (HEX. 3.84)

9


HANDTOOL TO CRIMP THE LID
(POS. 5) PN 726878-1OUTIL DE SERTISSAGE A MAIN POUR LE
CAPUCHON (POS. 5) PN 726878-1

CABLE RG 316d

CABLE: RG 316d



ALTERNATIVE ROUND SHAPE FOR CRIMP END

OBSOLETE PARTS: OBSOLETE
CIS STREAMLINING PER
D.RENAUD/D.SINISISTRIPPING DIMENSIONS
DIMENSIONS DE DENUDAGE

1	-	-	-		-		13	SHELL ANGLE BOITIER D'ANGLE	CuZn/ZnAl	
1	1	1	1		1		12	SAFETY RING ANNEAU DE PROTECTION	CuZn	
1	1	1	1		1		11	SPRING RESSORT	INOX STEEL	
1	1	1	1		1		10	SPRING SUPPORT GUIDE RESSORT	CuZn	
1	1	1	1		1		9	WASHER RONDELLE	CuZn	
1	1	-	-		-		8	FERRULE A= 9,6 BAGUE DE SERTISSAGE	SFCu	
-	-	1	-		1		7	FERRULE A= 9,6 BAGUE DE SERTISSAGE	SFCu	
-	-	-	1		-		6	FERRULE A=6,9 BAGUE DE SERTISSAGE	SFCu	
1	1	1	1		1		5	LID CAPUCHON	CuZn	
-	1	1	1		1		4	SHELL ANGLE BOITIER D'ANGLE	CuZn/ZnAl	
1	1	1	1		1		3	CENTER CONTACT CONTACT CENTRAL	CuZn	
1	1	1	1		1		2	DIELECTRIC DIELECTRIQUE		
1	1	1	1		1		1	OUTER SHELL CONTACT EXTERIEUR	Phosphorbronze	
5--4	5--3	5--2	5--1	-3	-2	-1	ITEM NO.	DESCRIPTION	MATERIAL	PLATING
							DRAWN BY K. DONNET			
								07.06.00	CHEKED BY A. BOTTA	07.06.00

tyco
ElectronicsDSM AN AMP COMPANY
ST MAURICE, SWITZERLANDDESCRIPTION
COAXICON®SERIES MOBILE PHONE
PROTECTED FRONT CONTACT CABLE PLUG
LONG VERSION
COAXICON®SERIE TELEPHONE MOBILE
PRISE FRONTALE PROTEGEE POUR CABLE
LONGUE VERSION**C**DIMENSIONS WITH ANY TOLERANCE
± 0.2FORMAT
A3

DRAWING NR.

619078

SCALE
10:1

SHEET

2 OF 2

REV.

A1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-619078-1](#)