

## Housing - HC-D 7-AML-24/GR/PA-A - 1647747

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Panel mounting base, with single locking latch, height 24 mm, with screw connection, PA reusable material, straight version, with metal strap

RoHS

### Key Commercial Data

|                        |                                                                                                         |
|------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit           | 10 pc                                                                                                   |
| Minimum order quantity | 250 pc                                                                                                  |
| GTIN                   | <br>4 017918 942526 |
| GTIN                   | 4017918942526                                                                                           |

### Technical data

#### Dimensions

|                               |       |
|-------------------------------|-------|
| Height                        | 24 mm |
| Width                         | 38 mm |
| Length                        | 28 mm |
| Length of the assembly cutout | 21 mm |
| Width of the assembly cutout  | 21 mm |

#### Ambient conditions

|                                      |                           |
|--------------------------------------|---------------------------|
| Degree of protection of housing (IP) | IP54                      |
|                                      | IP65 (with sealing screw) |
| Ambient temperature (operation)      | -40 °C ... 125 °C         |

#### General

|                  |                                                                         |
|------------------|-------------------------------------------------------------------------|
| Note             | for contact inserts HC-A03, A04, D07, D08, Q02, Q03, Q04, Q05, Q07, Q12 |
| Size             | D7                                                                      |
| Housing type     | Panel mounting base, straight                                           |
| Locking type     | with single locking latch                                               |
| Housing material | PA                                                                      |

## Housing - HC-D 7-AML-24/GR/PA-A - 1647747

### Technical data

#### General


|                          |                   |
|--------------------------|-------------------|
| Housing surface material | PA, light gray    |
| Seal material            | NBR               |
| Material lock            | Steel, galvanized |

#### Environmental Product Compliance

|            |                                                         |
|------------|---------------------------------------------------------|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

### Drawings

Dimensional drawing



#### Mounting cutout

Phoenix Contact 2018 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1647747](#)