## Main

Range of product	Hyde Park
Sensor type	Ultrasonic sensor transmitter
Series name	Standard format
Device short name	SM125
Sensor design	Cylindrical Ø 32 mm plain
Material	Stainless steel
Type of output signal	Discrete
[Us] rated supply voltage	24 V DC
IP degree of protection	IP66

## Complementary

[Sn] nominal sensing distance	0.381 m
Type of sensing window	Fixed
Enclosure material	Stainless steel
Condition of use	Thru beam
Transmission frequency	180 kHz

## **Environment**

## Offer Sustainability

WARNING: This product can expose you to chemicals	WARNING: This product can expose you to chemicals including:
including:	

Diisononyl phthalate (DINP), which is known to the State Diisononyl phthalate (DINP), which is known to the State of California to cause of California to cause cancer, and

Di-isodecyl phthalate (DIDP), which is known to the StateDi-isodecyl phthalate (DIDP), which is known to the State of California to cause birth of California to cause birth defects or other reproductive defects or other reproductive harm.

For more information go to www.p65warnings.ca.gov For more information go to www.p65warnings.ca.gov

## Contractual warranty

Warranty period	18 months
-----------------	-----------

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Schneider Electric: SM125