





THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION 20
© COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
DF	A5	P	LTR	DESCRIPTION	DATE	OWN	APVD
		E		REVISED PER ECO-09-000352	07JAN2009	DF	JM
		F		REVISED PER ECO-09-023682	21OCT2009	DCB	JM
		G		REVISED PER ECO-10-008748	06MAY2010	GD	JM



1 SHELL: ALUMINUM ALLOY 6061 T651
INSERT RETENTION CLIP & GROUNDING SPRING: COPPER ALLOY PER ASTM B194.
PROTECTIVE COVER: THERMOPLASTIC ELASTOMER


2 SHELL: ELECTROLESS NICKEL PER SAE AMS-C-26074, CLASS 1.
GROUNDING SPRING: ELECTROLYTIC NICKEL PER SAE AMS-QQ-290.

3 TYCO ELECTRONICS LOGO, PART NUMBER AND DATE CODE - YEAR & WEEK (YY WW)


4 SHELL CAVITIES ACCEPT GPRB SERIES INSERTS WITH KEYING CODE A.

5 PROTECTIVE COVERS NOT SHOWN FOR CLARITY

6. THIS PRODUCT IS SOLD BY TYCO ELECTRONICS UNDER A LICENSE FROM RADIALL SA.



SCALE 1:1









SEE SHEET 2 OF 2
FOR 1738501-2 DETAILS

ITAR CONTROLLED
THIS DOCUMENT CONTAINS TECHNICAL DATA AS DEFINED IN 22CFR PART 120.10 OF THE INTERNATIONAL TRAFFIC IN ARMS REGULATIONS (ITAR) AND IS SUBJECT TO THE EXPORT CONTROL LAWS OF THE U.S. GOVERNMENT. TRANSFER OF THIS DATA BY ANY MEANS TO A FOREIGN PERSON, AS DEFINED IN 22CFR PART 120.16 OF THE ITAR, WHETHER IN THE U.S. OR ABROAD, WITHOUT AN EXPORT LICENSE OR OTHER APPROVAL FROM THE U.S. DEPARTMENT OF STATE, IS PROHIBITED.

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN BH CHK JPM APVD JPM	10AUG05 10AUG05 10AUG05 10AUG05	tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RECEPTACLE SHELL ASSEMBLY, 4-CAVITY, GPRB
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES		± ±0.13 ±0.13 ±0.13 ±0.13		SIZE CAGE CODE DRAWING NO A 200779 C 1738501
PRODUCT SPEC -		APPLICATION SPEC -		RESTRICTED TO -
MATERIAL △ 1 -		FINISH △ 2 -		CUSTOMER DRAWING -

THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION 20
© COPYRIGHT 2000 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS				
DF	A5	P	LTR	DESCRIPTION		DATE	OWN	APVD
		-		SEE SHEET 1		-	-	-



ITAR CONTROLLED

THIS DOCUMENT CONTAINS TECHNICAL DATA AS DEFINED IN 22CFR PART 120.10 OF THE INTERNATIONAL TRAFFIC IN ARMS REGULATIONS (ITAR) AND IS SUBJECT TO THE EXPORT CONTROL LAWS OF THE U.S. GOVERNMENT. TRANSFER OF THIS DATA BY ANY MEANS TO A FOREIGN PERSON, AS DEFINED IN 22CFR PART 120.16 OF THE ITAR, WHETHER IN THE U.S. OR ABROAD, WITHOUT AN EXPORT LICENSE OR OTHER APPROVAL FROM THE U.S. DEPARTMENT OF STATE, IS PROHIBITED.

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN BH	10AUG05	tyco Electronics Harrisburg, PA 17105-3608
DIMENSIONS:	mm	TOLENCES UNLESS OTHERWISE SPECIFIED:	CHK JPM	
0 PLC	Ø 4.00	±0.10	10AUG05	
1 PLC	Ø 4.00	±0.13	APVD JPM	
2 PLC	Ø 4.00	±0.13	10AUG05	PRODUCT SPEC
3 PLC	Ø 4.00	±0.13	-	APPLICATION SPEC
4 PLC	Ø 4.00	±0.13	-	-
ANGLES	Ø 4.00	±0.13	-	MATERIAL
	FINISH	-	-	A200779 C=1738501
	WEIGHT	-	-	RESTRICTED TO
	CUSTOMER DRAWING	-	-	-
SCALE 2:1	1	2 OF 2	REV G	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1738501-2](#)