


## Socket strip - SFL (2,8-0,8)F48 - 2285315

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Flat connector socket, Number of positions: 48, Pitch: 0 mm, Connection method: Slip-on connection, Color: green, Contact surface: Tin



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 055912
Weight per Piece (excluding packing)	42.9 g
Custom tariff number	85369010
Country of origin	Poland

### Technical data

#### Dimensions

Length	14.8 mm
Height	28.6 mm
Width	95 mm
Pitch	0.00 mm
Hole diameter	2.8 mm

#### General

Range of articles	SFL (2,8-0,8)
Insulating material group	II
Rated surge voltage (III/3)	2.5 kV
Nominal cross section	0 mm <sup>2</sup>
Insulating material	PA-F
Flammability rating according to UL 94	HB
Number of positions	48

# Socket strip - SFL (2,8-0,8)F48 - 2285315

## Technical data

### Standards and Regulations

Flammability rating according to UL 94	HB
--	----

## Classifications

### eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440490
eCl@ss 8.0	27440304

### ETIM

ETIM 3.0	EC000516
ETIM 4.0	EC002498
ETIM 5.0	EC000516

### UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

## Approvals

### Approvals

---

Approvals

EAC / EAC

---

Ex Approvals

---

Approvals submitted

---

## Socket strip - SFL (2,8-0,8)F48 - 2285315

### Approvals

#### Approval details

EAC
-----

EAC
-----

### Accessories

#### Accessories

#### Insulating sleeve

Insulating sleeve - PT/FS 2,8 - 1406700

Insulating sleeve, as touch protection, slide onto the conductor before for 2.8 slip-on sleeves




---

### Drawings

# Socket strip - SFL (2,8-0,8)F48 - 2285315

Dimensional drawing



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2285315](#)