

Adapter sleeve - HS 25 A - 0913168

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Adapter sleeve, Nominal current: 25 A, Sleeve length: 10.5 mm, Length: 10.5 mm, Diameter: 16.5 mm, Color: yellow

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	50 pc
GTIN	 4 017918 008260
Weight per Piece (excluding packing)	0.83 g
Custom tariff number	85389099
Country of origin	Germany

Technical data

General

Color	yellow
-------	--------

Dimensions

Length	10.5 mm
Sleeve length	10.5 mm
Diameter	16.5 mm
Internal diameter	12.5 mm
Max. material thickness	0.4 mm
Min. material thickness	0.6 mm

General

Nominal current I_N	25 A
-----------------------	------

Adapter sleeve - HS 25 A - 0913168

Classifications

eCl@ss

eCl@ss 4.0	27141199
eCl@ss 4.1	27141199
eCl@ss 5.0	27141116
eCl@ss 5.1	27141116
eCl@ss 6.0	27141116
eCl@ss 7.0	27141116
eCl@ss 8.0	27142113

ETIM

ETIM 2.0	EC000899
ETIM 3.0	EC000899
ETIM 4.0	EC000899
ETIM 5.0	EC000085

UNSPSC

UNSPSC 6.01	30211813
UNSPSC 7.0901	39121410
UNSPSC 11	39121412
UNSPSC 12.01	39121412
UNSPSC 13.2	39121412

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

EAC

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[0913168](#)