













REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



3*3 POSITIONS

3*4 POSITIONS

3*5 POSITIONS



3*5	LEVEL 1	KEY A	1-1971875-7
		KEY B	2-1971875-7
		KEY C	3-1971875-7
		KEY D	4-1971875-7
3*4	LEVEL 2	KEY A	5-1971875-7
		KEY B	6-1971875-7
		KEY C	7-1971875-7
		KEY D	8-1971875-7
3*3	LEVEL 1	KEY A	1-1971875-4
		KEY B	2-1971875-4
		KEY C	3-1971875-4
		KEY D	4-1971875-4
3*3	LEVEL 2	KEY A	5-1971875-4
		KEY B	6-1971875-4
		KEY C	7-1971875-4
		KEY D	8-1971875-4
POS.	MATERIAL	KEY	P/N

KEYING FOR 3*3 POS.

KEYING FOR 3*4 POS.

KEYING FOR 3*5 POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN TOMMY.WU 06JUL2012

CHK HAPYE.WU 06JUL2012

APVD YUHONG.MAO 06JUL2012

DIMENSIONS:

mm

0 PLC ±0.35

1 PLC ±0.25

2 PLC ±

3 PLC ±

4 PLC ±

ANGLES ±

FINISH -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC 108-106118

APPLICATION SPEC 114-106118

WEIGHT -

Customer Drawing

NAME:CAP HOUSING, PANEL MOUNT,TRIPLE ROW POWER TRIPLE LOCK

SIZE CAGE CODE DRAWING NO A100779C=1971875

RESTRICTED TO -

SCALE - SHEET 2 OF 2 REV C

TE Connectivity

TE

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[8-1971875-7](#)