
If this document is printed it becomes uncontrolled. Check for the latest revision.


R Thermofit Molded Parts Specification Control Drawing Limited Distribution

Part Number : 202D921-X-04 Description : Boot, Straight

NOTES

- 1. All dimensions are in inches [millimeters]
- 2. Dimensions appearing in table are as follows:
 - a As Supplied
 - b After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.





AS SUPPLIED

AFTER UNRESTRICTED RECOVERY

TABLE OF DIMENSIONS

PART NUMBER	н		L		P	R	s	т	JO	н₩	JW	
	Min	Max	Min -4	Min -12 a	Max	±10%	Ref b	Ref	Ref	±10%	±20%	±20%
202D921-X-04	<u>.76</u> [19,3]	<u>.51</u> [13,0]	. <u>25</u> [6,3]	. <u>18</u> [4,5]	.08 [2.1]	<u>1.60</u> [40,6]	.46	. <u>12</u> [3,0]	<u>.04</u> [1.0]	. <u>71</u> [11.8]	.06 [1,5]	. <u>045</u> [1,1]



Revision : A Date : 5/10/00

Part Number :	202D921-X-04			
Description :	Boot, Straight			

Thermofit Molded Parts Specification Control Drawing Limited Distribution

Part Number : 202D921-X-04 Description : Boot, Straight

COMPATABILITY	CHART				
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION
-4	Polyolefin, Flexible	RT-1304	N/A		
-12	*VITON, Flexible	RT-1312	N/A		

*VITON is a Registered Trademark of Dupont

ORDERING INFORMATION				
	202D921	- <u>×</u>	<u>-04</u>	<u>/xx</u>
Base part number				
Material dash number (See Compatability Chart)]		
Modification number (If necessary, see front of scd binder for a complete list)]	
Adhesive slash number]

THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

Raychem RAYCHEM CORPORATION 300 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025

Revision : A Date : 5/10/00

Part Number : 202D921-X-04 Description : Boot, Straight CAD FILE MP00066

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 202D921-12-04-0