

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0430300051](#)  
**Status:** **Active**  
**Description:** MicroFit 3.0 F Crp Term Chn Tin 20-24

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Test Summary TS-43045-001-001 (PDF)</a>
<a href="#">Product Specification PS-43045 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Packaging Specification PK-43030-002-001 (PDF)</a>	

**General**

Product Family	Crimp Terminals
Series	<a href="#">43030</a>
Crimp Quality Equipment	Yes
UPC	822348563227

**Physical**

Net Weight	0.061/g
------------	---------


**Solder Process Data**

Lead-freeProcess Capability	N/A
-----------------------------	-----

**Material Info**

**Reference - Drawing Numbers**

Packaging Specification	PK-43030-002-001
Product Specification	PS-43045
Sales Drawing	SD-43030-002
Test Summary	TS-43045-001-001



**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
ED/71/2019 (16 July  
2019)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[43030 Series](#)

**Application Tooling | [FAQ](#)**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

Description	Product #
Extraction Tool	<a href="#">11030043</a>
Insertion Tool for Micro-Fit 3.0 and CRC Male and Female Crimp Terminals, 20-30 AWG	<a href="#">638120800</a>
FineAdjust Applicator for Insulation OD 1.30-1.85mm, 20-24 AWG Wire	<a href="#">639004500</a>
FineAdjust Applicator for Insulation OD	<a href="#">639018800</a>

1.10-1.30mm - 20-24  
AWG  
FineAdjust Applicator 639018900  
for Insulation OD  
0.91-1.09mm - 20-24  
AWG  
T2 Terminator 639104500  
for Insulation OD  
1.30-1.85mm, 20-24  
AWG  
T2 Terminator 639118800  
for insulation OD  
1.10-1.30mm - 20-24  
AWG  
T2 Terminator 639118900  
for insulation OD  
0.91-1.09mm - 20-24  
AWG

This document was generated on 10/15/2019

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[43030-0051](#) [43030-0053](#) [43030-0059](#)