








REVISIONS				
P.	LTR.	DESCRIPTION	DATE	DWN. APVD.
	C	REVISED PER ECR-07-016022	30JUL2007	DLD DCS
	C1	REVISED PER ECO-13-019739	06JAN2014	DD RL

- 1 TE CONNECTIVITY ASSY PART-NO. ACCORDING TO TABLE, LASER PRINTED, WHITE INK PERMITTED AS ALTERNATIVE.
- 2 DATE CODE, FORMAT, YY=YEAR JJJ=DAY HH=HOUR, LASER PRINTED, WHITE INK PERMITTED AS ALTERNATIVE. SINGLE DIGIT HOUR NOTE ACCEPTABLE.
- 3 TERMINAL CAVITY ID.
- 4 MATERIAL ID.
- 5 MOLD CAVITY ID.
- 6 TE LOGO.
- 7 KEY "A" NOT RECOMMENDED FOR NEW APPLICATIONS.
8. PACKING:
PARTS BULK PACKED IN CARDBOARD BOX.



ASSEMBLY WITH CPA





1456989-7	1456989-6	1456989-5	1456989-4	1456989-3	1456989-2	1456989-1	<----- ASSEMBLY PN			
-	-	-	-	-	I	-	CPA	PBT-GF20	RED	3
I	I	I	I	I	I	I	SPACER	PBT+PC-GF30	RED	2
I	-	-	-	-	-	-	HOUSING; KEY F	PA66-GF35	BLACK	I
-	I	-	-	-	-	-	HOUSING; KEY E	PA66-GF35	BLACK	I
-	-	I	-	-	-	-	HOUSING; KEY D	PA66-GF35	BLACK	I
-	-	-	I	-	-	-	HOUSING; KEY C	PA66-GF35	BLACK	I
-	-	-	-	I	-	-	HOUSING; KEY A	PA66-GF35	LT. GREY	I
-	-	-	-	-	I	I	HOUSING; KEY A	PA66-GF35	BLACK	I
							DESCRIPTION	MATERIAL	COLOR	ITEM NO
QTY REQ'D PER ASSY							REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)			
							WEIGHT OF EACH ASSY NO (g)			
PARTS LIST										

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 30OCT2006	NAME	
DIMENSIONS:		CHK D. STRAUSSER 30OCT2006	TE Connectivity	
mm		APVD D. STRAUSSER 30OCT2006	2X8 POSITION, GET FEMALE CONNECTOR UNSEALED ASSEMBLY	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE	
0 PLC ±		APPLICATION SPEC	CAGE CODE	
1 PLC ±		WEIGHT	DRAWING NO	
2 PLC ±		CUSTOMER DRAWING	RESTRICTED TO	
3 PLC ±			A100779C=1456989	
4 PLC ±			SCALE 5:1	
ANGLES			SHEET 1 OF 2	
FINISH			REV C1	
MATERIAL SEE TABLE				

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
	-	SEE SHEET 1	-	-	-



KEYING OPTION
A



4:1

(SHOWN WITH CPA)



KEYING OPTION
C



4:1

(SHOWN WITH CPA)



KEYING OPTION
D



4:1

(SHOWN WITH CPA)



KEYING OPTION
E



4:1


(SHOWN WITH CPA)

KEYING OPTION
F



4:1

(SHOWN WITH CPA)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL	30OCT2006	 TE Connectivity	
DIMENSIONS:		CHK D. STRAUSSER	30OCT2006		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. STRAUSSER	30OCT2006	NAME	
	0 PLC	±"	PRODUCT SPEC	2X8 POSITION, GET FEMALE CONNECTOR UNSEALED ASSEMBLY	
	1 PLC	±"	APPLICATION SPEC		
	2 PLC	±"	408-8599		
	3 PLC	±"	WEIGHT		
MATERIAL		FINISH	Customer Drawing	SIZE	RESTRICTED TO
SEE TABLE		-	-	A100779C=1456989	-
-		-	-	SCALE	SHEET
		-	-	5:1	2 OF 2
		-	-	-	REV C1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1456989-3](#)