



NOTE(S):

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):  
FOR TIN APPLICATIONS: 1393367 AND 1393366.  
FOR GOLD APPLICATIONS: 1393365 AND 1393364.  
FOR TERMINATION AND REELING OPTIONS  
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.  
(22-18 AWG, 0.35-0.75 mm2)
3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.  
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,  
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS  
USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT  
CONFIGURATION IS 26.09 GRAMS.
6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT  
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.

TYCO ELECTRONICS CORPORATION 1151 E. MAIN STREET, CHANDLER, AZ 84901 TEL: 480-754-1000 FAX: 480-754-1001 WWW.TYCOELECTRONICS.COM		OWN M. FORISKA CHK M. FORISKA APVD A. VALASEK	20APR2002 20APR2002 20APR2002	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME 40 WAY ARM PLUG ASSEMBLY WITH SHORTING BARS CUSTOMER SPEC.	
9 PLC ±.3 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. ANGLES ±3°		PRODUCT SPEC APPLICATION SPEC		SIZE CAGE CODE DRAWING NO	
MATERIAL SEE CHART ON SHEET 2		WEIGHT SEE NOTE 5		RESTRICTED TO	
FINISH		CUSTOMER DRAWING		SCALE 3:1	
				SHEET 1 OF 3	
				REV BT	

[illegible]

<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLING AUTHENTICATING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		<small>DWN</small> M FORISKA 20APR2002 <small>CHN</small> M FORISKA 20APR2002 <small>APVD</small> A VALASEK 20APR2002	 Tyco Electronics Harrisburg, PA 17105-3608
<small>DIMENSIONS:</small> mm 	<small>TOLERANCES UNLESS OTHERWISE SPECIFIED:</small> 0 PLC ± 1 PLC ±0.3 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±3°	<small>NAME</small> 40 WAY ARM PLUG ASSEMBLY WITH SHORTING BARS CUSTOMER SPEC.	<small>SIZE</small> A 11 00779
<small>MATERIAL</small> SEE CHART	<small>FINISH</small> - -	<small>APPLICATION SPEC</small> - <small>WEIGHT</small> -	<small>DRAWING NO</small> C=7-1419157-9 <small>RESTRICTED TO</small> -
CUSTOMER DRAWING		<small>SCALE</small> 3:1	<small>SHEET</small> 2 OF 3 <small>REV</small> BT

	CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS
	BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS

			APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO.	RESTRICTED TO
		3 PLC ± 4 PLC ± ANGLES ±	-	A	00779	G-7-1419157-9	-
MATERIAL SEE CHART	FINISH -	±3'	WEIGHT -				
			CUSTOMER DRAWING	SCALE	3:1	SHEET 3 OF 3	REV BT

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-1438090-3](#)