

## Marker carriers - PAB-SK 15 - 1013287

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Marker carriers, transparent, unlabeled, Mounting type: Adhesive, Lettering field: 15 x 4 mm



### Product Features

- These carrier materials can be fitted, e.g., with UC-WMT ... and EMT ...
- Powerful adhesion and optimum grip on standard device surfaces
- Self-adhesive marker carriers for marking devices and components



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	500 pc
GTIN	 4 017918 013691
Weight per Piece (excluding packing)	0.35 g
Custom tariff number	39269097
Country of origin	Italy

### Technical data

#### Dimensions

Length (b)	15 mm
Width (a)	9 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 60 °C
---------------------------------	------------------

#### General

Color	transparent
Components	Silicone-free

## Marker carriers - PAB-SK 15 - 1013287

### Technical data

#### General

Flammability rating according to UL 94	V0
Material	PVC
Marking mounting type	Adhesive

#### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

### Classifications

#### eCl@ss

eCl@ss 4.0	24190218
eCl@ss 4.1	24190218
eCl@ss 5.0	27141137
eCl@ss 5.1	27141137
eCl@ss 6.0	27141137
eCl@ss 7.0	27141137
eCl@ss 8.0	27149129

#### ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC001288

#### UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

### Accessories

#### Accessories

##### Conductor marking

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

Cable marker - UC-WMT (15X4) - 0819398



Cable marker, Sheet, white, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) YE - 0819408



Cable marker, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) BU - 0821030



Cable marker, Sheet, blue, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) RD - 0821043



Cable marker, Sheet, red, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) OG - 0824037



Cable marker, Sheet, orange, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

## Marker carriers - PAB-SK 15 - 1013287

### Accessories


Cable marker - UC-WMT (15X4) GN - 0824040



Cable marker, Sheet, green, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) VT - 0825361



Cable marker, Sheet, violet, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) BN - 0829475



Cable marker, Sheet, brown, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Conductor marker - UCT-WMT (15X4) - 0801446



Conductor marker, Sheet, white, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Conductor marker - UCT-WMT (15X4) YE - 0801447




Conductor marker, Sheet, yellow, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

Conductor marker - UCT-WMT (15X4) RD - 0801448



Conductor marker, Sheet, red, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Conductor marker - UCT-WMT (15X4) OG - 0801449



Conductor marker, Sheet, orange, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Conductor marker - UCT-WMT (15X4) GN - 0801450



Conductor marker, Sheet, green, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---


Conductor marker - UCT-WMT (15X4) VT - 0801451



Conductor marker, Sheet, violet, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Conductor marker - UCT-WMT (15X4) BU - 0801452



Conductor marker, Sheet, blue, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

Insert label - EMT (15X4)R - 0817329



Insert label, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Insert label - EMT (15X4)R RD - 0816249



Insert label, Roll, red, unlabeled, can be labeled with: THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Insert label - EMT (15X4)R BU - 0817332



Insert label, Roll, blue, unlabeled, can be labeled with: THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Insert label - EMT (15X4)R YE - 0817358



Insert label, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

### Labeled conductor marker

Cable marker - UC-WMT (15X4) CUS - 0824812



Cable marker, can be ordered: by sheet, white, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

Cable marker - UC-WMT (15X4) YE CUS - 0824815



Cable marker, can be ordered: by sheet, yellow, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) BU CUS - 0824813



Cable marker, can be ordered: by sheet, blue, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---


Cable marker - UC-WMT (15X4) RD CUS - 0824814



Cable marker, can be ordered: by sheet, red, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) OG CUS - 0824821



Cable marker, can be ordered: by sheet, orange, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) GN CUS - 0824820



Cable marker, can be ordered: by sheet, green, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

Cable marker - UC-WMT (15X4) VT CUS - 0826791

  
Cable marker, can be ordered: by sheet, violet, labeled according to customer specifications, Mounting type: Insert,  
Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Cable marker - UC-WMT (15X4) BN CUS - 0829478

  
Cable marker, can be ordered: by sheet, brown, labeled according to customer specifications, Mounting type: Insert,  
Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Conductor marker - UCT-WMT (15X4) CUS - 0801530

  
Conductor marker, can be ordered: by sheet, white, labeled according to customer specifications, Mounting type: Insert,  
Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm


---

Conductor marking - UCT-WMT (15X4) YE CUS - 0801531

  
Conductor marking, can be ordered: by sheet, yellow, labeled according to customer specifications, Mounting type:  
Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Conductor marking - UCT-WMT (15X4) RD CUS - 0801533

  
Conductor marking, can be ordered: by sheet, red, labeled according to customer specifications, Mounting type: Insert,  
Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

Conductor marking - UCT-WMT (15X4) OG CUS - 0801534



Conductor marking, can be ordered: by sheet, orange, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Conductor marker - UCT-WMT (15X4) GN CUS - 0801535



Conductor marker, can be ordered: by sheet, green, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---


Conductor marker - UCT-WMT (15X4) VT CUS - 0801536



Conductor marker, can be ordered: by sheet, violet, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Conductor marker - UCT-WMT (15X4) BU CUS - 0801537



Conductor marker, can be ordered: by sheet, blue, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Insert label - EMT (15X4)R CUS - 0824375



Insert label, can be ordered: By line, white, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

## Marker carriers - PAB-SK 15 - 1013287

### Accessories

Insert label - EMT (15X4)R BU CUS - 0824376



Insert label, can be ordered: By line, blue, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Insert label - EMT (15X4)R RD CUS - 0824377



Insert label, can be ordered: By line, red, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Insert label - EMT (15X4)R YE CUS - 0824378



Insert label, can be ordered: By line, yellow, labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

---

Conductor marking - UCT-WMT (15X4) BN - 0801469



Conductor marking, Sheet, brown, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1013287](#)