BGA Heat Sink - High Performance maxiFLOW w/Thermal Tape





ATS Part#: ATS-52210G-C1-R0

Description: 21.00 x 21.00 x 12.50 mm BGA Heat Sink - High Performance maxiFLOW w/Thermal

Tape

Heat Sink Type: maxiFLOW
Heat Sink Attachment: Thermal Tape

Equivalent Part Number: ATS-52210G-C2-R0

*Image above is for illustration purpose only.

Features & Benefits

- maxiFLOW™ design features a low profile, spread fin array that maximizes surface area for more effective convection (air) cooling
- · Fabricated from extruded aluminum, which minimizes thermal resistance from the base to the fins, reduces weight and keeps costs low
- · Higher performance helps ensure reliable product life at a lower cost than other extruded heat sinks

Thermal Performance

AIR VELOCIT	Υ	@200 LFM 1.0 M/S	@300 LFM 1.5 M/S	@400 LFM 2.0 M/S	@500 LFM 2.5 M/S	@600 LFM 3.0 M/S	@700 LFM 3.5 M/S	@800 LFM 4.0 M/S
THERMAL RESISTANCE	Unducted Flow	7.2 °C/W	5.9 °C/W	5.1 °C/W	4.6 °C/W	4.2 °C/W	3.9 °C/W	3.7 °C/W
THERMAL RESISTANCE	Ducted Flow	5.7	N/A	N/A	N/A	N/A	N/A	N/A

Product Detail

 Dimens ATS-52 (Saint-G Therma 	21.00 mm on A and B refer to coon C is the heat sink and 210G-C2-R0 is the exposain C675).	height from the botto	bly with an equivalen	nt thermal	interface material
 Dimens Dimens ATS-52 (Saint-6) Therma 	on C is the heat sink lead 210G-C2-R0 is the ex	height from the botto	bly with an equivalen	nt thermal	interface material
perform • ATS cel	erves the right to upd	date or change its pro	oducts without notice	to improv	



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Advanced Thermal Solutions:

ATS-52210G-C1-R0