






THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 05-JUN-95 T.ALEXANDER CHK 23-AUG-95 J.WARNER APPROV 23-AUG-95 J.WARNER	 TE Connectivity	
DIMENSIONS: INCHES 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0. PLC ± 1. PLC ± 2. PLC ± .005 [0.13] 3. PLC ± 4. PLC ± ANGLES FINISH	PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING	NAME ASSEMBLY, AMP BLADE TAB HOUSING — SIZE A1	DRAWING NO 00779 SCALE 4:1
MATERIAL 	RESTRICTED TO — SHEET 1 OF 2 REV R			



- | | |
|----|---|
| 3 | MOUNTING HOLES. |
| 4 | POST TO BE SOLDER DIPPED.
CONN. MUST MEET REQUIREMENTS OF MIL-STD-202 METHOD 208. |
| 5 | CONTACT MATL.; GILDING METAL. GOLD OVER NICKEL. |
| 6 | TOLERANCE NON CUMULATIVE. |
| 7 | TAB-HOUSING MATL.; DIALLYL PHTHALATE, GLASS FILLED PER
MIL-M-14, TYPE S.D.G.-F.
COLOR; GREEN. |
| 8 | CUT OUT FOR KEYING BOSS, LOCATED WHERE REQD. (OPTIONAL) |
| 9 | FROM EDGE OF P.C. BOARD TO FACE OF TAB-HOUSING. |
| 10 | TE CONNECTIVITY P/N NOT TO BE MARKED ON PART.
CAGE CODE #00779, DATE CODE, & CUSTOMER P/N TO BE MARKED
ON PART, SEE TABLE. |
| 11 | TE CONNECTIVITY PART NUMBER, DATE CODE AND MILITARY PART NUMBER .062 HIGH,
MARKED THIS AREA AND ALL EVEN NUMBERED CONTACTS MARKED THIS AREA. |
| 12 | "D" DIMENSION APPLIES TO CONTACT ONLY PRIOR TO SOLDER DIPPING. |



THIS DRAWING IS A CONTROLLED DOCUMENT.		DMY 05-JUN-95 T.ALEXANDER CHK 23-AUG-95 J. WARNER		 TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0. PLC ± — 1. PLC ± — 2. PLC ± — 3. PLC ± .005 [0.13] 4. PLC ± — ANGLES ± —		NAME ASSEMBLY, AMP BLADE TAB HOUSING —	
		APVD 23-AUG-95 J. WARNER PRODUCT SPEC — APPLICATION SPEC —		SIZE A1	
MATERIAL —		WEIGHT —		CAGE CODE 00779	
FINISH —		CUSTOMER DRAWING		DRAWING NO C582843	
				SCALE 4:1 SHEET 2 of 2 REV R	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-582843-3](#)