





9		8		7		6		5		4		3		2		1																																																																																							
E		VERSION FULLY LOADED																E																																																																																					
		NO OF CKTS	HSG CKT SIZE	PART NUMBER				NOTES : 1. FOR ASSEMBLY, SEE SHEET 1. 2. REFER TO LEGEND FOR PLATING OPTIONS. 90130 - * * * * PLATING TYPES 1 - TYPE A: 3.0µm MIN. TIN OVER 1.27µm - 2.54µm NICKEL. 2 - TYPE E: 0.38µm MIN. GOLD IN SELECTED AREA & 3.0µm MIN. TIN IN SELECTED AREA OVER 1.3µm MIN. NICKEL OVERALL. 3 - TYPE F: 0.76µm MIN. GOLD IN SELECTED AREA. & 3.0µm MIN. TIN IN SELECTED AREA OVER 1.3µm MIN. NICKEL OVERALL. 4 - TYPE G: 0.05 -0.10µm GOLD FLASH IN SELECTED AREA & 3.0µm MIN. TIN IN SELECTED AREA OVER 1.3µm MIN. NICKEL OVERALL.																																																																																															
				PLATING TYPE A	PLATING TYPE E	PLATING TYPE F	PLATING TYPE G																																																																																																
		6	6	90130-X106	90130-X206	90130-X306	90130-X406																																																																																																
		8	8	90130-X108	90130-X208	90130-X308	90130-X408																																																																																																
		10	10	90130-X110	90130-X210	90130-X310	90130-X410																																																																																																
		12	12	90130-X112	90130-X212	90130-X312	90130-X412																																																																																																
		14	14	90130-X114	90130-X214	90130-X314	90130-X414																																																																																																
		16	16	90130-X116	90130-X216	90130-X316	90130-X416																																																																																																
		18	18	90130-X118	90130-X218	90130-X318	90130-X418																																																																																																
D		20	20	90130-X120	90130-X220	90130-X320	90130-X420											D																																																																																					
		22	22	90130-X122	90130-X222	90130-X322	90130-X422																																																																																																
		24	24	90130-X124	90130-X224	90130-X324	90130-X424																																																																																																
		26	26	90130-X126	90130-X226	90130-X326	90130-X426																																																																																																
		28	28	90130-X128	90130-X228	90130-X328	90130-X428																																																																																																
		30	30	90130-X130	90130-X230	90130-X330	90130-X430																																																																																																
		32	32	90130-X132	90130-X232	90130-X332	90130-X432																																																																																																
		34	34	90130-X134	90130-X234	90130-X334	90130-X434																																																																																																
		36	36	90130-X136	90130-X236	90130-X336	90130-X436																																																																																																
		38	38	90130-X138	90130-X238	90130-X338	90130-X438																																																																																																
C		40	40	90130-X140	90130-X240	90130-X340	90130-X440	C																																																																																															
		42	42	90130-X142	90130-X242	90130-X342	90130-X442																																																																																																
		44	44	90130-X144	90130-X244	90130-X344	90130-X444																																																																																																
		46	46	90130-X146	90130-X246	90130-X346	90130-X446																																																																																																
		48	48	90130-X148	90130-X248	90130-X348	90130-X448																																																																																																
		50	50	90130-X150	90130-X250	90130-X350	90130-X450																																																																																																
		52	52	90130-X152	90130-X252	90130-X352	90130-X452																																																																																																
		54	54	90130-X154	90130-X254	90130-X354	90130-X454																																																																																																
		56	56	90130-X156	90130-X256	90130-X356	90130-X456																																																																																																
		58	58	90130-X158	90130-X258	90130-X358	90130-X458																																																																																																
B		60	60	90130-X160	90130-X260	90130-X360	90130-X460	B																																																																																															
		62	62	90130-X162	90130-X262	90130-X362	90130-X462																																																																																																
		64	64	90130-X164	90130-X264	90130-X364	90130-X464																																																																																																
		66	66	90130-X166	90130-X266	90130-X366	90130-X466																																																																																																
		68	68	90130-X168	90130-X268	90130-X368	90130-X468																																																																																																
		VOIDED OPTIONS																A																																																																																					
		NO OF CKTS	HSG CKT SIZE	VOIDED PART NUMBER	VOID POSITION	PLATING TYPE																																																																																																	
		9	10	90130-8190	3	A																																																																																																	
		9	10	90130-8309	2	F																																																																																																	
		9	10	90130-8311	1	F																																																																																																	
11	12	90130-8212	12	E																																																																																																			
11	12	90130-8213	2	E																																																																																																			
11	12	90130-8313	2	F																																																																																																			
11	12	90130-8191	3	A																																																																																																			
A		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION <table><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="2" rowspan="2">CURRENT REV DESC:</td><td colspan="3" rowspan="2"> molex </td></tr><tr><td colspan="2">MM/IN</td><td colspan="2">NTS</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2" rowspan="5">EC NO: 618066 DRWN: NMANE02 2019/05/28 CHK'D: NMANE02 2019/05/28 APPR: MRAMAKRISHNA 2019/06/07</td><td colspan="3">PRODUCT CUSTOMER DRAWING</td></tr><tr><td></td><td>MM</td><td>INCH</td><td colspan="3">DOCUMENT NUMBER</td></tr><tr><td>4 PLACES</td><td>±</td><td></td><td>±</td><td colspan="3">SDA-90130</td></tr><tr><td>3 PLACES</td><td>±</td><td></td><td>± 0.004</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td>2 PLACES</td><td>±</td><td>0.1</td><td>±</td><td colspan="3">PSD 001 CA4</td></tr><tr><td>1 PLACE</td><td>±</td><td></td><td>±</td><td colspan="2">INITIAL REVISION:</td><td colspan="3" rowspan="2">1988/08/23 2010/02/19</td></tr><tr><td>0 PLACES</td><td>±</td><td></td><td>±</td><td colspan="2">DRWN: KS APPR: MLONG</td></tr><tr><td colspan="4">ANGULAR TOL ± 0.5 °</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td>CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2"></td><td>A3-SIZE</td><td>90130</td><td>SEE TABLE</td><td>GENERAL MARKET</td><td>2 OF 4</td></tr></table>																DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex			MM/IN		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 618066 DRWN: NMANE02 2019/05/28 CHK'D: NMANE02 2019/05/28 APPR: MRAMAKRISHNA 2019/06/07		PRODUCT CUSTOMER DRAWING				MM	INCH	DOCUMENT NUMBER			4 PLACES	±		±	SDA-90130			3 PLACES	±		± 0.004	DOC TYPE	DOC PART	REVISION	2 PLACES	±	0.1	±	PSD 001 CA4			1 PLACE	±		±	INITIAL REVISION:		1988/08/23 2010/02/19			0 PLACES	±		±	DRWN: KS APPR: MLONG		ANGULAR TOL ± 0.5 °				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE	90130	SEE TABLE	GENERAL MARKET	2 OF 4
		DIMENSION UNITS		SCALE		CURRENT REV DESC:		molex																																																																																															
		MM/IN		NTS																																																																																																			
		GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 618066 DRWN: NMANE02 2019/05/28 CHK'D: NMANE02 2019/05/28 APPR: MRAMAKRISHNA 2019/06/07		PRODUCT CUSTOMER DRAWING																																																																																															
			MM	INCH	DOCUMENT NUMBER																																																																																																		
		4 PLACES	±		±			SDA-90130																																																																																															
		3 PLACES	±		± 0.004			DOC TYPE	DOC PART	REVISION																																																																																													
		2 PLACES	±	0.1	±			PSD 001 CA4																																																																																															
		1 PLACE	±		±	INITIAL REVISION:		1988/08/23 2010/02/19																																																																																															
		0 PLACES	±		±	DRWN: KS APPR: MLONG																																																																																																	
ANGULAR TOL ± 0.5 °				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER																																																																																													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE	90130	SEE TABLE	GENERAL MARKET	2 OF 4																																																																																													
DOCUMENT STATUS		P1	RELEASE DATE	2019/06/07	10:07:36																																																																																																		
9		8		7		6		5		4		3		2		1																																																																																							



F

E

D

C

B

A

10987654321

VERSION FULLY LOADED

NO OF CKTS	HSG CKT SIZE	PART NUMBER			
		PLATING TYPE A	PLATING TYPE E	PLATING TYPE F	PLATING TYPE G
6	6	90130-X106	90130-X206	90130-X306	90130-X406
8	8	90130-X108	90130-X208	90130-X308	90130-X408
10	10	90130-X110	90130-X210	90130-X310	90130-X410
12	12	90130-X112	90130-X212	90130-X312	90130-X412
14	14	90130-X114	90130-X214	90130-X314	90130-X414
16	16	90130-X116	90130-X216	90130-X316	90130-X416
18	18	90130-X118	90130-X218	90130-X318	90130-X418
20	20	90130-X120	90130-X220	90130-X320	90130-X420
22	22	90130-X122	90130-X222	90130-X322	90130-X422
24	24	90130-X124	90130-X224	90130-X324	90130-X424
26	26	90130-X126	90130-X226	90130-X326	90130-X426
28	28	90130-X128	90130-X228	90130-X328	90130-X428
30	30	90130-X130	90130-X230	90130-X330	90130-X430
32	32	90130-X132	90130-X232	90130-X332	90130-X432
34	34	90130-X134	90130-X234	90130-X334	90130-X434
36	36	90130-X136	90130-X236	90130-X336	90130-X436
38	38	90130-X138	90130-X238	90130-X338	90130-X438
40	40	90130-X140	90130-X240	90130-X340	90130-X440
42	42	90130-X142	90130-X242	90130-X342	90130-X442
44	44	90130-X144	90130-X244	90130-X344	90130-X444
46	46	90130-X146	90130-X246	90130-X346	90130-X446
48	48	90130-X148	90130-X248	90130-X348	90130-X448
50	50	90130-X150	90130-X250	90130-X350	90130-X450
52	52	90130-X152	90130-X252	90130-X352	90130-X452
54	54	90130-X154	90130-X254	90130-X354	90130-X454
56	56	90130-X156	90130-X256	90130-X356	90130-X456
58	58	90130-X158	90130-X258	90130-X358	90130-X458
60	60	90130-X160	90130-X260	90130-X360	90130-X460
62	62	90130-X162	90130-X262	90130-X362	90130-X462
64	64	90130-X164	90130-X264	90130-X364	90130-X464
66	66	90130-X166	90130-X266	90130-X366	90130-X466
68	68	90130-X168	90130-X268	90130-X368	90130-X468

NOTES :
1. FOR ASSEMBLY, SEE SHEET 1.
2. REFER TO LEGEND FOR PLATING OPTIONS.

90130 - * * *

INDICATES CIRCUIT HOUSING SIZE

PLATING TYPES

STYLE: - 3. RIGHT ANGLE VERSION

1 - TYPE A:
3.0µm MIN. TIN OVER 1.27µm - 2.54µm NICKEL.

2 - TYPE E:
0.38µm MIN. GOLD IN SELECTED AREA & 3.0µm MIN. TIN IN SELECTED AREA OVER 1.3µm MIN. NICKEL OVERALL.

3 - TYPE F:
0.76µm MIN. GOLD IN SELECTED AREA. & 3.0µm MIN. TIN IN SELECTED AREA OVER 1.3µm MIN. NICKEL OVERALL.

4 - TYPE G:
0.05 -0.10µm GOLD FLASH IN SELECTED AREA & 3.0µm MIN. TIN IN SELECTED AREA OVER 1.3µm MIN. NICKEL OVERALL.

DOCUMENT STATUS | P1 | RELEASE DATE | 2019/06/07 | 10:07:36 |

FORMAT: Mfg-Prod-A3
REVISION: D
DATE: 2018/01/15

10987654321

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITSMM/INSCALENTS

GENERAL TOLERANCES (UNLESS SPECIFIED)

MMINCH

4 PLACES± ±

3 PLACES± ± 0.004

2 PLACES± 0.1 ±

1 PLACE± ±

0 PLACES± ±

ANGULAR TOL± 0.5 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 618066
DRWN: NMANE02 2019/05/28
CHK'D: NMANE02 2019/05/28
APPR: MRAMAKRISHNA 2019/06/07

INITIAL REVISION:
DRWN: KS 1988/08/23
APPR: MLONG 2010/02/19

THIRD ANGLE PROJECTION

DRAWINGA3-SIZE

SERIES90130

MATERIAL NUMBERSEE TABLECUSTOMERGEERAL MARKET

SHEET NUMBER4 OF 4

molex

C-GRID III
DUAL ROW STRAIGHT SHROUDED HEADER

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBERSDA-90130DOC TYPEPSDDOC PART001REVISIONCA4

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[90130-8213](#) [90130-8190](#) [90130-0008](#) [90130-2524](#)