

PCB terminal block - GSMKDSPL 1,5/ 2-7,62 - 1733127

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

PCB terminal block, nominal current: 17.5 A, pitch: 7.62 mm, number of positions: 2, connection method: Screw connection with tension sleeve, mounting: Wave soldering, conductor/PCB connection direction: 35 °, color: green



Key Commercial Data

| | |
|--------------|---|
| Packing unit | 50 pc |
| GTIN |  4 017918 234560 |
| GTIN | 4017918234560 |

Technical data

Item properties

| | |
|-----------------------|----------------|
| Number of positions | 2 |
| Drive form screw head | Slotted (L) |
| Screw thread | M3 |
| Pin layout | Linear pinning |

Dimensions for the product

| | |
|-----------------------------|----------|
| Length [l] | 13.4 mm |
| Width [w] | 15.24 mm |
| Height [h] | 19.5 mm |
| Pitch | 7.62 mm |
| Height (without solder pin) | 16 mm |
| Solder pin [P] | 3.5 mm |
| Dimension a | 7.62 mm |

Dimensions for PCB design

| | |
|---------------|--------|
| Hole diameter | 1.3 mm |
|---------------|--------|

Packaging information

| | |
|----------------------------|---------------------|
| Type of packaging | packed in cardboard |
| Pieces per package | 50 |
| Denomination packing units | Pcs. |

Air clearances and creepage distances

| | |
|---------|-------|
| Voltage | 500 V |
|---------|-------|

PCB terminal block - GSMKDSPL 1,5/ 2-7,62 - 1733127

Technical data

Standards and Regulations

| | |
|----------------------------------|--------|
| Connection in acc. with standard | EN-VDE |
|----------------------------------|--------|

Environmental Product Compliance

| | |
|------------|---|
| REACH SVHC | Lead 7439-92-1 |
| China RoHS | Environmentally Friendly Use Period = 50 |
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

| | | |
|-----|---|---------|
| EAC |  | B.01742 |
|-----|---|---------|

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1733127](#)