











PART NUMBER:
1438136-1
SHOWN WITH SPACER
IN SEATED POSITION



SECTION A-A
SPACER AND LEVER
IN PRE-SEATED POSITION
(DELIVERY POSITION)



SHOWN WITH CAM
LEVER AND SPACER
IN LOADED POSITION



MIN. FEED THRU CONDITION
WITH 1mm CLEARANCE ALL AROUND
SHOWN WITH SPACER IN SEATED POSITION

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
G45		REVISED PER ECO-13-011449	16JUL2013	DLD	DCM
G46		REVISED PER ECO-14-007153	19MAY2014	DLD	DCM
G47		REVISED PER ECO-14-014965	09OCT2013	DLD	DCM

1. PRINT FORD PART NUMBER (SEE ATTACHED CHARTS) AND TRACEABILITY CODE (YY = 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR) IN THIS LOCATION AT ASSEMBLY. SEE SHEETS 3, 4 AND 5 (-*) PART NUMBERS.

2. APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²

3. CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.

4. REFERENCE TE INSTRUCTION SHEET 408-8893.

△ COMPANY LOGO.




APPLICABLE COMPONENTS (FOR REFERENCE ONLY)

DESCRIPTION	NOMINAL TERMINAL SIZE	COLOR/ PLATING	FORD COMPONENT PART NUMBER	SUPPLIER PART NUMBER	MATERIAL/SPECIFICATION NUMBER	SAE WIRE SIZE
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-AA	1393366-2	COPPER ALLOY/SILVER PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-BA	1393367-2	COPPER ALLOY/SILVER PLATE	22AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-AA	1393366-1	COPPER ALLOY/TIN PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-BA	1393367-1	COPPER ALLOY/TIN PLATE	22AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-CA	1393365-1	COPPER ALLOY/GOLD PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-DA	1393364-1	COPPER ALLOY/GOLD PLATE	22AWG


SEE SHEETS 3 THRU 7
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL	15APR2005	 TE Connectivity	
		CHK T. VALASEK	15APR2005		
DIMENSIONS:		APVD T. VALASEK	15APR2005	NAME	
mm		PRODUCT SPEC		70-WAY HARNESS ASSEMBLY	
		APPLICATION SPEC			
MATERIAL		WEIGHT		SIZE	CAGE CODE
-		-		A100779	C1438136
-		-		RESTRICTED TO	
FINISH		CUSTOMER DRAWING		SCALE	SHEET
-				2:1	1 OF 11
				REV 47	


REVISIONS				
P.	LTR.	DESCRIPTION	DATE	OWN APVD
-	-	SEE SHEET 1	-	-




KEYING OPTION "A"




KEYING OPTION "B"




KEYING OPTION "C"



KEYING OPTION "D"



KEYING OPTION "E"



KEYING OPTION "F"

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL	15APR2005	 TE Connectivity	
DIMENSIONS:		CHK T. VALASEK	15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK	15APR2005	NAME	
	0 PLC ±.3	PRODUCT SPEC		70-WAY HARNESS ASSEMBLY	
	1 PLC ±0.3	APPLICATION SPEC			
	2 PLC ±0.10	WEIGHT			
	3 PLC ±.1	CUSTOMER DRAWING			
4 PLC ±.1	ANGLES ±.1°			SIZE	CAGE CODE
MATERIAL	FINISH			DRAWING NO	RESTRICTED TO
-	-			A100779C=1438136	-
				SCALE	2:1
				SHEET	2 OF 11
				REV	47

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

KEYING OPTION A

				65	64	63	62					56							42	40	39				33	32				27	26	25	24	23	22	21	20	19	18				13				8	7	6				2	1	9-1438136-6	5L3T-14A464-DA-054					
				65	64	63	62					56							43	42	40	39				33							24			21	20	18			13			8				3	2	1	8-1438136-8	5L3T-14A464-DA-053									
				65	64	63	62					56					49	48		43	42	40	39			33	31	30			27				23	21		18			13			8			5	4	3	2	1	8-1438136-3	5L3T-14A464-DA-052								
				65								56					50	49	48		44	43	42	40	39		33	31	30					24			20				13			8				3	2	1	8-1438136-2	5L3T-14A464-DA-051									
					64	63	62					57	56	55			50							39	38			32				27	26	25			22				14	13		9	8				3			8-1438136-1	5L3T-14A464-DA-050								
					64	63	62					57	56	55			50							39	38			32			29	28	27	26	25			22				14	13		9	8				3			7-1438136-8	5L3T-14A464-DA-049							
				65	64	63	62					57	56										42	40	39			33	32				26	25	24	23	22	21	20	19	18			13			8	7	6				2	1	7-1438136-7	5L3T-14A464-DA-048					
				65	64	63	62					56						49	48				43	42	40	39		33	31	30						23	21		18			13			8			5	4	3	2	1	7-1438136-5	5L3T-14A464-DA-047							
				65								56					50					44	43	42	40	39		33							24			20				13			8				3	2	1	7-1438136-4	5L3T-14A464-DA-046								
				65	64	63	62					56										43	42	40	39			33				27		24			21	20	18			13			8				3	2	1	7-1438136-3	5L3T-14A464-DA-045								
		68	67	65	64							56	55				50				44	43	42	41	40	39	38		33	31	30		27		24			20			15	14	13		11	10	9	8				2	1	7-1438136-2	5L3T-14A464-DA-044						
70	68	67	66	65	64	63			60	59			55	54			51	50				44	43	42	40	38	37		34	32	31	30	29	27		24	23		21	20	19	18		16	15	14			11	10	9			5	4	3	2	1	7-1438136-1	5L3T-14A464-DA-043	
					64	63	62					57	56	55			50					43	42		39	38				32				27		25			22	21	20	19	18			14			9	8	7		5			1	6-1438136-9	5L3T-14A464-DA-042			
	68	67		65	64							56					50				44	43	42	40	39			33	31	30		27		24	23			20	18			13			8				4	2	1	6-1438136-8	5L3T-14A464-DA-041								
	68	67			64	63	62					56					50				44	43	42	40	39			33	31	30		27		24	23			21	20	18			13			8	7	6						6-1438136-7	5L3T-14A464-DA-040						
	68	67			64	63	62										50	49	48			44	43	42	40			33	31	30		27		24	23			21	20	18					7	6		4	3				6-1438136-6	5L3T-14A464-DA-039							
	68	67	66	65	64		62		60	59		56	55				51	50				44	43	42	41	40	39	38		34	32	31	30		27		24	23			20	19			15	14	13		11	10	9	8	7		5	4	3	2	1	6-1438136-5	5L3T-14A464-DA-038
	68	67	66	65	64		62		60	59		56	55				51	50				44	43	42	41	40	39	38		34	32	31	30		27		24	23			20	19			15	14	13		11	10	9	8	7		5	4	2	1	6-1438136-4	5L3T-14A464-DA-037	
70	68	67	66	65	64	63			60	59			55	54			51	50				44	43	42	40	38	37		34	32	31	30	29	27		24	23			21	20	19		16	15	14			11	10	9			5	4	3	2	1	6-1438136-3	5L3T-14A464-DA-036	
					64	63	62					57	56	55				50				43			39	38				32				27	26	25			22	21	20	19	18			14	13			9	8	7	6	5	4	3			6-1438136-2	5L3T-14A464-DA-035	
					64	63	62					57	56	55				50				43			39	38				32				27	26	25			23	22	21	20	19	18			14	13			9	8	7	6	5	4			6-1438136-0	5L3T-14A464-DA-034	
	68	67		65	64							56	55								44		42	40	39	38			33	31	30		27		24	23			20	18			15	14	13		11	10	9	8	7		5	4		2	1	5-1438136-9	5L3T-14A464-DA-033		
	68	67															50				44	43	42	40				33				27		24				20	18						7				2			5-1438136-8	5L3T-14A464-DA-032								
	68	67				63	62										50				44	43	42	40				33				27		24				21	20	18					7				2			5-1438136-7	5L3T-14A464-DA-031								
					64	63	62					56											42	40	39				33						24	23			21	20	18			13			8	7						5-1438136-6	5L3T-14A464-DA-030						
	68	67	66	65	64				60	59			55				51	50				44	43	42	40	38			34	32	31	30		27		24	23			20	19			15	14			11	10	9			5	4		2	1	5-1438136-5	5L3T-14A464-DA-029		
	68	67			64							56						50				44	43	42	40	39			33	31	30		27		24	23			20	18			13			8	7	6					4-1438136-9	5L3T-14A464-DA-028							
70	68				63							56	55	54							44		42	40	39	38	37		33	32	31	30	29	27		25	24			22	21		19			15	14			10				5	4		2	1	4-1438136-3	5L3T-14A464-DA-027	
70	68				63							56	55	54							44		42	40	39	38	37		33	32	31	30	29	27		24			22	21		19			15	14			10				4	2	1	4-1438136-2	5L3T-14A464-DA-026				
					64	63						56	55					50				43	42	41	40	39	38				32	31	30		27		25			22	21	20	19			14					5				1	4-1438136-1	5L3T-14A464-DA-025				
	68	67			64							56						50				44	43	42	40	39			33	31	30		27	26	25			23	22		20	19	18				13			8	7	6	5	4	3	2	1	4-1438136-0	5L3T-14A464-DA-024		
	68	67			64	63	62					56						50				44	43	42	40	39			33	31	30		27		24	23			21	20	18			13			8	7	6					2			3-1438136-9	5L3T-14A464-DA-023			
	68	67			64	63	62										50	49	48			44	43	42	40			33	31	30		27		24	23			21	20	18					7	6											3-1438136-8	5L3T-14A464-DA-022			
	68	67			64		62					56						50				44	43	42	40	39			33	31	30		27		24	23			20	18			13			8	7	6					2				3-1438136-7	5L3T-14A464-DA-021			
	68	67			64							56						50				44	43	42	40	39			33	31	30		27		24	23			20	19	18			13			8	7	6							3-1438136-6	5L3T-14A464-DA-020				
				65	64	63	62					56										43	42	40	39				33							23	21			18			13			8				5	4	3	2	1	3-1438136-5	5L3T-1					

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.		

REVISIONS					
#	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET I	-	-	-

KEYING OPTION A

[illegible]

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. T. VESTAL 15APR2005 CHK. T. VALASEK 15APR2005 APPR. T. VALASEK 15APR2005	 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 P/LC ±. 1 P/LC ±0.3 2 P/LC ±0.10 4 P/LC ±. 6 P/LC ±. ANGLES ±°		NAME 70-WAY HARNESS ASSEMBLY
		PRODUCT SPEC - APPLICATION SPEC -		
MATERIAL -		WEIGHT -		SIZE CAGE CODE DRAWING NO A100779C1438136
FINISH -		CUSTOMER DRAWING -		RESTRICTED TO -
		SCALE 2:1 SHEET 4 OF 11 REV 47		

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

KEYING OPTION B

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

5L3T-14A464-E* PIN-OUT CHART

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R. VESTAL

CHK
T. VALASEK

APVD
T. VALASEK

15APR2005

15APR2005

15APR2005

DIMENSIONS:

mm

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

±

±0.3

±0.10

±

±

±1°

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE

TE Connectivity

NAME

70-WAY HARNESS ASSEMBLY

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A100779

©=1438136

SCALE

2:1

SHEET


5

OF




11

REV

647



SCALE 2:1



NOTES: UNLESS OTHERWISE SPECIFIED

1. GENERAL TOLERANCE:
±0.3 ALL ONE PLACE DIMENSIONS
±0.10 ALL TWO PLACE DIMENSIONS
±1°00' ALL ANGULAR DIMENSIONS

2. DRAFT ANGLE PERMISSIBLE ONLY WITHIN
DRAWING TOLERANCE.

3. SEALING SURFACE, NO WITNESS LINES OF DAMAGE PERMITTED.


4. ALL UNMARKED RADII TO BE 0.5 MAX., UNLESS OTHERWISE SPECIFIED

5. VENT HOLE SIZE AND LOCATION IS OPTIONAL.

6. THIS AREA TO REMAIN CLEAR FOR THE HARNESS ASSEMBLY.

7. TERMINAL POSITION IDENTIFICATION.










8. MATES WITH TYCO ELECTRONICS PART# 1438136-*



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL	15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK	15APR2005		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T. VALASEK	15APR2005	NAME	
mm		PRODUCT SPEC		70-WAY HARNESS ASSEMBLY	
0 PLC ±0.3		APPLICATION SPEC		SIZE	
1 PLC ±0.10		WEIGHT		CAGE CODE	
2 PLC ±0.10		CUSTOMER DRAWING		DRAWING NO.	
3 PLC ±0.10		SCALE		SHEET	
4 PLC ±0.10		REV		OF	
ANGLES ±1°		SCALE		SHEET	
FINISH		SCALE		SHEET	
MATERIAL		SCALE		SHEET	
-		SCALE		SHEET	
-		SCALE		SHEET	

HEADER INTERFACE KEYING OPTIONS

REVISIONS				
P.	LTR.	DESCRIPTION	DATE	OWN APVD
-	-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME	
	0 PLC ±0.3	PRODUCT SPEC	70-WAY HARNESS ASSEMBLY	
	1 PLC ±0.10	APPLICATION SPEC		
MATERIAL	FINISH	WEIGHT	SIZE	RESTRICTED TO
-	-	-	A100779C=1438136	-
CUSTOMER DRAWING		SCALE	SHEET	REV
		2:1	11 OF 11	647

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[7-1438136-4](#)