

Adapter insert - TSD-M SAC-BIT ADAPTER - 1212600

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid
(<http://phoenixcontact.com/download>)



Adapter bit for TSD-M... torque tools, E6.3-1/4" drive with 4 mm hexagon to accommodate SAC bits

Product Features

- Wide range of SAC... nuts for various different applications
- The TSD-M... adapters can accommodate the various nuts
- For the TSD-M... torque screwdrivers, the torque can be custom-set
- TSD ... SAC torque screwdrivers with a range of preset torques from 0.2 Nm to 2.5 Nm



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	20.0 g
Custom tariff number	82079030
Country of origin	Czech Republic

Technical data

Dimensions

Blade height	100 mm
--------------	--------

General

Color	silver
Type	Hexagonal SW4
Material	Alloyed tool steel
Test standard	DIN 3126

Standards and Regulations

Test standard	DIN 3126
---------------	----------

Adapter insert - TSD-M SAC-BIT ADAPTER - 1212600

Classifications

eCl@ss

eCl@ss 4.0	21043074
eCl@ss 4.1	21043074
eCl@ss 5.0	21040290
eCl@ss 5.1	21040290
eCl@ss 6.0	21040290
eCl@ss 7.0	21040290
eCl@ss 8.0	21049290

ETIM

ETIM 4.0	EC002498
ETIM 5.0	EC002118

UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

Approval details

EAC

Phoenix Contact 2016 © - all rights reserved
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1212600](#)