

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

—, —, —

© COPYRIGHT — By —

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

—

—

SEE SHEET 1

—

—

—

CONTACT LAYOUT

M12—Females 5—pole

5(PE)

3(—)

4(N/O)(S1)

2(N/C) S2

1(+)

9

11

13

16

14

12

10

—1

+1

1

3

PE

4

2

+2

—2

5

7

15

8

6

CIRCUIT DIAGRAM

PE

—1

—2

+1

+2

9

1

10

2

1

2

PE

—1

—2

+1

+2

9

1

10

2

11

3

12

4

13

5

14

6

15

7

16

8

1

2

3

4

5

6

7

8

4xM12

8xM12

for 2 Signals per port

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

MATERIAL

—

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± —

1 PLC ± —

2 PLC ± —

3 PLC ± —

4 PLC ± —

ANGLES ± —

FINISH —

DWN

16JAN2014

SATHISH KUMAR .G

CHK

16JAN2014

B.VELDHOVEN

APVD

16JAN2014

A.VAN ZANDVOORT

PRODUCT SPEC

—

APPLICATION SPEC

—

WEIGHT

—

CUSTOMER DRAWING

TE

TE Connectivity

NAME

DISTR BOX M12 5POS 8WAY PNP

—

—

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=2273162

—

SCALE

SHEET

REV

NTS

2 OF 2

A

1470—19 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2273162-1](#)