


THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION



20

ALL RIGHTS RESERVED.


(C) COPYRIGHT 20



RECOMMENDED PC BOARD LAYOUT



282868-3 AS SHOWN



PRELIMINARY	82.5	80.0	16	I-282868-6
42.5	40.0	8	282868-8	
37.5	35.0	7	282868-7	
27.5	25.0	5	I-282868-5	
17.5	15.0	3	282868-3	
12.5	10.0	2	282868-2	
B	A	NO OF POSN	PART NUMBER	

- 1 MATERIALS AND FINISH
HOUSING: PA 6-6, UL 94-V0, COLOR GREEN.
CLAMP: BRASS, NICKEL PLATED.
TERMINAL: BRASS, TIN PLATED.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.
- 2 SUITABLE FOR 1,6-2,4mm PC BOARD THICKNESS.
- 3 END-TO-END STACKABLE W/INTERLOCK WITHOUT LOSS OF CENTERLINE SPACING.
- 4 WIRE SIZE RANGE 12-30 AWG.
- 5 RECOGNIZED UNDER THE COMPONENT PROGRAM OF UNDERWRITERS LABORATORIES INC., FILE N° E60677.
- 6 IMQ CERTIFICATE WITH SURVEILLANCE IN CONFORMITY WITH IEC 998-1/998-2-1.
- 7 NOT CUMULATIVE TOLERANCE.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. ZANOLINI 23OCT2001		 TE TE Connectivity
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		
0 PLC	±-	1 PLC	±.3	
2 PLC	±.25	3 PLC	±-	
4 PLC ANGLES	±.2			
PRODUCT SPEC 108-20166		APPLICATION SPEC 114-20079		
MATERIAL		FINISH		WEIGHT -
CUSTOMER DRAWING		DRAWING NO A300779C-282868		RESTRICTED TO -
SCALE 3:1		SHEET 1 OF 1		REV F2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[282868-7](#)